Index to Volume 102

January–June, 2005

Author Index

Aagaard-Kienitz B. *See* Rajpal S, 922
Aagaard-Kienitz BA. *See* Sanford MF, 918
Acar F. *See* Naderi S, 1147
Acar G. *See* Naderi S, 1147
Agrawal D. *See* Kiran S, 181
Aho CJ, Liu C, Zelman V, Couldwell WT, Weiss MH. Surgical outcomes in 118 patients with Rathke cleft cysts, 189
Aikens AC. *See* Tubbs RS, 910, 912
Akagawa H, Kasuya H, Onda H, Yoneyama T, Sasahara A, Kim C, Lee J, Yang T, Hori T, Inoue I. Influence of endothelial nitric oxide synthase T-786C single nucleotide polymorphism on aneurysm size, 68
Al-Khayat HA. *See* Al-Khayat HI, 482
Al-Khayat HI, Al-Khayat HA, White J, Manner D, Samson D. Upper basilar artery aneurysms: oculomotor outcomes in 163 cases, 482
Alastra AJG. *See* Allen JW, 45
Albanese A, Tuttolomondo A, Anile C, Sabatino G, Pompucci A, Pinto A, Licata G, Mangiola A. Spontaneous chronic subdural hematomas in young adults with deficiency in coagulation factor XIII. Report of three cases, 1130
Alberico RA. *See* Tawk RG, 442
Alkass K. *See* Prunell GF, 1046
Allen JW, Alastra AJG, Nelson PK. Proximal intracranial internal carotid artery branches: prevalence and importance for balloon occlusion test, 45
Amar AP. *See* Chakrabarti I, 650
Ammerman MD. *See* Polin RS, 276
Amundson E. *See* McGirt MJ, 897
Amundson EW, McGirt MJ, Olivi A. A contralateral, transfrontal, extraventricular approach to stereotactic brainstem biopsy procedures. Technical note, 565
Anderson DE, Leonetti J, Wind JJ, Cribari D, Fahey K. Resection of large vestibular schwannomas: facial nerve preservation in the context of surgical approach and patient-assessed outcome, 643
Anderson FA Jr. *See* Polin RS, 276
Andrews BT. Book review, 180
Andrews P. *See* Howells T, 311
Anile C. *See* Albanese A, 1130
Antoniou D. Intracerebral hematoma and aneurysms. Letters, 582
Aoki S. *See* Kamada K, 664
———. *See* Maruyama K, 673
Aquilina K. *See* Kamel MH, 730
Arienta C. *See* Caroli M, 290
Arima T, Natsume A, Hatano H, Nakahara N, Fujita M, Ishii D, Wakabayashi T, Doyu M, Nagasaka T, Yoshida J. Intraventricular chordoid meningioma presenting with Castleman disease due to overproduction of interluekin-6. Case report, 733
Armon C. Book review, 581
Atkinson JLD. *See* Cohen-Gadol AA, 391
Ausman JI. Comments on the unruptured aneurysm study from Japan; does this study clarify what to do? Editorial, 593
Avellino AM. *See* Hussain NS, 536
Aygol GA. *See* Marmarou A, 987

Babcock EE. *See* Giller CA, 571
Bakay RAE. Book review, 1167
Balasingam V, Noguchi A, McMenomey SO, Delashaw JB Jr. Modified osteoplastic orbitozygomatic craniotomy. Technical note, 940
———. *See* Noguchi A, 945, 951
Balestreri M. *See* Czosnyka M, 450
Bamlet WR. *See* Khurana VG, 526
Bankiewicz K. *See* Hadaczek P, 328
Barbagallo GMV, Platania N, Schonauer C. Long-term resolution of acute, obstructive, triventricular hydrocephalus by endoscopic removal of a third ventricular hematoma without third ventriculostomy. Case report and review of the literature, 930
Barker FG. *See* Curry WT, 977
Barker FG II, Curry WT Jr, Carter BS, McDermott MW. Meningioma. Editorial, 970
Barnett GH. *See* Ugokwe K, 1163
Barrow DL. *See* Tumialán LM, 1171
Barth JT. *See* Broshek DK, 856
Becker DP. *See* Dusick JR, 832
Bederson JB. *See* Sehba FA, 1094
Behnke E. *See* Gorgulho A, 888
Bellinzona G. *See* Imberti R, 455
Belzberg AJ. *See* Dorsi M, 404
Benes L. *See* Sure U, 342
Benveniste RJ, King WA, Walsh J, Lee JS, Delman BN, Post KD. Repeated transsphenoidal surgery to treat recurrent or residual pituitary adenoma, 1004
Beretta F. *See* Caroli M, 290
Berger M. *See* Parney IF, 267
Berger MS. *See* Hadaczek P, 328
———. *See* Parsa AT, 622
Bernstein M. *See* Perrin RG, 386
———. *See* Woodrow SI, 616
Bertalanffy H. *See* Rohlfs J, 1142
———. *See* Sure U, 342
Beschorner R. *See* Koerbel A, 1166
Betchen SA, Walsh J, Post KD. Long-term hearing preservation after surgery for vestibular schwannoma, 6

Index to Volume 102

January–June, 2005

Author Index

Aagaard-Kienitz B. *See* Rajpal S, 922
Aagaard-Kienitz BA. *See* Sanford MF, 918
Acar F. *See* Naderi S, 1147
Acar G. *See* Naderi S, 1147
Agrawal D. *See* Kiran S, 181
Aho CJ, Liu C, Zelman V, Couldwell WT, Weiss MH. Surgical outcomes in 118 patients with Rathke cleft cysts, 189
Aikens AC. *See* Tubbs RS, 910, 912
Akagawa H, Kasuya H, Onda H, Yoneyama T, Sasahara A, Kim C, Lee J, Yang T, Hori T, Inoue I. Influence of endothelial nitric oxide synthase T-786C single nucleotide polymorphism on aneurysm size, 68
Al-Khayat HA. *See* Al-Khayat HI, 482
Al-Khayat HI, Al-Khayat HA, White J, Manner D, Samson D. Upper basilar artery aneurysms: oculomotor outcomes in 163 cases, 482
Alastra AJG. *See* Allen JW, 45
Albanese A, Tuttolomondo A, Anile C, Sabatino G, Pompucci A, Pinto A, Licata G, Mangiola A. Spontaneous chronic subdural hematomas in young adults with deficiency in coagulation factor XIII. Report of three cases, 1130
Alberico RA. *See* Tawk RG, 442
Alkass K. *See* Prunell GF, 1046
Allen JW, Alastra AJG, Nelson PK. Proximal intracranial internal carotid artery branches: prevalence and importance for balloon occlusion test, 45
Amar AP. *See* Chakrabarti I, 650
Ammerman MD. *See* Polin RS, 276
Amundson E. *See* McGirt MJ, 897
Amundson EW, McGirt MJ, Olivi A. A contralateral, transfrontal, extraventricular approach to stereotactic brainstem biopsy procedures. Technical note, 565
Anderson DE, Leonetti J, Wind JJ, Cribari D, Fahey K. Resection of large vestibular schwannomas: facial nerve preservation in the context of surgical approach and patient-assessed outcome, 643
Anderson FA Jr. *See* Polin RS, 276
Andrews BT. Book review, 180
Andrews P. *See* Howells T, 311
Anile C. *See* Albanese A, 1130
Antoniou D. Intracerebral hematoma and aneurysms. Letters, 582
Aoki S. *See* Kamada K, 664
———. *See* Maruyama K, 673
Aquilina K. *See* Kamel MH, 730
Arienta C. *See* Caroli M, 290
Arima T, Natsume A, Hatano H, Nakahara N, Fujita M, Ishii D, Wakabayashi T, Doyu M, Nagasaka T, Yoshida J. Intraventricular chordoid meningioma presenting with Castleman disease due to overproduction of interluekin-6. Case report, 733
Armon C. Book review, 581
Atkinson JLD. *See* Cohen-Gadol AA, 391
Ausman JI. Comments on the unruptured aneurysm study from Japan; does this study clarify what to do? Editorial, 593
Avellino AM. *See* Hussain NS, 536
Aygol GA. *See* Marmarou A, 987

Babcock EE. *See* Giller CA, 571
Bakay RAE. Book review, 1167
Balasingam V, Noguchi A, McMenomey SO, Delashaw JB Jr. Modified osteoplastic orbitozygomatic craniotomy. Technical note, 940
———. *See* Noguchi A, 945, 951
Balestreri M. *See* Czosnyka M, 450
Bamlet WR. *See* Khurana VG, 526
Bankiewicz K. *See* Hadaczek P, 328
Barbagallo GMV, Platania N, Schonauer C. Long-term resolution of acute, obstructive, triventricular hydrocephalus by endoscopic removal of a third ventricular hematoma without third ventriculostomy. Case report and review of the literature, 930
Barker FG. *See* Curry WT, 977
Barker FG II, Curry WT Jr, Carter BS, McDermott MW. Meningioma. Editorial, 970
Barnett GH. *See* Ugokwe K, 1163
Barrow DL. *See* Tumialán LM, 1171
Barth JT. *See* Broshek DK, 856
Becker DP. *See* Dusick JR, 832
Bederson JB. *See* Sehba FA, 1094
Behnke E. *See* Gorgulho A, 888
Bellinzona G. *See* Imberti R, 455
Belzberg AJ. *See* Dorsi M, 404
Benes L. *See* Sure U, 342
Benveniste RJ, King WA, Walsh J, Lee JS, Delman BN, Post KD. Repeated transsphenoidal surgery to treat recurrent or residual pituitary adenoma, 1004
Beretta F. *See* Caroli M, 290
Berger M. *See* Parney IF, 267
Berger MS. *See* Hadaczek P, 328
———. *See* Parsa AT, 622
Bernstein M. *See* Perrin RG, 386
———. *See* Woodrow SI, 616
Bertalanffy H. *See* Rohlfs J, 1142
———. *See* Sure U, 342
Beschorner R. *See* Koerbel A, 1166
Betchen SA, Walsh J, Post KD. Long-term hearing preservation after surgery for vestibular schwannoma, 6

Betlej M. *See* Pera J, 879
Bird TD. *See* Ellegala DB, 242
Blondet E. *See* Sindou MP, 1018
Blümcke I. *See* Eyüpoglu IY, 738
Borratynska A. *See* Pera J, 879
Bouma GJ. *See* Verstegen MJT, 167
Bozinov O. *See* Sure U, 342
Bradley CC. *See* Cohen-Gadol AA, 902
Brekenfeld C. *See* Gralla J, 658
Brem H. *See* Koenig MA, 371
Brewer C. *See* Kim HJ, 503
Bristol RE. *See* Gonzalez LF, 726
Brockmann MA, Nowak G, Reusche E, Russlies M, Peterson D. Zebra sign: cerebellar bleeding pattern characteristic of cerebrospinal fluid loss. Case report, 1159
Broggi G. *See* Franzini A, 721
Broshek DK, Kaushik T, Freeman JR, Erlanger D, Webbe F, Barth JT. Sex differences in outcome following sports-related concussion, 856
Brotchi J. *See* Lefranc F, 706
Bugiani O. *See* Franzini A, 721
Bullock MR. *See* Kleindienst A, 1115
Burchiel K. Cushing and Bovie: lessons learned. Editorial, 599
Burchiel KJ. Gamma knife and trigeminal neura!gia. Editorial, 431
Buslei R. *See* Eyüpoglu IY, 738
Butman JA. *See* Croteau D, 90
———. *See* Kim HJ, 503

Cahill J, Zhang JH. Book review, 581
Calvert JW, Zhang JH. Book review, 958
Camby I. *See* Lefranc F, 706
Campanella R. *See* Caroli M, 290
Capelle H, Simpson RK Jr, Kronenbuerger M, Michaelsen J, Tronnier V, Krauss JK. Long-term deep brain stimulation in elderly patients with cardiac pacemakers, 53
Capelle HH. *See* Farhadi MR, 363
Capelle L. *See* Duffau H, 148
Caputy AJ. *See* Polin RS, 276
Caroli E. *See* Salvati M, 1155
Caroli M, Locatelli M, Prada F, Beretta F, Martinelli-Boneschi F, Campanella R, Arienta C. Surgery for intracranial meningiomas in the elderly: a clinical-radiological grading system as a predictor of outcome, 290
Carson BS. *See* Hussain NS, 536
Carter BS. *See* Barker FG II, 970
———. *See* Curry WT, 977
Cha S. *See* Parney IF, 267
Chaalala C. *See* Zuccarello M, 580
Chakrabarti I, Amar AP, Couldwell W, Weiss MH. Long-term neurological, visual, and endocrine outcomes following transnasal resection of craniopharyngioma, 650
Chang GL. *See* Lee EJ, 1085
Chang K. *See* Kang H, 156
Chang SM. *See* Parney IF, 267
———. *See* Parsa AT, 622
Charalambous C, Hofman FM, Chen TC. Functional and phenotypic differences between glioblastoma multiforme-derived and normal human brain endothelial cells, 699
Chavali R. *See* Chaves C, 152
Chaves C, Freidberg SR, Lee G, Zeris V, Ries S, Chavali R. Cerebral vasospasm following intracranial hypotension caused by cerebrospinal fluid leak from an incidental lumbar durotomy. Case report, 152
Chen LH. *See* Lee EJ, 1085
Chen TC. *See* Charalambous C, 699
Chen TY. *See* Lee EJ, 1085
Chen YL. *See* Toh CH, 550
Chernov MF, Muragaki Y, Ochiai T, Maruyama T, Izawa M, Hayashi M, Ono Y, Kubo O, Hori T. Spectroscopy and navigation. Letters, 402
Chow M, Rasmussen P. Etomidate, transfusion, and vasospasm. Letters, 584
Chow MM. *See* Thorell WE, 348
Christianson TJH. *See* Mangrum WI, 72
Christos M. *See* Kleindienst A, 1115
Ciappetta P, Paolini S. Intracerebral hematoma and aneurysms. Letters, 582
Coenen H. *See* Floeth FW, 318
Cohan P. *See* Dusick JR, 832
Cohen JE, Rajz G, Itshayek E, Shoshan Y, Umansky F, Gomori JM. Endovascular management of traumatic and iatrogenic aneurysms of the pericallosal artery. Report of two cases, 555
Cohen-Gadol AA, Bradley CC, Williamson A, Kim JH, Westerveld M, Duckrow RB, Spencer DD. Normal magnetic resonance imaging and medial temporal lobe epilepsy: the clinical syndrome of paradoxical temporal lobe epilepsy, 902
———, Homan JM, Laws ER, Atkinson JLD. The Mayo brothers and Harvey Cushing: a review of their 39-year friendship through their personal letters. Historical vignette, 391
———, Voorhees JR, Spencer DD, Laws ER. Cushing and Bovie: lessons learned. Editorial, 600
———. *See* Voorhees JR, 745
Collins MW. *See* Mihalik JP, 850
Coon AL. *See* McGirt MJ, 897
Coons S. *See* Rogers L, 629
Coplin WM. Book review, 756
Corwin FD. *See* Kleindienst A, 1115
Cosar M. *See* Hatiboglu MA, 543
Couldwell W. *See* Chakrabarti I, 650
Couldwell WT, Liu JK, Stevens EA, Tenner MS. Papaverine and vasospasm. Letters, 181
———. *See* Aho CJ, 189
———. *See* Gottfried ON, 202
———. *See* House PA, 390
Cribari D. *See* Anderson DE, 643
Croteau D, Walbridge S, Morrison PF, Butman JA, Vortmeyer AO, Johnson D, Oldfield EH, Lonser RR. Real-time in vivo imaging of the convective distribution of a low-molecular-weight tracer, 90
———. *See* Parney IF, 267
Cunningham JM. *See* Khurana VG, 526
Curry WT, McDermott MW, Carter BS, Barker FG. Craniotomy for meningioma in the United States between 1988 and 2000: decreasing rate of mortality and the effect of provider caseload, 977
Curry WT Jr. *See* Barker FG II, 970
Czepko R. *See* Pera J, 879
Czosnyka M, Balestreri M, Steiner L, Smielewski P, Hutchinson PJ, Matta B, Pickard JD. Age, intracranial pressure, autoregulation, and outcome after brain trauma, 450

DACEY RG. *See* Rivet DJ, 576
DARRO F. *See* Lefranc F, 706
DATE I. *See* Yasuhara T, 80
DE SALLES AAF. *See* Gorgulho A, 888
DEAN A. *See* Mehta AD, 1040
DELASHAW JB JR. *See* Balasingam V, 940
———. *See* Noguchi A, 945, 951
DELFINI R. *See* Salvati M, 1155
DELMAN BN. *See* Benveniste RJ, 1004
DERAKHSHAN I. Cortical organization. Letters, 1172
DESALLES A. *See* Dusick JR, 832
DIAZ AZ. *See* Tawk RG, 442
DORMIANI M. *See* Nakamura M, 637
———. *See* Roser F, 17
DOROSZUK G. *See* Lylyk P, 235
DORSI M, BELZBERG AJ. Brachial plexus injury. Letters, 404
DOUGLAS AF, WEINER HL, SCHWARTZ DR. Prolonged intrathecal baclofen withdrawal syndrome. Case reports, 1133
DOYU M. *See* Arima T, 733
DRUMMOND JC, PATEL PM. Etomidate, transfusion, and vasospasm. Letters, 583
DRYGAS J, HAINES SJ. Book review, 180
DUCKROW RB. *See* Cohen-Gadol AA, 902
DUFFAU H, CAPELLE L. Incontinence after brain glioma surgery: new insights into the cortical control of micturition and continence. Case report, 148
DUFFY-FRONCKOWIAK M. *See* Tawk RG, 442
DUFOUR JJ. *See* Mohr G, 1
DUMONT AS. *See* Laws ER, 825
DUNBAR J. *See* Marmarou A, 987
DUSICK JR, ESPOSITO F, KELLY DF, COHAN P, DESALLES A, BECKER DP, MARTIN NA. The extended direct endonasal transsphenoidal approach for nonadenomatous suprasellar tumors, 832
———, ———, ———. Extended transsphenoidal approach. Editorial, 827
DZIEDZIC T. *See* Pera J, 879

ELF K. *See* Howells T, 311
ELLEGALA DB, MONTEITH SJ, HAYNOR D, BIRD TD, GOODKIN R, KLIOT M. Characterization of genetically defined types of Charcot-Marie-Tooth neuropathies by using magnetic resonance neurography, 242
ELRAN H. *See* Roth J, 864
EMERY E. *See* Sindou MP, 1018
ENBLAD P. *See* Frykholm P, 1076
———. *See* Howells T, 311
ENDO H. *See* Ogasawara K, 38
ENDO O. *See* Usui N, 1122
ENDO S. *See* Hirashima Y, 882
ENGSTRÖM M, POLITO A, REINSTRUP P, ROMNER B, RYDING E, UNGERSTEDT U, NORDSTRÖM CH. Intracerebral microdialysis in severe brain trauma: the importance of catheter location, 460
ERBER R. *See* Farhadi MR, 363
ERLANGER D. *See* Broshek DK, 856
ESPOSITO F. *See* Dusick JR, 827, 832
EUGSTER HP. *See* Rodak R, 1055
EYÜPOGLU IY, HAHNEN E, HECKEL A, SIEBZEHNRÜBL FA, BUSLEI R, FAHLBUSCH R, BLÜMCKE I. Malignant glioma-induced neuronal cell death in an organotypic glioma invasion model. Technical note, 738

FAHEY K. *See* Anderson DE, 643
FAHLBUSCH R. *See* Eyüpoglu IY, 738
FARACE E, SHAFFREY ME. Value of neuropsychological information for improved understanding of the patient with normal-pressure hydrocephalus. Editorial, 971
———. *See* Shaffrey ME, 1033
FARHADI MR, CAPELLE HH, ERBER R, ULLRICH A, VAJKOCZY P. Combined inhibition of vascular endothelial growth factor and platelet-derived growth factor signaling: effects on the angiogenesis, microcirculation, and growth of orthotopic malignant gliomas, 363
FATOUROS P. *See* Kleindienst A, 1115
FENSTERMAKER RA. *See* Tawk R, 432
———. *See* Tawk RG, 442
FERRANTE L. *See* Salvati M, 1115
FERRARIO A. *See* Lylyk P, 235
FERROLI P. *See* Franzini A, 721
FIELD M. *See* Mihalik JP, 850
FISCH B. *See* Payne BR, 935
FLEMMING KD. *See* Mangrum WI, 72
FLICKINGER J. *See* Sheehan JP, 678
FLOETH FW, PAULEIT D, WITTSACK HJ, LANGEN KJ, REIFENBERGER G, HAMACHER K, MESSING-JÜNGER M, ZILLES K, WEBER F, STUMMER W, STEIGER HJ, WOEBKER G, MÜLLER HW, COENEN H, SABLE M. Multimodal metabolic imaging of cerebral gliomas: positron emission tomography with [^{18}F]fluoroethyl-L-tyrosine and magnetic resonance spectroscopy, 318
FRANCO A. *See* Nina P, 184
FRANZINI A, MARRAS C, FERROLI P, ZORZI G, BUGIANI O, ROMITO L, BROGGI G. Long-term high-frequency bilateral pallidal stimulation for neuroleptic-induced tardive dystonia. Report of two cases, 721
FRATI A. *See* Salvati M, 1155
FRAZIER JM. *See* McGirt MJ, 897
FREEMAN JR. *See* Broshek DK, 856
FREI K. *See* Rodak R, 1055
FREIDBERG SR. *See* Chaves C, 152
FREMAN S. *See* Sure U, 342
FRIEDRICH V JR. *See* Sehba FA, 1094
FRIGHETTO L. *See* Gorgulho A, 888
FRYKHOLM P, HILLERED L, LANGSTROM B, PERSSON L, VALTYSSON J, ENBLAD P. Relationship between cerebral blood flow and oxygen metabolism, and extracellular glucose and lactate concentrations during middle cerebral artery occlusion and reperfusion: a microdialysis and positron emission study in nonhhuman primates, 1076
FUARDO M. *See* Imberti R, 455
FUJII K. *See* Kawashima M, 116, 132
———. *See* Utsuki S, 540
FUJII Y. *See* Morita K, 336
———. *See* Sorimachi T, 870
FUJITA M. *See* Arima T, 733
FUJIWARA S. *See* Morita A, 595, 601
FUKUDA T. *See* Ogasawara K, 38
FUKUSHIMA T. *See* Ueno Y, 513
FUKUYAMA H. *See* Kikuta K, 470
FUSHIMI Y. *See* Kikuta K, 470

GABIUS J. *See* Lefranc F, 706
GANSLANDT O. *See* Stadlbauer A, 403
GARONZIK I. *See* McGirt MJ, 897
GASH DM. *See* Slevin JT, 216, 401

GAUSSIN JF. *See* Lefranc F, 706
GEOCADIN RG. *See* Koenig MA, 371
GERHARDT GA. *See* Slevin JT, 216, 401
GIANGASPERO F. *See* Salvati M, 1155
GILLER CA, BABCOCK EE, MENDELSOHN DB. Use of sagittal images for localization of the subthalamic nucleus. Technical note, 571
GLENN G. *See* Kim HJ, 503
GOMIS P, TRAN-DINH YR, SERCOMBE C, SERCOMBE R. Dexamethasone preventing contractile and cytoskeletal protein changes in rabbit basilar artery after subarachnoid hemorrhage, 715
GOMORI JM. *See* Cohen JE, 555
GONZALEZ LF, BRISTOL RE, PORTER RW, SPETZLER RF. De novo presentation of an arteriovenous malformation. Case report and review of the literature, 726
GOOD C. *See* Hattingen E, 302
GOODKIN R. *See* Ellegala DB, 242
GORGULHO A, DE SALLES AAF, FRIGHETTO L, BEHNKE E. Incidence of hemorrhage associated with electrophysiological studies performed using macroelectrodes and microelectrodes in functional neurosurgery, 888
GOTTFRIED ON, ROVIT RL, POPP AJ, KRAUS KL, SIMON AS, COULDWELL WT. Neurosurgical workforce trends in the United States, 202
GRADY MS. *See* Kriet JD, 1029
GRALLA J, GUZMAN R, BREKENFELD C, REMONDA L, KIEFER C. High-resolution three-dimensional T_2-weighted sequence for neuronavigation: a new setup and clinical trial, 658
GREINER C. *See* Hasselblatt M, 1151
GUAN SS. *See* Wu ZB, 284
GULKA IB. *See* Kole MK, 607
GUMP WC, WALSH JW. Intrathecal colistin for treatment of highly resistant *Psuedomonas* ventriculitis. Case report and review of the literature, 915
GUTERMAN LR. *See* Levy EI, 29
GUTTUSO T JR, VITTICORE P, HOLLOWAY RG. Responsiveness of life-threatening refractory emesis to gabapentin-scopolamine therapy following posterior fossa surgery. Case report, 547
GUZMAN R. *See* Gralla J, 658

HADACZEK P, MIREK H, BERGER MS, BANKIEWICZ K. Limited efficacy of gene transfer in *herpes simplex virus-thymidine kinase/ganciclovir* gene therapy for brain tumors, 328
HAHNEN E. *See* Eyüpoglu IY, 738
HAINES SJ. *See* Drygas J, 180
HAMACHER K. *See* Floeth FW, 318
HAMADA H. *See* Hirashima Y, 882
HAMADA J. *See* Kai Y, 182
HAMADA JI. *See* Kamezawa T, 24
HAMASAKI K. *See* Kai Y, 182
HAMLAT A. *See* Saikali S, 376
HAMM I. *See* Park J, 174
HAN DH. *See* Im SH, 1013
HAN MH. *See* Kang H, 156
HANAKAWA T. *See* Kikuta K, 470
HANEL RA. *See* Levy EI, 29
HÄNGGI D, STEIGER H. Dissecting basilar aneurysms. Letters, 182
HARBAUGH RE. *See* Raghavan ML, 355
HARDEN C. *See* Mehta AD, 1040
HASEGAWA H. *See* Kubo S, 938
HASEGAWA T, KIDA Y, KOBAYASHI T, YOSHIMOTO M, MORI Y, YOSHIDA J. Long-term outcomes in patients with vestibular schwannomas treated using gamma knife surgery: 10-year follow up, 10
HASHI K. *See* Morita A, 595, 601
HASHIMOTO N. *See* Kikuta K, 470
HASSELBLATT M, JUNDT G, GREINER C, RAMA B, SCHMÄL F, IGLESIAS-ROZAS JR, VAN DE NES JAP, PAULUS W. Juvenile psammonatoid ossifying fibroma of the neurocranium. Report of five cases, 1151
HATANO H. *See* Arima T, 733
HATIBOGLU MA, COSAR M, IPLIKCIOGLU AC, OZCAN D. Brain metastasis from an adenoid cystic carcinoma of the Bartholin gland. Case report, 543
HATTINGEN E, GOOD C, WEIDAUER S, HERMINGHAUS S, RAAB P, MARQUARDT G, RAABE A, SEIFERT V, ZANELLA FE. Brain surface reformatted images for fast and easy localization of perirolandic lesions, 302
HAUTZEL H. *See* Plotkin M, 927
HAYASHI M. *See* Chernov MF, 402
HAYNOR D. *See* Ellegala DB, 242
HECKEL A. *See* Eyüpoglu IY, 738
HECKLY A. *See* Saikali S, 376
HELLWIG D. *See* Rohlfs J, 1142
HENDERSON FC. Fractions, stages, radiosurgery, and radiotherapy. Letters, 586
HERMINGHAUS S. *See* Hattingen E, 302
HEROS RC. Meningioma. Editorial, 969
———. Obliterated arteriovenous malformations. Editorial, 829
HILLERED L. *See* Frykholm P, 1076
HIRASHIMA Y, HAMADA H, KURIMOTO M, ORIGASA H, ENDO S. Decrease in platelet count as an independent risk factor for symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 882
HIRATA T. *See* Sawada M, 161
HOFMAN FM. *See* Charalambous C, 699
HOLLOWAY RG. *See* Guttuso T Jr, 547
HOMAN JM. *See* Cohen-Gadol AA, 391
HOPKINS LN. *See* Levy EI, 29
HORI T. *See* Akagawa H, 68
———. *See* Chernov MF, 402
HORN P. *See* Woitzik J, 692
HOROWITZ MB. *See* King JT Jr, 489
HOSAIN S. *See* Mehta AD, 1040
HOUSE PA, COULDWELL WT. De novo fenestration of the optic nerve. Case illustration, 390
HOWELLS T, ELF K, JONES PA, RONNE-ENGSTRÖM E, PIPER I, NILSSON P, ANDREWS P, ENBLAD P. Pressure reactivity as a guide in the treatment of cerebral perfusion pressure in patients with brain trauma, 311
HOYA K. *See* Yoshimoto Y, 476
HU YL. *See* Lee EJ, 1085
HUANG D. *See* Thorell WE, 348
HUANG W. *See* Polin RS, 276
HUSSAIN NS, WANG PP, JAMES C, CARSON BS, AVELLINO AM. Distal ventriculoperitoneal shunt failure caused by silicone allergy. Case report, 536
HUSTON J III. *See* Mangrum WI, 72
HUTCHINSON PJ. *See* Czosnyka M, 450

IADAROLA M. *See* Tender GC, 522
IBÁÑEZ J. Mild head injury. Letters, 185, 186

Iglesias-Rozas JR. *See* Hasselblatt M, 1151
Im SH, Oh CW, Kwon OK, Kim JE, Han DH. Moyamoya disease associated with Graves disease: special considerations regarding clinical significance and management, 1013
———, Park SH, Oh DH, Kang BS, Kwon OK, Oh CW. Subdural cysticercosis mimicking a chronic subdural hematoma. Case illustration, 389
Imberti R, Fuardo M, Bellinzona G, Pagani M, Langer M. The use of indomethacin in the treatment of plateau waves: effects on cerebral perfusion and oxygenation, 455
Inagawa T. Risk factors for aneurysmal subarachnoid hemorrhage in patients in Izumo City, Japan, 60
Inci S, Özgen T. Multiple aneurysms of the anterior communicating artery: radiological and surgical difficulties, 495
Ingebrigtsen T, Müller K, Waterloo K, Romner B. Mild head injury. Letters, 184
Ino K. *See* Kamada K, 664
Inoue I. *See* Akagawa H, 68
Inoue T. *See* Ogasawara K, 38
Inui T. *See* Kubo S, 938
Iplikcioglu AC. *See* Hatiboglu MA, 543
Ishihara H. *See* Rodak R, 1055
Ishii D. *See* Arima T, 733
Ishimaru K. *See* Kamezawa T, 24
Itakura T. *See* Terada T, 558
Ito Y. *See* Sorimachi T, 870
Itoh D. *See* Maruyama K, 673
Itshayek E. *See* Cohen JE, 555
Iwama T. *See* Sawada M, 161
Iwamoto K. *See* Utsuki S, 540
Iwata H. *See* Ohyama T, 109
Iwinska-Zelder J. *See* Rohlfs J, 1142
Izawa M. *See* Chernov MF, 402

James C. *See* Hussain NS, 536
James S. *See* Lefranc F, 706
Jamous MA, Nagahiro S, Kitazato KT, Satoh K, Satomi J. Vascular corrosion casts mirroring early morphological changes that lead to the formation of saccular cerebral aneurysm: an experimental study in rats, 532
Jane JA Jr. *See* Laws ER, 825
———. *See* Sheehan JP, 678
Jang T. *See* Savarese TM, 98
Jeon SW. *See* Thorell WE, 348
Johnson D. *See* Croteau D, 90
Johnson W. Book review, 397
Jones PA. *See* Howells T, 311
Jundt G. *See* Hasselblatt M, 1151
Juvela S, Siironen J, Kuhmonen J. Hyperglycemia, excess weight, and history of hypertension as risk factors for poor outcome and cerebral infarction after aneurysmal subarachnoid hemorrhage, 998
———, ———, Varis J, Poussa K, Porras M. Risk factors for ischemic lesions following aneurysmal subarachnoid hemorrhage, 194
———. Plasma glucose levels and outcome after aneurysmal subarachnoid hemorrhage. Editorial, 975

Kaar G. *See* Kamel MH, 730
Kai Y, Hamada J, Morioka M, Yano S, Hamasaki K, Ushio Y. Dissecting basilar aneurysms. Letters, 182
———. *See* Kamezawa T, 24
Kajita Y. *See* Usui N, 1122
Kaku Y. *See* Sawada M, 161
Kalapos P. *See* Kole MK, 607
Kamada K, Todo T, Masutani Y, Aoki S, Ino K, Takano T, Kirino T, Kawahara N, Morita A. Combined use of tractography-integrated functional neuronavigation and direct fiber stimulation, 664
———. *See* Maruyama K, 673
Kameda M. *See* Yasuhara T, 80
Kamel MH, Lim C, Kelleher M, Aquilina K, Keohane C, Kaar G. Intracranial metastasis from a sacrococcygeal chordoma. Case report, 730
Kamezawa T, Hamada JI, Niiro M, Kai Y, Ishimaru K, Kuratsu JI. Clinical implications of associated venous drainage in patients with cavernous malformation, 24
Kang BS. *See* Im SH, 389
Kang H, Han MH, Kwon BJ, Yoon B, Chang K. Cerebellopontomandibular vascular malformation: a rare type of cerebrofacial arteriovenous metameric syndrome. Case report, 156
Kanno H, Ozawa Y, Sakata K, Sato H, Tanabe Y, Shimizu N, Yamamoto I. Intraoperative power Doppler ultrasonography with a contrast-enhancing agent for intracranial tumors, 295
Kanter AS. *See* Laws ER, 825
Karai L. *See* Tender GC, 522
Kassam AB. *See* King JT Jr, 489
Kasuya H. *See* Akagawa H, 68
Kaushik T. *See* Broshek DK, 856
Kawaguchi M. *See* Sawada M, 161
Kawahara N. *See* Kamada K, 664
———. *See* Shin M, 842
Kawashima M, Rhoton AL Jr, Tanriover N, Ulm AJ, Yasuda A, Fujii K. Microsurgical anatomy of cerebral revascularization. Part I: Anterior circulation, 116
———, ———, ———, ———, ———, ———. Microsurgical anatomy of cerebral revascularization. Part II: Posterior circulation, 132
Kelleher M. *See* Kamel MH, 730
Kelly DF. *See* Dusick JR, 827, 832
Keohane C. *See* Kamel MH, 730
Khalil M. *See* Rohlfs J, 1142
Kho KH, Leijten FSS, Rutten G, Vermeulen J, van Rijen P, Ramsey NF. Discrepant findings for Wada test and functional magnetic resonance imaging with regard to language function: use of electrocortical stimulation mapping to confirm results. Case report, 169
Khurana VG, Meissner I, Sohni YR, Bamlet WR, McClelland RL, Cunningham JM, Meyer FB. The presence of tandem *endothelial nitric oxide synthase* gene polymorphisms identifying brain aneurysms more prone to rupture, 526
———, Meissner IB, Meyer FB. Polymorphisms in the *endothelial nitric oxide synthase* gene and the tendency for aneurysm rupture. Editorial, 433
Kida Y. *See* Hasegawa T, 10
Kiefer C. *See* Gralla J, 658
Kikuta K, Takagi Y, Nozaki K, Hanakawa T, Okada T, Mikuni N, Miki Y, Fushimi Y, Yamamoto A, Yamada K, Fukuyama H, Hashimoto N. Asymptomatic microbleeds in moyamoya disease: T_2*-weighted gradient-echo magnetic resonance imaging study, 470
Kim C. *See* Akagawa H, 68

KIM DH, MUROVIC JA, TIEL RL, MOES G, KLINE DG. A series of 146 peripheral non-neural sheath nerve tumors: 30-year experience at Louisiana State University Health Sciences Center, 256
———, ———, ———, ———, ———. A series of 397 peripheral neural sheath tumors: 30-year experience at Louisiana State University Health Sciences Center, 246
———. *See* Spivak C, 756
KIM HJ, BUTMAN JA, BREWER C, ZALEWSKI C, VORTMEYER AO, GLENN G, OLDFIELD EH, LONSER RR. Tumors of the endolymphatic sac in patients with von Hippel-Lindau disease: implications for their natural history, diagnosis, and treatment, 503
KIM JE. *See* Im SH, 1013
KIM JH. *See* Cohen-Gadol AA, 902
KING JT JR, HOROWITZ MB, KASSAM AB, YONAS H, ROBERTS M. The Short Form-12 and the measurement of health status in patients with cerebral aneurysms: performance, validity, and reliability, 489
KING WA. *See* Benveniste RJ, 1004
KIRAN S, AGRAWAL D. Papaverine and vasospasm. Letters, 181
KIRBY LS, KIRBY MA. Book review, 959
KIRBY MA. *See* Kirby LS, 959
KIRINO T. *See* Kamada K, 664
———. *See* Maruyama K, 673
———. *See* Morita A, 595, 597, 601
———. *See* Shin M, 842
KISS R. *See* Lefranc F, 706
KITANO M. *See* Nakano N, 1137
KITAZATO KT. *See* Jamous MA, 532
KLEINDIENST A, CHRISTOS M, TOLIAS CM, CORWIN FD, MULLER C, MARMAROU A, FATOUROS P, BULLOCK MR. Assessment of cerebral S100B levels by proton magnetic resonance spectroscopy after lateral fluid-percussion injury in rats, 1115
KLINE DG. *See* Kim DH, 246, 256
KLIOT M. *See* Ellegala DB, 242
KLUGER Y. *See* Roth J, 864
KOBAYASHI K. *See* Yasuhara T, 80
KOBAYASHI M. *See* Ogasawara K, 38
KOBAYASHI T. *See* Hasegawa T, 10
KOEBBE CJ. *See* Levy EI, 29
KOENIG MA, GEOCADIN RG, KULESZA P, OLIVI A, BREM H. Rhabdoid meningioma occurring in an unrelated resection cavity with leptomeningeal carcinomatosis. Case report, 371
KOERBEL A, ROSER F, PSARAS T, BESCHORNER R, TATAGIBA M. Primary non-Hodgkin lymphoma of the cranial nerves mimicking neurofibromatosis Type 2. Case illustration, 1166
———. *See* Tatagiba M, 403
KOLE MK, PELZ DM, KALAPOS P, LEE DH, GULKA IB, LOWNIE SP. Endovascular coil embolization of intracranial aneurysms: important factors related to rates and outcomes of incomplete occlusion, 607
KONDZIOLKA D. *See* Sheehan JP, 678
KONDZIOLKA DS, LUNSFORD LD. Fractions, stages, radiosurgery, and radiotherapy. Letters, 588
KÖNÜ D. *See* Rodak R, 1055
KRAUS KL. *See* Gottfried ON, 202
KRAUSE BJ. *See* Plotkin M, 927
KRAUSS JK. *See* Capelle H, 53
KRIET JD, STANLEY RB JR, GRADY MS. Self-inflicted submental and transoral gunshot wounds that produce nonfatal brain injuries: management and prognosis, 1029
KRONENBUERGER M. *See* Capelle H, 53
KRYSCIO R. *See* Slevin JT, 216, 401
KUBO O. *See* Chernov MF, 402
KUBO S, HASEGAWA H, INUI T, TOMINAGA S, YOSHIMINE T. Suture knot on the repair splint: a simple method to facilitate reconstruction of the sella turcica during endonasal endoscopic transsphenoidal surgery. Technical note, 938
KUBOTA H. *See* Rodak R, 1055
KUHMONEN J. *See* Juvela S, 998
KUIJPER EJ. *See* Schade RP, 229
KULESZA P. *See* Koenig MA, 371
KUNWAR S. *See* Parney IF, 267
KURATSU JI. *See* Kamezawa T, 24
KURIMOTO M. *See* Hirashima Y, 882
KWEE IL. *See* Morita K, 336
KWON BJ. *See* Kang H, 156
KWON OK. *See* Im SH, 389, 1013

LABAR D. *See* Mehta AD, 1040
LAMBORN KR. *See* Parsa AT, 622
LANDOLT AM. *See* Sheehan JP, 678
LANG FF. *See* Vecil GG, 209
LANGEN KJ. *See* Floeth FW, 318
———. *See* Plotkin M, 927
LANGER M. *See* Imberti R, 455
LANGSTROM B. *See* Frykholm P, 1076
LANZINO G. Plasma glucose levels and outcome after aneurysmal subarachnoid hemorrhage. Editorial, 974
LARNER JM. *See* Shaffrey ME, 1033
LAU T. *See* Levy EI, 29
LAWS ER, KANTER AS, JANE JA JR, DUMONT AS. Extended transsphenoidal approach. Editorial, 825
———. *See* Cohen-Gadol AA, 391, 600
———. *See* Polin RS, 276
———. *See* Sheehan JP, 678
———. *See* Voorhees JR, 745
LE ROUX PD. Etomidate, transfusion, and vasospasm. Letters, 585
LE STRAT A. *See* Saikali S, 376
LEE DH. *See* Kole MK, 607
LEE EJ, LEE MY, CHANG GL, CHEN LH, HU YL, CHEN TY, WU TS. Delayed treatment with magnesium: reduction of brain infarction and improvement of electrophysiological recovery following transient focal cerebral ischemia in rats, 1085
LEE G. *See* Chaves C, 152
LEE J. *See* Akagawa H, 68
LEE JS. *See* Benveniste RJ, 1004
LEE MC. *See* Penn RD, 1069
LEE MY. *See* Lee EJ, 1085
LEFRANC F, JAMES S, CAMBY I, GAUSSIN JF, DARRO F, BROTCHI J, GABIUS J, KISS R. Combined cimetidine and temozolomide, compared with temozolomide alone: significant increases in survival in nude mice bearing U373 human glioblastoma multiforme orthotopic xenografts, 706
LEIJTEN FSS. *See* Kho KH, 169
LEONETTI J. *See* Anderson DE, 643
LEVI AD. *See* Rochman AS, 382

Levin HS. Book review, 958

Levy EI, Hanel RA, Lau T, Koebbe CJ, Levy N, Padalino DJ, Malicki KM, Guterman LR, Hopkins LN. Frequency and management of recurrent stenosis after carotid artery stent implantation, 29

Levy N. *See* Levy EI, 29

Licata G. *See* Albanese A, 1130

Lim C. *See* Kamel MH, 730

Link MJ. *See* Mangrum WI, 72

Linninger AA. *See* Penn RD, 1069

Linskey ME. Book review, 179

Litofsky NS. *See* Savarese TM, 98

Liu C. *See* Aho CJ, 189

Liu JK. *See* Couldwell WT, 181

Locatelli M. *See* Caroli M, 290

Loeffler JS. *See* Sheehan JP, 678

Lonser RR. *See* Croteau D, 90

———. *See* Kim HJ, 503

———. *See* Tender GC, 522

Lopes MBS. *See* Shaffrey ME, 1033

Lovell MR. *See* Mihalik JP, 850

Low HP. *See* Savarese TM, 98

Lownie SP. *See* Kole MK, 607

Lu SN. *See* Penn RD, 1069

Lunsford LD. *See* Kondziolka DS, 588

———. *See* Sheehan JP, 678

Lylyk P, Ferrario A, Pabón B, Miranda C, Doroszuk G. Buenos Aires experience with the Neuroform self-expanding stent for the treatment of intracranial aneurysms, 235

Ma B. *See* Raghavan ML, 355

Maesawa S. *See* Usui N, 1122

Maldaun MVC. *See* Vecil GG, 209

Malicki KM. *See* Levy EI, 29

Mangiola A. *See* Albanese A, 1130

Mangrum WI, Huston J III, Link MJ, Wiebers DO, McClelland RL, Christianson TJH, Flemming KD. Enlarging vertebrobasilar nonsaccular intracranial aneurysms: frequency, predictors, and clinical outcome of growth, 72

Manner D. *See* Al-Khayat Hi, 482

Marko NF. *See* Polin RS, 276

Marks D. *See* Mehta AD, 1040

Marmarou A, Young HF, Aygol GA, Sawaauchi S, Tsuji O, Yamamoto T, Dunbar J. Diagnosis and management of idiopathic normal-pressure hydrocephalus: a prospective study in 151 patients, 987

———. Value of neuropsychological information for improved understanding of the patient with normal-pressure hydrocephalus. Editorial, 972

———. *See* Kleindienst A, 1115

Maroon JC. *See* Mihalik JP, 850

Marquardt G. *See* Hattingen E, 302

Marras C. *See* Franzini A, 721

Martin JP. *See* Tubbs RS, 910, 912

Martin NA. *See* Dusick JR, 832

Martinelli-Boneschi F. *See* Caroli M, 290

Maruyama K, Kamada K, Shin M, Itoh D, Aoki S, Masutani Y, Tago M, Kirino T. Integration of three-dimensional corticospinal tractography into treatment planning for gamma knife surgery, 673

———. *See* Shin M, 842

Maruyama T. *See* Chernov MF, 402

Masaryk TJ. *See* Thorell WE, 348

Masuo O. *See* Terada T, 558

Masutani Y. *See* Kamada K, 664

———. *See* Maruyama K, 673

Mathiesen T. *See* Prunell GF, 1046

Matijasevic Z. *See* Savarese TM, 98

Matsuhisa T. *See* Sawada M, 161

Matsui T. *See* Yasuhara T, 80

Matsuzawa H. *See* Morita K, 336

Matta B. *See* Czosnyka M, 450

Matthies C. *See* Nakamura M, 637

———. *See* Roser F, 17

Maya MM. *See* Schievink WI, 965

Mayo A. *See* Roth J, 864

McClelland RL. *See* Khurana VG, 526

———. *See* Mangrum WI, 72

McDermott M. *See* Parney IF, 267

McDermott MW. *See* Barker FG II, 970

———. *See* Curry WT, 977

———. *See* Parsa AT, 622

McGirt MJ, Woodworth GF, Coon AL, Frazier JM, Amundson E, Garonzik I, Olivi A, Weingart JD. Independent predictors of morbidity after image-guided stereotactic brain biopsy: a risk assessment of 270 cases, 897

———. *See* Amundson EW, 565

McMenomey SO. *See* Balasingam V, 940

———. *See* Noguchi A, 945, 951

Mehta AD, Labar D, Dean A, Harden C, Hosain S, Pak J, Marks D, Schwartz TH. Frameless stereotactic placement of depth electrodes in epilepsy surgery, 1040

Meissner I. *See* Khurana VG, 526

Meissner IB. *See* Khurana VG, 433

Men S. *See* Naderi S, 1147

Mendelsohn DB. *See* Giller CA, 571

Mennel HD. *See* Rohlfs J, 1142

Mertens P. *See* Sindou MP, 1018

Messing-Jünger M. *See* Floeth FW, 318

Meyer FB. *See* Khurana VG, 433, 526

Michaelsen J. *See* Capelle H, 53

Miesel K. *See* Penn RD, 1069

Mihalik JP, Stump JE, Collins MW, Lovell MR, Field M, Maroon JC. Posttraumatic migraine characteristics in athletes following sports-related concussion, 850

Miki Y. *See* Kikuta K, 470

Mikuni N. *See* Kikuta K, 470

Miranda C. *See* Lylyk P, 235

Mirek H. *See* Hadaczek P, 328

Miyoshi Y. *See* Yasuhara T, 80

Moes G. *See* Kim DH, 246, 256

Möhler H. *See* Rodak R, 1055

Mohr G, Sade B, Dufour JJ, Rappaport JM. Preservation of hearing in patients undergoing microsurgery for vestibular schwannoma: degree of meatal filling, 1

Mohr S. *See* Plotkin M, 927

Molyneux AJ. Intracerebral hematoma and aneurysms. Letters, 583

Monteith SJ. *See* Ellegala DB, 242

Mori Y. *See* Hasegawa T, 10

Moriggl B. *See* Yousry I, 759

Morioka M. *See* Kai Y, 182

Morita A, Fujiwara S, Hashi K, Ohtsu H, Kirino T. Risk of rupture associated with intact cerebral aneurysms in the Japanese population: a systematic review of the literature from Japan, 601

———, Kirino T, Fujiwara S, Hashi K. Comments on the unruptured aneurysm study from Japan; does this study clarify what to do? Editorial, 595
———, ———. The risk of rupture of unruptured cerebral aneurysms in the Japanese population: a systematic review of the literature from Japan by Morita, et al. Editorial, 597
———. *See* Kamada K, 664
Morita K, Matsuzawa H, Fujii Y, Tanaka R, Kwee IL, Nakada T. Diffusion tensor analysis of peritumoral edema using lambda chart analysis indicative of the heterogeneity of the microstructures within edema, 336
———. *See* Sorimachi T, 870
Moriyama E, Nishida A. Intracranial hypotension. Letters, 964
Morrison PF. *See* Croteau D, 90
Moser E. *See* Stadlbauer A, 403
Moser F. *See* Schievink WI, 965
Mostafa G. *See* Sehba FA, 1094
Mugnaini E. Book review, 1168
Muller C. *See* Kleindienst A, 1115
Müller HW. *See* Floeth FW, 318
Müller H-W. *See* Plotkin M, 927
Müller K. *See* Ingebrigtsen T, 184
Muragaki Y. *See* Chernov MF, 402
Muraoka K. *See* Yasuhara T, 80
Murovic JA. *See* Kim DH, 246, 256
Mut M. *See* Shaffrey ME, 1033

Naderi S, Acar F, Acar G, Men S. Resolution of neurogenic arterial hypertension after suboccipital decompression for Chiari malformation. Case report, 1147
Nagahiro S. *See* Jamous MA, 532
Nagasaka T. *See* Arima T, 733
Naidach TP. *See* Yousry I, 759
Nakada T. Cortical organization. Letters, 1172
———. *See* Morita K, 336
Nakahara N. *See* Arima T, 733
Nakamura M, Roser F, Dormiani M, Samii M, Matthies C. Intraoperative auditory brainstem responses in patients with cerebellopontine angle meningiomas involving the inner auditory canal: analysis of the predictive value of the responses, 637
———. *See* Roser F, 17
Nakano N, Uchiyama T, Okuda T, Kitano M, Taneda M. Successful long-term deep brain stimulation for hemichorea–hemballism in a patient with diabetes. Case report, 1137
Nashimoto T. *See* Sorimachi T, 870
Nathoo N. *See* Ugokwe K, 1163
Natsume A. *See* Arima T, 733
Nelson PK. *See* Allen JW, 45
Neuwelt EA. *See* Rosenberg RI, 847
Ng SH. *See* Toh CH, 550
Niemann DB. *See* Rajpal S, 922
———. *See* Sanford MF, 918
Niiro M. *See* Kamezawa T, 24
Nilsson P. *See* Howells T, 311
Nina P, Viola L, Franco A, Schisano G. Mild head injury. Letters, 184
———. *See* Schisano G, 757
Niranjan A. *See* Sheehan JP, 678
Nishida A. *See* Moriyama E, 964
Nishide T. *See* Ohyama T, 109
Noguchi A, Balasingam V, McMenomey SO, Delashaw JB Jr. Supraorbital craniotomy for parasellar lesions. Technical note, 951
———, ———, Shiokawa Y, McMenomey SO, Delashaw JB Jr. Extradural anterior clinoidectomy. Technical note, 945
———. *See* Balasingam V, 940
Nordström CH. *See* Engström M, 460
Nowak G. *See* Brockmann MA, 1159
Nozaki K. *See* Kikuta K, 470

Oakes WJ. *See* Tubbs RS, 910, 912
Ochiai T. *See* Chernov MF, 402
Ogasawara K, Yamadate K, Kobayashi M, Endo H, Fukuda T, Yoshida K, Terasaki K, Inoue T, Ogawa A. Postoperative cerebral hyperperfusion associated with impaired cognitive function in patients undergoing carotid endarterectomy, 38
Ogawa A. *See* Ogasawara K, 38
Oh CW. *See* Im SH, 389, 1013
Oh DH. *See* Im SH, 389
Ohshima K. *See* Ueno Y, 513
Ohtsu H. *See* Morita A, 601
Ohyama T, Nishide T, Iwata H, Sato H, Toda M, Toma N, Taki W. Immobilization of basic fibroblastic growth factor on a platinum microcoil to enhance tissue organization in intracranial aneurysms, 109
Oka H. *See* Utsuki S, 540
Okada T. *See* Kikuta K, 470
Okuda T. *See* Nakano N, 1137
Olah Z. *See* Tender GC, 522
Oldfield EH. *See* Croteau D, 90
———. *See* Kim HJ, 503
———. *See* Tender GC, 522
Olivi A. *See* Amundson EW, 565
———. *See* Koenig MA, 371
———. *See* McGirt MJ, 897
Onda H. *See* Akagawa H, 68
Ono Y. *See* Chernov MF, 402
Origasa H. *See* Hirashima Y, 882
Ostrowski RP, Zhang JH. Book review, 755
Ozawa Y. *See* Kanno H, 295
Ozcan D. *See* Hatiboglu MA, 543
Özgen T. *See* Inci S, 495
———. *See* Ziyal IM, 758

Pabón B. *See* Lylyk P, 235
Padalino DJ. *See* Levy EI, 29
Pagani M. *See* Imberti R, 455
Pak J. *See* Mehta AD, 1040
Palmer JD. Aprotinin and hemostasis. Letters, 758
Pamir MN. *See* Peker S, 962
Pan HC. *See* Sheehan J, 434
Paolini S. *See* Ciappetta P, 582
Paone C. *See* Salvati M, 1155
Park J, Hamm I. Cortical osteotomy technique for mobilizing the temporal muscle in pteronial craniotomies. Technical note, 174
Park SH. *See* Im SH, 389
Parney IF, Kunwar S, McDermott M, Berger M, Prados M, Cha S, Croteau D, Puri RK, Chang

SM. Neuroradiographic changes following convection-enhanced delivery of the recombinant cytotoxin toxin interleukin 13-PE38QQR for recurrent malignant glioma, 267
PARSA AT, WACHHORST S, LAMBORN KR, PRADOS MD, MCDERMOTT MW, BERGER MS, CHANG SM. Prognostic significance of intracranial dissemination of glioblastoma multiforme in adults, 622
PATEL PM. *See* Drummond JC, 583
PAULEIT D. *See* Floeth FW, 318
PAULUS W. *See* Hasselblatt M, 1151
PAYNE BR, TIEL RL, PAYNE MS, FISCH B. Vagus nerve stimulation for chronic intractable hiccups. Case report, 935
PAYNE MS. *See* Payne BR, 935
PECKER I. *See* Ueno Y, 513
PEKER S, PAMIR MN. Cavernous hemangiomas. Letters, 962
PELZ DM. *See* Kole MK, 607
PENN RD, LEE MC, LINNINGER AA, MIESEL K, LU SN, STYLOS L. Pressure gradients in the brain in an experimental model of hydrocephalus, 1069
PEPPER MS. Polymorphisms in the *endothelial nitric oxide synthase* gene and the tendency for aneurysm rupture. Editorial, 433
PERA J, SLOWIK A, DZIEDZIC T, BORRATYNSKA A, ROG TM, BETLEJ M, CZEPKO R, SZCZUDLIK A. *Endoglin* gene insertion polymorphism not associated with aneurysmal subarachnoid hemorrhage, 879
PERRIN RG, BERNSTEIN M. Tension pneumoventricle after placement of a ventriculoperitoneal shunt: a novel treatment strategy. Case report, 386
PERSSON L. *See* Frykholm P, 1076
PETERSON D. *See* Brockmann MA, 1159
PICKARD JD. *See* Czosnyka M, 450
PINTO A. *See* Albanese A, 1130
PIPER I. *See* Howells T, 311
PLATANIA N. *See* Barbagallo GMV, 930
PLOTKIN M, HAUTZEL H, KRAUSE BJ, MOHR S, LANGEN KJ, MÜLLER H-W. Fluorine-18–labeled fluorodeoxyglucose-positron emission tomography studies of acute brainstem Lyme neuroborreliosis. Case report, 927
PLUNKETT RJ. *See* Tawk RG, 442
PODGORSAK MB. *See* Tawk RG, 442
POLIN RS, MARKO NF, AMMERMAN MD, SHAFFREY ME, HUANG W, ANDERSON FA JR, CAPUTY AJ, LAWS ER. Functional outcomes and survival in patients with high-grade gliomas in dominant and nondominant hemispheres, 276
POLITO A. *See* Engström M, 460
POLLOCK BE. Percutaneous retrogasserian glycerol rhizotomy for patients with idiopathic trigeminal neuralgia: a prospective analysis of factors related to pain relief, 223
POMPUCCI A. *See* Albanese A, 1130
POPP AJ. *See* Gottfried ON, 202
PORRAS M. *See* Juvela S, 194
PORTER RW. *See* Gonzalez LF, 726
POST KD. *See* Benveniste RJ, 1004
———. *See* Betchen SA, 6
POUSSA K. *See* Juvela S, 194
PRADA F. *See* Caroli M, 290
PRADOS M. *See* Parney IF, 267
PRADOS MD. *See* Parsa AT, 622
PRAYSON R. *See* Ugokwe K, 1163
PRAYSON RA. *See* Thorell WE, 348
PRUNELL GF, SVENDGAARD NA, ALKASS K, MATHIESEN T. Delayed cell death related to acute cerebral blood flow changes following subarachnoid hemorrhage in the rat brain, 1046
PSARAS T. *See* Koerbel A, 1166
PUCA A. Cavernous hemangiomas. Letters, 963
PUESCHEL J. *See* Rogers L, 629
PULFER KA. *See* Sanford MF, 918
PURI RK. *See* Parney IF, 267

RAAB P. *See* Hattingen E, 302
RAABE A. *See* Hattingen E, 302
———. *See* Vatter H, 1101, 1108
RAGHARAN R. Book review, 397
RAGHAVAN ML, MA B, HARBAUGH RE. Quantified aneurysm shape and aneurysm rupture, 355
RAJPAL S, NIEMANN DB, AAGAARD-KIENITZ B, TURK AS. Intracranial endovascular stent placement for symptomatic metastatic non-Hodgkin lymphoma. Case report, 922
RAJZ G. *See* Cohen JE, 555
RAMA B. *See* Hasselblatt M, 1151
RAMSEY NF. *See* Kho KH, 169
RAPPAPORT JM. *See* Mohr G, 1
RASMUSSEN P. *See* Chow M, 584
RASMUSSEN PA. *See* Thorell WE, 348
RAZON N. *See* Roth J, 864
RECHT LD. *See* Savarese TM, 98
REIFENBERGER G. *See* Floeth FW, 318
REINSTRUP P. *See* Engström M, 460
REMONDA L. *See* Gralla J, 658
REUSCHE E. *See* Brockmann MA, 1159
RHOTON AL JR. *See* Kawashima M, 116, 132
RIEGEL T. *See* Rohlfs J, 1142
RIES S. *See* Chaves C, 152
RIVET DJ, DACEY RG. Visual loss from a dolichoectatic anterior cerebral artery. Case illustration, 576
ROBERTS M. *See* King JT Jr, 489
ROCHMAN AS, VITARBO E, LEVI AD. Femoral nerve palsy secondary to traumatic pseudoaneurysm and iliacus hematoma. Case report, 382
RODAK R, KUBOTA H, ISHIHARA H, EUGSTER HP, KONU D, MOHLER H, YONEKAWA Y, FREI K. Induction of reactive oxygen intermediates–dependent programmed cell death in human malignant ex vivo glioma cells and inhibition of the vascular endothelial growth factor production by taurolidine, 1055
ROG TM. *See* Pera J, 879
ROGERS L, PUESCHEL J, SPETZLER R, SHAPIRO W, COONS S, THOMAS T, SPEISER B. Is gross-total resection sufficient treatment for posterior fossa ependymomas? 629
ROHLFS J, RIEGEL T, KHALIL M, IWINSKA-ZELDER J, MENNEL HD, BERTALANFFY H, HELLWIG D. Enlarged perivascular spaces mimicking multicystic brain tumors. Report of two cases and review of the literature, 1142
ROLLINS AM. *See* Thorell WE, 348
ROMITO L. *See* Franzini A, 721
ROMNER B. *See* Engström M, 460
———. *See* Ingebrigtsen T, 184
RONNE-ENGSTRÖM E. *See* Howells T, 311
ROSENBERG RI, ZIRKLE DL, NEUWELT EA. Program self-evaluation: the evolution of an injury prevention foundation, 847

ROSER F, NAKAMURA M, DORMIANI M, MATTHIES C, VORKAPIC P, SAMII M. Meningiomas of the cerebellopontine angle with extension into the internal auditory canal, 17
———. *See* Koerbel A, 1166
———. *See* Nakamura M, 637
ROSS AH. *See* Savarese TM, 98
ROTH J, MAYO A, ELRAN H, RAZON N, KLUGER Y. Brain injuries caused by spherical bolts, 864
ROVIN RA. Drug resistance. Letters, 1170
ROVIT RL. *See* Gottfried ON, 202
RUSSLIES M. *See* Brockmann MA, 1159
RUTTEN G. *See* Kho KH, 169
RYDING E. *See* Engström M, 460

SABATINO G. *See* Albanese A, 1130
SABLE M. *See* Floeth FW, 318
SADE B. *See* Mohr G, 1
SAGIUCHI T. *See* Utsuki S, 540
SAIKALI S, LE STRAT A, HECKLY A, STOCK N, SCARABIN JM, HAMLAT A. Multicentric pleomorphic xanthoastrocytoma in a patient with neurofibromatosis Type 1. Case report and review of the literature, 376
SAITO M. *See* Sorimachi T, 870
SAKATA K. *See* Kanno H, 295
SALMONSEN R. *See* Savarese TM, 98
SALTER EG. *See* Tubbs RS, 910, 912
SALVATI M, CAROLI E, PAONE C, FRATI A, FERRANTE L, GIANGASPERO F, DELFINI R. Brain metastasis from cutaneous squamous cell carcinoma of the dorsum. Case report, 1155
SAMII M. *See* Nakamura M, 637
———. *See* Roser F, 17
SAMSON D. *See* Al-Khayat Hi, 482
SANFORD MF, TURK AS, NIEMANN DB, PULFER KA, AAGAARD-KIENITZ BA. Intraoperative perfusion computerized tomography scanning for management of intracranial stent placement in a patient with tandem intracranial stenoses. Case report, 918
SASAHARA A. *See* Akagawa H, 68
SATO H. *See* Kanno H, 295
———. *See* Ohyama T, 109
SATOH K. *See* Jamous MA, 532
SATOMI J. *See* Jamous MA, 532
SAVARESE TM, JANG T, LOW HP, SALMONSEN R, LITOFSKY NS, MATIJASEVIC Z, ROSS AH, RECHT LD. Isolation of immortalized, *INKa/ARF*-deficient cells from the subventricular zone after in utero *N*-ethyl-*N*-nitrosourea exposure, 98
SAWAAUCHI S. *See* Marmarou A, 987
SAWADA M, KAKU Y, YOSHIMURA S, KAWAGUCHI M, MATSUHISA T, HIRATA T, IWAMA T. Antegrade recanalization of a completely embolized vertebral artery after endovascular treatment of a ruptured intracranial dissecting aneurysm. Report of two cases, 161
SAWAYA R. *See* Vecil GG, 209
SCARABIN JM. *See* Saikali S, 376
SCHADE RP, SCHINKEL J, VISSER LG, VAN DIJK JMC, VOORMOLEN JHC, KUIJPER EJ. Bacterial meningitis caused by the use of ventricular or lumbar cerebrospinal fluid catheters, 229
SCHIEVINK WI, MAYA MM, MOSER F. Intracranial hypotension. Letters, 965
SCHIFF D. *See* Shaffrey ME, 1033
SCHILLING L. *See* Vatter H, 1101, 1108
SCHINKEL J. *See* Schade RP, 229
SCHISANO G, NINA P. Aprotinin and hemostasis. Letters, 757
———. *See* Nina P, 184
SCHLEGEL J. Drug resistance. Letters, 1170
SCHMAL F. *See* Hasselblatt M, 1151
SCHMID UD. *See* Yousry I, 759
SCHMIEDEK P. *See* Woitzik J, 692
SCHONAUER C. *See* Barbagallo GMV, 930
SCHWARTZ DR. *See* Douglas AF, 1133
SCHWARTZ TH. *See* Mehta AD, 1040
SCOTT BE. *See* Tawk RG, 442
SEHBA FA, MOSTAFA G, FRIEDRICH V JR, BEDERSON JB. Acute microvascular platelet aggregation after subarachnoid hemorrhage, 1094
SEIFERT V. *See* Hattingen E, 302
———. *See* Vatter H, 1101, 1108
SERCOMBE C. *See* Gomis P, 715
SERCOMBE R. *See* Gomis P, 715
SHAFFREY ME, FARACE E, SCHIFF D, LARNER JM, MUT M, LOPES MBS. The Ki-67 labeling index as a prognostic factor in Grade II oligoastrocytomas, 1033
———. *See* Farace E, 971
———. *See* Polin RS, 276
SHAPIRO W. *See* Rogers L, 629
SHEEHAN J, PAN HC, STROILA M, STEINER L. Gamma knife surgery for trigeminal neuralgia: outcomes and prognostic factors, 434
———, STEINER L. Gamma knife and trigeminal neuralgia. Editorial, 432
———, ———. Trigeminal neuralgia. Letters, 1173
SHEEHAN JM. *See* Sheehan JP, 678
SHEEHAN JP, NIRANJAN A, SHEEHAN JM, JANE JA JR, LAWS ER, KONDZIOLKA D, FLICKINGER J, LANDOLT AM, LOEFFLER JS, LUNSFORD LD. Stereotactic radiosurgery for pituitary adenomas: an intermediate review of its safety, efficacy, and role in the neurosurgical treatment armamentarium, 678
SHIMIZU N. *See* Kanno H, 295
SHIN M, KAWAHARA N, MARUYAMA K, TAGO M, UEKI K, KIRINO T. Risk of hemorrhage from an arteriovenous malformation confirmed to have been obliterated on angiography after stereotactic radiosurgery, 842
———, UEKI K. Obliterated arteriovenous malformations. Editorial, 830
———. *See* Maruyama K, 673
SHINGO T. *See* Yasuhara T, 80
SHIOKAWA Y. *See* Noguchi A, 945
SHOSHAN Y. *See* Cohen JE, 555
SHURE MA. *See* Thorell WE, 348
SHUTTER L. Book review, 1167
SIEBZEHNRÜBL FA. *See* Eyüpoglu IY, 738
SIEGEL AM. *See* Sure U, 342
SIIRONEN J. *See* Juvela S, 194, 998
SIMON AS. *See* Gottfried ON, 202
SIMPSON RK JR. *See* Capelle H, 53
SINDOU MP, BLONDET E, EMERY E, MERTENS P. Microsurgical lesioning in the dorsal root entry zone for pain due to brachial plexus avulsion: a prospective series of 55 patients, 1018
SLEVIN JT, GERHARDT GA, SMITH CD, GASH DM, KRYSCIO R, YOUNG AB. Improvement of bilateral motor functions in patients with Parkinson disease through the unilateral intraputaminal infusion of glial cell line-derived neurotrophic factor, 216

———, ———, ———, ———, ———, ———. Research on Parkinson disease. Letters, 401
SLOWIK A. *See* Pera J, 879
SMIELEWSKI P. *See* Czosnyka M, 450
SMITH CD. *See* Slevin JT, 216, 401
SOHNI YR. *See* Khurana VG, 526
SORIMACHI T, FUJII Y, TSUCHIYA N, NASHIMOTO T, SAITO M, MORITA K, ITO Y, TANAKA R. Blood pressure in the artery distal to an intraarterial embolus during thrombolytic therapy for occlusion of a major artery as a predictor of cerebral infarction following good recanalization, 870
SPEISER B. *See* Rogers L, 629
SPENCER DD. *See* Cohen-Gadol AA, 600, 902
———. *See* Voorhees JR, 745
SPETZLER R. *See* Rogers L, 629
SPETZLER RF. *See* Gonzalez LF, 726
SPIVAK C, KIM DH. Book review, 756
STADLBAUER A, GANSLANDT O, MOSER E. Spectroscopy and navigation. Letters, 403
STANLEY RB JR. *See* Kriet JD, 1029
STEIGER H. *See* Hänggi D, 182
STEIGER HJ. *See* Floeth FW, 318
STEIN SC. Mild head injury. Letters, 183
STEINER L. *See* Czosnyka M, 450
———. *See* Sheehan J, 432, 434, 1173
STEVENS EA. *See* Couldwell WT, 181
STOCK N. *See* Saikali S, 376
STROILA M. *See* Sheehan J, 434
STUMMER W. *See* Floeth FW, 318
STUMP JE. *See* Mihalik JP, 850
STYLOS L. *See* Penn RD, 1069
SUKI D. *See* Vecil GG, 209
SURE U, FREMAN S, BOZINOV O, BENES L, SIEGEL AM, BERTALANFFY H. Biological activity of adult cavernous malformations: a study of 56 patients, 342
SVENDGAARD NA. *See* Pruneli GF, 1046
SZCZUDLIK A. *See* Pera J, 879

TAGO M. *See* Maruyama K, 673
———. *See* Shin M, 842
TAKAGI Y. *See* Kikuta K, 470
TAKANO T. *See* Kamada K, 664
TAKEBAYASHI S. *See* Usui N, 1122
TAKEUCHI A. *See* Yasuhara T, 80
TAKI W. *See* Ohyama T, 109
TANABE Y. *See* Kanno H, 295
TANAKA R. *See* Morita K, 336
———. *See* Sorimachi T, 870
TANAKA S. *See* Utsuki S, 540
TANAKA Y. *See* Yoshimoto Y, 476
TANEDA M. *See* Nakano N, 1137
TANG BH. Cocaine and subarachnoid hemorrhage. Letters, 961
TANRIOVER N. *See* Kawashima M, 116, 132
TATAGIBA M, KOERBEL A. Brachial plexus injury. Letters, 403
———. *See* Koerbel A, 1166
TAWK R, FENSTERMAKER RA. Gamma knife and trigeminal neuralgia. Editorial, 432
TAWK RG, DUFFY-FRONCKOWIAK M, SCOTT BE, ALBERICO RA, DIAZ AZ, PODGORSAK MB, PLUNKETT RJ, FENSTERMAKER RA. Stereotactic gamma knife surgery for trigeminal neuralgia: detailed analysis of treatment response, 442
TENDER GC, WALBRIDGE S, OLAH Z, KARAI L, IADAROLA M, OLDFIELD EH, LONSER RR. Selective ablation of nociceptive neurons for elimination of hyperalgesia and neurogenic inflammation, 522
TENNER MS. *See* Couldwell WT, 181
TERADA T, YAMAGA H, TSUMOTO T, MASUO O, ITAKURA T. Use of an embolic protection system during endovascular recanalization of a totally occluded cervical internal carotid artery at the chronic stage. Case report, 558
TERASAKI K. *See* Ogasawara K, 38
TESANOVIC V. *See* Vatter H, 1101, 1108
THOMAS T. *See* Rogers L, 629
THORELL WE, CHOW MM, PRAYSON RA, SHURE MA, JEON SW, HUANG D, ZEYNALOV E, WOO HH, RASMUSSEN PA, ROLLINS AM, MASARYK TJ. Optical coherence tomography: a new method to assess aneurysm healing, 348
TIEL RL. *See* Kim DH, 246, 256
———. *See* Payne BR, 935
TODA M. *See* Ohyama T, 109
TODO T. *See* Kamada K, 664
TOH CH, CHEN YL, WONG HF, WEI KC, NG SH, WAN YL. Rosai-Dorfman disease with dural sinus invasion. Report of two cases, 550
TOLIAS CM. *See* Kleindienst A, 1115
TOMA N. *See* Ohyama T, 109
TOMINAGA S. *See* Kubo S, 938
TONG K. Book review, 398
TRAN-DINH YR. *See* Gomis P, 715
TRONNIER V. *See* Capelle H, 53
TROOST D. *See* Verstegen MJT, 167
TSUCHIYA N. *See* Sorimachi T, 870
TSUJI O. *See* Marmarou A, 987
TSUMOTO T. *See* Terada T, 558
TUBBS RS, TYLER-KABARA EC, AIKENS AC, MARTIN JP, WEED LL, SALTER EG, OAKES WJ. Surgical anatomy of the dorsal scapular nerve, 910
———, ———, ———, ———, ———, ———, ———. Surgical anatomy of the axillary nerve within the quadrangular space, 912
TUMIALÁN LM, BARROW DL. Alagille syndrome. Letters, 1171
TURK AS. *See* Rajpal S, 922
———. *See* Sanford MF, 918
TUTTOLOMONDO A. *See* Albanese A, 1130
TYLER-KABARA EC. *See* Tubbs RS, 910, 912

UCHIDA T. *See* Yoshimoto Y, 476
UCHIYAMA T. *See* Nakano N, 1137
UEKI K. *See* Shin M, 830, 842
UENO Y, YAMAMOTO M, VLODAVSKY I, PECKER I, OHSHIMA K, FUKUSHIMA T. Decreased expression of heparanase in glioblastoma multiforme, 513
UGOKWE K, NATHOO N, PRAYSON R, BARNETT GH. Trigeminal nerve schwannoma with ancient change. Case report and review of the literature, 1163
ULLRICH A. *See* Farhadi MR, 363
ULM AJ. *See* Kawashima M, 116, 132
UMANSKY F. *See* Cohen JE, 555
UNGERSTEDT U. *See* Engström M, 460
USHIO Y. *See* Kai Y, 182
USUI N, MAESAWA S, KAJITA Y, ENDO O, TAKEBAYASHI S, YOSHIDA J. Suppression of secondary generalization of

limbic seizures by stimulation of subthalamic nucleus in rats, 1122
UTSUKI S, TANAKA S, OKA H, IWAMOTO K, SAGIUCHI T, FUJII K. Glioblastoma multiforme metastasis to the axis. Case report, 540

VAJKOCZY P. *See* Farhadi MR, 363
———. *See* Woitzik J, 692
VALTYSSON J. *See* Frykholm P, 1076
VAN DE NES JAP. *See* Hasselblatt M, 1151
VAN DEN MUNCKHOF PV. *See* Verstegen MJT, 167
VAN DIJK JMC. *See* Schade RP, 229
VAN RIJEN P. *See* Kho KH, 169
VARIS J. *See* Juvela S, 194
VATTER H, ZIMMERMANN M, TESANOVIC V, RAABE A, SCHILLING L, SEIFERT V. Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part I: Inhibitory effect on endothelin$_A$ receptor–mediated contraction, 1101
———, ———, ———, ———, SEIFERT V, SCHILLING L. Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part II: Effect on endothelin$_B$ receptor–mediated relaxation, 1108
VECIL GG, SUKI D, MALDAUN MVC, LANG FF, SAWAYA R. Resection of brain metastases previously treated with stereotactic radiosurgery, 209
VERMEULEN J. *See* Kho KH, 169
VERSTEGEN MJT, VAN DEN MUNCKHOF P, TROOST D, BOUMA GJ. Multiple meningiomas in a patient with Rubinstein-Taybi syndrome. Case report, 167
VIOLA L. *See* Nina P, 184
VISSER LG. *See* Schade RP, 229
VITARBO E. *See* Rochman AS, 382
VITTICORE P. *See* Guttuso T Jr, 547
VLODAVSKY I. *See* Ueno Y, 513
VOORHEES JR, COHEN-GADOL AA, LAWS ER, SPENCER DD. Battling blood loss in neurosurgery: Harvey Cushing's embrace of electrosurgery. Historical vignette, 745
———. *See* Cohen-Gadol AA, 600
VOORMOLEN JHC. *See* Schade RP, 229
VORKAPIC P. *See* Roser F, 17
VORTMEYER AO. *See* Croteau D, 90
———. *See* Kim HJ, 503

WACHHORST S. *See* Parsa AT, 622
WAKABAYASHI T. *See* Arima T, 733
WALBRIDGE S. *See* Croteau D, 90
———. *See* Tender GC, 522
WALLACE MC. *See* Woodrow SI, 616
WALSH J. *See* Benveniste RJ, 1004
———. *See* Betchen SA, 6
WALSH JW. *See* Gump WC, 915
WAN YL. *See* Toh CH, 550
WANG PP. *See* Hussain NS, 536
WATERLOO K. *See* Ingebrigtsen T, 184
WEBBE F. *See* Broshek DK, 856
WEBER F. *See* Floeth FW, 318
WEED LL. *See* Tubbs RS, 910, 912
WEI KC. *See* Toh CH, 550
WEIDAUER S. *See* Hattingen E, 302
WEINER HL. *See* Douglas AF, 1133
WEINGART JD. *See* McGirt MJ, 897
WEISS MH. *See* Aho CJ, 189
———. *See* Chakrabarti I, 650
WENJI Y. *See* Yasuhara T, 80
WESTERVELD M. *See* Cohen-Gadol AA, 902
WHITE J. *See* Al-Khayat Hi, 482
WIEBERS DO. *See* Mangrum WI, 72
———. The risk of rupture of unruptured cerebral aneurysms in the Japanese population: a systematic review of the literature from Japan by Morita, et al. Editorial, 597
WILLIAMSON A. *See* Cohen-Gadol AA, 902
WIND JJ. *See* Anderson DE, 643
WITTSACK HJ. *See* Floeth FW, 318
WOEBKER G. *See* Floeth FW, 318
WOITZIK J, HORN P, VAJKOCZY P, SCHMIEDEK P. Intraoperative control of extracranial-intracranial bypass patency by near-infrared indocyanine green videoangiography, 692
WONG HF. *See* Toh CH, 550
WOO HH. *See* Thorell WE, 348
WOODROW SI, BERNSTEIN M, WALLACE MC. Safety of intracranial aneurysm surgery performed in a postgraduate training program: implications for training, 616
WOODWORTH GF. *See* McGirt MJ, 897
WU TS. *See* Lee EJ, 1085
WU ZB, YU CJ, GUAN SS. Posterior petrous meningiomas: 82 cases, 284

YAMADA K. *See* Kikuta K, 470
YAMADATE K. *See* Ogasawara K, 38
YAMAGA H. *See* Terada T, 558
YAMAMOTO A. *See* Kikuta K, 470
YAMAMOTO I. *See* Kanno H, 295
YAMAMOTO M. *See* Ueno Y, 513
YAMAMOTO T. *See* Marmarou A, 987
YANG T. *See* Akagawa H, 68
YANO A. *See* Yasuhara T, 80
YANO S. *See* Kai Y, 182
YASUDA A. *See* Kawashima M, 116, 132
YASUHARA T, SHINGO T, MURAOKA K, KOBAYASHI K, TAKEUCHI A, YANO A, WENJI Y, KAMEDA M, MATSUI T, MIYOSHI Y, DATE I. Early transplantation of an encapsulated glial cell line–derived neurotrophic factor–producing cell demonstrating strong neuroprotective effects in a rat model of Parkinson disease, 80
YONAS H. *See* King JT Jr, 489
YONEKAWA Y. *See* Rodak R, 1055
YONEYAMA T. *See* Akagawa H, 68
YOON B. *See* Kang H, 156
YOSHIDA J. *See* Arima T, 733
———. *See* Hasegawa T, 10
———. *See* Usui N, 1122
YOSHIDA K. *See* Ogasawara K, 38
YOSHIMINE T. *See* Kubo S, 938
YOSHIMOTO M. *See* Hasegawa T, 10
YOSHIMOTO Y, HOYA K, TANAKA Y, UCHIDA T. Basilar artery dissection, 476
YOSHIMURA S. *See* Sawada M, 161
YOUNG AB. *See* Slevin JT, 216
YOUNG B. *See* Slevin JT, 401
YOUNG HF. *See* Marmarou A, 987

YOUSRY I, MORIGGL B, NAIDACH TP, SCHMID UD, YOUSRY TA. Trigeminal nerve. Letters, 759
YOUSRY TA. *See* Yousry I, 759
YU CJ. *See* Wu ZB, 284

ZALEWSKI C. *See* Kim HJ, 503
ZANELLA FE. *See* Hattingen E, 302
ZELMAN V. *See* Aho CJ, 189
ZERIS V. *See* Chaves C, 152
ZEYNALOV E. *See* Thorell WE, 348
ZHANG JH. *See* Cahill J, 581
———. *See* Calvert JW, 958
———. *See* Ostrowski RP, 755
ZILLES K. *See* Floeth FW, 318
ZIMMERMANN M. *See* Vatter H, 1101, 1108
ZIRKLE DL. *See* Rosenberg RI, 847
ZIYAL IM, ÖZGEN T. Trigeminal nerve. Letters, 758
ZORZI G. *See* Franzini A, 721
ZUCCARELLO M, CHAALALA C. Book review, 580

α-actin
Dexamethasone preventing contractile and cytoskeletal protein changes in rabbit basilar artery after subarachnoid hemorrhage, 715
acoustic neuroma
Long-term hearing preservation after surgery for vestibular schwannoma, 6
Long-term outcomes in patients with vestibular schwannomas treated using gamma knife surgery: 10-year follow up, 10
Preservation of hearing in patients undergoing microsurgery for vestibular schwannoma: degree of meatal filling, 1
Resection of large vestibular schwannomas: facial nerve preservation in the context of surgical approach and patient-assessed outcome, 643
acromegaly
Stereotactic radiosurgery for pituitary adenomas: an intermediate review of its safety, efficacy, and role in the neurosurgical treatment armamentarium, 678
adenoassociated virus
Limited efficacy of gene transfer in *herpes simplex virus–thymidine kinase/ganciclovir* gene therapy for brain tumors, 328
adenoid cystic carcinoma
Brain metastasis from an adenoid cystic carcinoma of the Bartholin gland. Case report, 543
age
Age, intracranial pressure, autoregulation, and outcome after brain trauma, 450
alagille syndrome
Alagille syndrome. Letters, 1171
amino acid positron emission tomography
Multimodal metabolic imaging of cerebral gliomas: positron emission tomography with [^{18}F]fluoroethyl-L-tyrosine and magnetic resonance spectroscopy, 318
anaplastic transformation
Multicentric pleomorphic xanthoastrocytoma in a patient with neurofibromatosis Type 1. Case report and review of the literature, 376
anatomical study
Surgical anatomy of the dorsal scapular nerve, 910
anatomy
Tumors of the endolymphatic sac in patients with von Hippel–Lindau disease: implications for their natural history, diagnosis, and treatment, 503
ancient change
Trigeminal nerve schwannoma with ancient change. Case report and review of the literature, 1163
aneurysm
De novo fenestration of the optic nerve. Case illustration, 390
Multiple aneurysms of the anterior communicating artery: radiological and surgical difficulties, 495
Quantified aneurysm shape and aneurysm rupture, 355
Risk factors for aneurysmal subarachnoid hemorrhage in patients in Izumo City, Japan, 60
Safety of intracranial aneurysm surgery performed in a postgraduate training program: implications for training, 616
aneurysm growth
Enlarging vertebrobasilar nonsaccular intracranial aneurysms: frequency, predictors, and clinical outcome of growth, 72
aneurysm rupture
Comments on the unruptured aneurysm study from Japan; does this study clarify what to do? Editorial, 593, 595
Quantified aneurysm shape and aneurysm rupture, 355
Risk of rupture associated with intact cerebral aneurysms in the Japanese population: a systematic review of the literature from Japan, 601
aneurysmal subarachnoid hemorrhage
Plasma glucose levels and outcome after aneurysmal subarachnoid hemorrhage. Editorial, 974
angiogenesis
Biological activity of adult cavernous malformations: a study of 56 patients, 342
Combined inhibition of vascular endothelial growth factor and platelet-derived growth factor signaling: effects on the angiogenesis, microcirculation, and growth of orthotopic malignant glioma, 363
anorexia
Responsiveness of life-threatening refractory emesis to gabapentin–scopolamine therapy following posterior fossa surgery. Case report, 547
anterior circulation
Microsurgical anatomy of cerebral revascularization. Part I: Anterior circulation, 116
anterior clinoid process
Extradural anterior clinoidectomy. Technical note, 945
anterior clinoidectomy
Extradural anterior clinoidectomy. Technical note, 945
anterior communicating artery
Multiple aneurysms of the anterior communicating artery: radiological and surgical difficulties, 495
anterior fossa
Supraorbital craniotomy for parasellar lesions. Technical note, 951
anterior temporal hollow
Cortical osteotomy technique for mobilizing the temporal muscle in pteronial craniotomies. Technical note, 174
apoptosis
Delayed cell death related to acute cerebral blood flow changes following subarachnoid hemorrhage in the rat brain, 1046
aprotinin
Aprotinin and hemostasis. Letters, 757
arterial hypertension
Incidence of hemorrhage associated with electrophysiological studies performed using macroelectrodes and microelectrodes in functional neurosurgery, 888
Resolution of neurogenic arterial hypertension after suboccipital decompression for Chiari malformation. Case report, 1147
arterial occlusion
Intracranial endovascular stent placement for symptomatic metastatic non-Hodgkin lymphoma. Case report, 922
Use of an embolic protection system during endovascular recanalization of a totally occluded cervical internal carotid artery at the chronic stage. Case report, 558
arteriovenous malformation
De novo presentation of an arteriovenous malformation. Case report and review of the literature, 726
Obliterated arteriovenous malformations. Editorial, 829, 830
Risk of hemorrhage from an arteriovenous malformation confirmed to have been obliterated on angiography after stereotactic radiosurgery, 842
auditory brainstem response
Intraoperative auditory brainstem responses in patients with cerebellopontine angle meningiomas involving the inner auditory canal: analysis of the predictive value of the responses, 637

autoregulation
Age, intracranial pressure, autoregulation, and outcome after brain trauma, 450
axis
Glioblastoma multiforme metastasis to the axis. Case report, 540

back pressure
Blood pressure in the artery distal to an intraarterial embolus during thrombolytic therapy for occlusion of a major artery: a predictor of cerebral infarction following good recanalization, 870
baclofen
Prolonged intrathecal baclofen withdrawal syndrome. Case reports, 1133
baclofen pump infection
Prolonged intrathecal baclofen withdrawal syndrome. Case reports, 1133
ballistics
Brain injuries caused by spherical bolts, 864
balloon occlusion test
Proximal intracranial internal carotid artery branches: prevalence and importance for balloon occlusion test, 45
Bartholin gland
Brain metastasis from an adenoid cystic carcinoma of the Bartholin gland. Case report, 543
basic fibroblast growth factor
Immobilization of basic fibroblastic growth factor on a platinum microcoil to enhance tissue organization in intracranial aneurysms, 109
basilar artery
Basilar artery dissection, 476
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part I: Inhibitory effect on endothelin$_A$ receptor–mediated contraction, 1101
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part II: Effect on endothelin$_B$ receptor–mediated relaxation, 1108
Dissecting basilar aneurysms. Letters, 182
basilar artery aneurysm
Upper basilar artery aneurysms: oculomotor outcomes in 163 cases, 482
biopsy
Multimodal metabolic imaging of cerebral gliomas: positron emission tomography with [^{18}F]fluoroethyl-L-tyrosine and magnetic resonance spectroscopy, 318
blood loss
Battling blood loss in neurosurgery: Harvey Cushing's embrace of electrosurgery. Historical vignette, 745
book review
Baethmann A, Eriskat J, Lehmberg J, Plesnila N. *Mechanisms of Secondary Brain Damage from Trauma and Ischemia: Recent Advances of Our Understanding, Acta Neurochirurgica Supplement 89,* 581
D'Esposito M. *Neurological Foundations of Cognitive Neuroscience,* 580
Ellison D, Love S, Chimelli L, Harding BN, Lowe J, Vinters HV. *Neuropathology: A Reference Text of CNS Pathology, ed 2,* 397
Furie KL, Kelly PJ. *Handbook of Stroke Prevention in Clinical Practice,* 580
Israel Z, Burchiel KJ (eds). *Microelectrode Recording in Movement Disorder Surgery,* 755
Jain KK (ed). *Textbook of Hyperbaric Medicine, ed 4,* 958
Joseph JT, Cardozo DL. *Functional Neuroanatomy: An Interactive Text and Manual,* 959
Kettenmann H, Ransom BR (eds). *Neuroglia, ed 2,* 1168
Kondziolka D (ed). *Radiosurgery, Vol 5,* 179
Layon AJ, Gabrielli A, Friedman WA. *Textbook of Neurointensive Care,* 180
Le Roux PD, Winn HR, Newell DW (eds). *Management of Cerebral Aneurysms,* 397
Lezak MD, Howieson DB, Loring DW, Hannay HJ, Fischer JS. *Neuropsychological Assessment, ed 4,* 958
Lüders HO (ed). Deep Brain Stimulation and Epilepsy, 1167
Osborn AG, Blaser SI, Salzman KL, et al. (eds). *Diagnostic Imaging: Brain,* 398
Scheld WM, Whitley RJ, Marra CM. *Infections of the Central Nervous System,* 180
Shah SM, Kelly KM. *Principles and Practice of Emergency Neurology: Handbook for Emergency Physicians,* 756
Suarez JI (ed). *Critical Care Neurology and Neurosurgery,* 1167
Vaccaro AR, Regan JJ, Crawford AH, Benzel EC, Anderson DG (eds). *Complications of Pediatric and Adult Spinal Surgery,* 756
Bovie, William T.
Battling blood loss in neurosurgery: Harvey Cushing's embrace of electrosurgery. Historical vignette, 745
Cushing and Bovie: lessons learned. Editorial, 599, 600
bowel perforation
Distal ventriculoperitoneal shunt failure caused by silicone allergy. Case report, 536
brachial plexus
Brachial plexus injury. Letters, 403, 404
Microsurgical lesioning in the dorsal root entry zone for pain due to brachial plexus avulsion: a prospective series of 55 patients, 1018
A series of 146 peripheral non–neural sheath nerve tumors: 30-year experience at Louisiana State University Health Sciences Center, 256
brain injury
Self-inflicted submental and transoral gunshot wounds that produce nonfatal brain injuries: management and prognosis, 1029
brain mapping
Discrepant findings for Wada test and functional magnetic resonance imaging with regard to language function: use of electrocortical stimulation mapping to confirm results. Case report, 169
brain metastases
Resection of brain metastases previously treated with stereotactic radiosurgery, 209
brain metastasis
Brain metastasis from an adenoid cystic carcinoma of the Bartholin gland. Case report, 543
Brain metastasis from cutaneous squamous cell carcinoma of the dorsum. Case report, 1155
Intracranial metastasis from a sacrococcygeal chordoma. Case report, 730
brain neoplasm
Meningiomas of the cerebellopontine angle with extension into the internal auditory canal, 17
brain surface
Brain surface reformatted images for fast and easy localization of perirolandic lesions, 302
brain trauma
Age, intracranial pressure, autoregulation, and outcome after brain trauma, 450
Intracerebral microdialysis in severe brain trauma: the importance of catheter location, 460
brainstem biopsy
A contralateral, transfrontal, extraventricular approach to stereotactic brainstem biopsy procedures. Technical note, 565
bypass patency
Intraoperative control of extracranial–intracranial bypass patency by near-infrared indocyanine green videoangiography, 692

bypass surgery
Microsurgical anatomy of cerebral revascularization. Part I: Anterior circulation, 116
Microsurgical anatomy of cerebral revascularization. Part II: Posterior circulation, 132

cardiac pacemaker
Long-term deep brain stimulation in elderly patients with cardiac pacemakers, 53
carotid artery
Frequency and management of recurrent stenosis after carotid artery stent implantation, 29
carotid endarterectomy
Postoperative cerebral hyperperfusion associated with impaired cognitive function in patients undergoing carotid endarterectomy, 38
case management
Functional outcomes and survival in patients with high-grade gliomas in dominant and nondominant hemispheres, 276
Castleman syndrome
Intraventricular chordoid meningioma presenting with Castleman disease due to overproduction of interluekin-6. Case report, 733
cavernoma
Biological activity of adult cavernous malformations: a study of 56 patients, 342
cavernous hemangioma
Cavernous hemangiomas. Letters, 963
cavernous malformation
Clinical implications of associated venous drainage in patients with cavernous malformation, 24
cavernous sinus
Cavernous hemangiomas. Letters, 963
cell immortalization
Isolation of immortalized, *INKa/ARF*–deficient cells from the subventricular zone after in utero *N*-ethyl-*N*-nitrosourea exposure, 98
central nervous system
Real-time in vivo imaging of the convective distribution of a low-molecular-weight tracer, 90
central nervous system infection
Bacterial meningitis caused by the use of ventricular or lumbar cerebrospinal fluid catheters, 229
central nervous system tumor
Functional and phenotypic differences between glioblastoma multiforme–derived and normal human brain endothelial cells, 699
centralization
Craniotomy for meningioma in the United States between 1988 and 2000: decreasing rate of mortality and the effect of provider caseload, 977
cerebellopontine angle
Intraoperative auditory brainstem responses in patients with cerebellopontine angle meningiomas involving the inner auditory canal: analysis of the predictive value of the responses, 637
cerebral aneurysm
The Short Form–12 and the measurement of health status in patients with cerebral aneurysms: performance, validity, and reliability, 489
Vascular corrosion casts mirroring early morphological changes that lead to the formation of saccular cerebral aneurysm: an experimental study in rats, 532
cerebral angiography
Proximal intracranial internal carotid artery branches: prevalence and importance for balloon occulsion test, 45
cerebral blood flow
Delayed cell death related to acute cerebral blood flow changes following subarachnoid hemorrhage in the rat brain, 1046
cerebral infarction
Hyperglycemia, excess weight, and history of hypertension as risk factors for poor outcome and cerebral infarction after aneurysmal subarachnoid hemorrhage, 998
Risk factors for ischemic lesions following aneurysmal subarachnoid hemorrhage, 194
cerebral ischemia
Moyamoya disease associated with Graves disease: special considerations regarding clinical significance and management, 1013
Relationship between cerebral blood flow and oxygen metabolism, and extracellular glucose and lactate concentrations during middle cerebral artery occlusion and reperfusion: a microdialysis and positron emission study in nonhhuman primates, 1076
cerebral oxygenation
The use of indomethacin in the treatment of plateau waves: effects on cerebral perfusion and oxygenation, 455
cerebral perfusion pressure
Pressure reactivity as a guide in the treatment of cerebral perfusion pressure in patients with brain trauma, 311
cerebral revascularization
Microsurgical anatomy of cerebral revascularization. Part I: Anterior circulation, 116
Microsurgical anatomy of cerebral revascularization. Part II: Posterior circulation, 132
cerebral vasospasm
Cerebral vasospasm following intracranial hypotension caused by cerebrospinal fluid leak from an incidental lumbar durotomy, 152
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part I: Inhibitory effect on endothelin$_A$ receptor–mediated contraction, 1101
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part II: Effect on endothelin$_B$ receptor–mediated relaxation, 1108
Etomidate, transfusion, and vasospasm. Letters, 585
Papaverine and vasospasm. Letters, 181
cerebrospinal fluid drainage
Bacterial meningitis caused by the use of ventricular or lumbar cerebrospinal fluid catheters, 229
Charcot-Marie-Tooth disease
Characterization of genetically defined types of Charcot-Marie-Tooth neuropathies by using magnetic resonance neurography, 242
Chiari malformation
Resolution of neurogenic arterial hypertension after suboccipital decompression for Chiari malformation. Case report, 1147
chordoid meningioma
Intraventricular chordoid meningioma presenting with Castleman disease due to overproduction of interluekin-6. Case report, 733
chordoma metastasis
Intracranial metastasis from a sacrococcygeal chordoma. Case report, 730
cimetidine
Combined cimetidine and temozolomide, compared with temozolomide alone, induces significant increases in survival in nude mice bearing U373 human glioblastoma multiforme orthotopic xenografts, 706
clazosentan
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part I: Inhibitory effect on endothelin$_A$ receptor–mediated contraction, 1101
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective

for the treatment of cerebral vasospasm. Part II: Effect on endothelin$_B$ receptor–mediated relaxation, 1108
clinical–radiological grading system
Surgery for intracranial meningiomas in the elderly: a clinical–neuroimaging grading system as a predictor of outcome, 290
clip
Multiple aneurysms of the anterior communicating artery: radiological and surgical difficulties, 495
coagulopathy
Spontaneous chronic subdural hematomas in young adults with deficiency in coagulation factor XIII. Report of three cases, 1130
cocaine
Cocaine and subarachnoid hemorrhage. Letters, 961
cochlear nerve
Intraoperative auditory brainstem responses in patients with cerebellopontine angle meningiomas involving the inner auditory canal: analysis of the predictive value of the responses, 637
cognition
Postoperative cerebral hyperperfusion associated with impaired cognitive function in patients undergoing carotid endarterectomy, 38
coil embolization
Immobilization of basic fibroblastic growth factor on a platinum microcoil to enhance tissue organization in intracranial aneurysms, 109
complication
Endovascular management of traumatic and iatrogenic aneurysms of the pericallosal artery. Report of two cases, 555
Repeated transsphenoidal surgery to treat recurrent or residual pituitary adenoma, 1004
Resection of brain metastases previously treated with stereotactic radiosurgery, 209
Zebra sign: cerebellar bleeding pattern characteristic of cerebrospinal fluid loss. Case report, 1159
computerized tomography
Intracranial hypotension. Letters, 965
Mild head injury. Letters, 185, 186
Real-time in vivo imaging of the convective distribution of a low-molecular-weight tracer, 90
concussion
Posttraumatic migraine characteristics in athletes following sports-related concussion, 850
contralateral transfrontal extraventricular approach
A contralateral, transfrontal, extraventricular approach to stereotactic brainstem biopsy procedures. Technical note, 565
contrast medium
Intraoperative power Doppler ultrasonography with a contrast-enhancing agent for intracranial tumors, 295
convection-enhanced delivery
Limited efficacy of gene transfer in *herpes simplex virus–thymidine kinase/ganciclovir* gene therapy for brain tumors, 328
Neuroradiographic changes following convection-enhanced delivery of the conjugated toxin interleukin 13-PE38QQR for recurrent malignant glioma, 267
Real-time in vivo imaging of the convective distribution of a low-molecular-weight tracer, 90
Core Assessment Program for Surgical Interventional Therapies
Improvement of bilateral motor functions in patients with Parkinson disease through the unilateral intraputaminal infusion of glial cell line–derived neurotrophic factor, 216
cortical osteotomy
Cortical osteotomy technique for mobilizing the temporal muscle in pteronial craniotomies. Technical note, 174
corticospinal tract
Combined use of tractography-integrated functional neuronavigation and direct fiber stimulation, 664
Integration of three-dimensional corticospinal tractography into treatment planning for gamma knife surgery, 673
corticosteroid medication
Dexamethasone preventing contractile and cytoskeletal protein changes in rabbit basilar artery after subarachnoid hemorrhage, 715
cranial bone graft
Self-inflicted submental and transoral gunshot wounds that produce nonfatal brain injuries: management and prognosis, 1029
craniocervical venous system
Glioblastoma multiforme metastasis to the axis. Case report, 540
craniopharyngioma
The extended direct endonasal transsphenoidal approach for nonadenomatous suprasellar tumors, 832
Long-term neurological, visual, and endocrine outcomes following transnasal resection of craniopharyngioma, 650
craniotomy
Independent predictors of morbidity after image-guided stereotactic brain biopsy: a risk assessment of 270 cases, 897
Responsiveness of life-threatening refractory emesis to gabapentin–scopolamine therapy following posterior fossa surgery. Case report, 547
curved multiplanar reformatting
Brain surface reformatted images for fast and easy localization of perirolandic lesions, 302
Cushing, Harvey W.
Battling blood loss in neurosurgery: Harvey Cushing's embrace of electrosurgery. Historical vignette, 745
Cushing and Bovie: lessons learned. Editorial, 599, 600
The Mayo brothers and Harvey Cushing: a review of their 39-year friendship through their personal letters. Historical vignette, 391
Cushing disease
Repeated transsphenoidal surgery to treat recurrent or residual pituitary adenoma, 1004
Stereotactic radiosurgery for pituitary adenomas: an intermediate review of its safety, efficacy, and role in the neurosurgical treatment armamentarium, 678
cyst formation
Risk of hemorrhage from an arteriovenous malformation confirmed to have been obliterated on angiography after stereotactic radiosurgery, 842
cysticercosis
Subdural cysticercosis mimicking a chronic subdural hematoma. Case illustration, 389

death
Craniotomy for meningioma in the United States between 1988 and 2000: decreasing rate of mortality and the effect of provider caseload, 977
deep brain stimulation
Long-term deep brain stimulation in elderly patients with cardiac pacemakers, 53
Long-term high-frequency bilateral stimulation for neuroleptic-induced tardive dystonia. Report of two cases, 721
Successful long-term deep brain stimulation for hemichorea–hemballism in a patient with diabetes. Case report, 1137
Use of sagittal images for localization of the subthalamic nucleus. Technical note, 571
delayed cell death
Delayed cell death related to acute cerebral blood flow changes following subarachnoid hemorrhage in the rat brain, 1046

dentate gyrus
Malignant glioma–induced neuronal cell death in an organotypical glioma invasion model. Technical note, 738
depth electrodes
Frameless stereotactic placement of depth electrodes in epilepsy surgery, 1040
diffusion tensor analysis
Diffusion tensor analysis of peritumoral edema using lambda chart analysis indicative of the heterogeneity of the microstructures within edema, 336
diffusion-tensor imaging
Combined use of tractography-integrated functional neuronavigation and direct fiber stimulation, 664
Integration of three-dimensional corticospinal tractography into treatment planning for gamma knife surgery, 673
diffusion-weighted imaging
Blood pressure in the artery distal to an intraarterial embolus during thrombolytic therapy for occlusion of a major artery as a predictor of cerebral infarction following good recanalization, 870
disease progression
The Ki-67 labeling index as a prognostic factor in Grade II oligoastrocytomas, 1033
dissecting aneurysm
Antegrade recanalization of a completely embolized vertebral artery after endovascular treatment of a ruptured intracranial dissecting aneurysm. Report of two cases, 161
Dissecting basilar aneurysms. Letters, 182
dissection
Basilar artery dissection, 476
dog
Immobilization of basic fibroblastic growth factor on a platinum microcoil to enhance tissue organization in intracranial aneurysms, 109
Optical coherence tomography: a new method to assess aneurysm healing, 348
Pressure gradients in the brain in an experimental model of hydrocephalus, 1069
dolichoectasia
Enlarging vertebrobasilar nonsaccular intracranial aneurysms: frequency, predictors, and clinical outcome of growth, 72
Visual loss from a dolichoectatic anterior cerebral artery. Case illustration, 576
dominant hemisphere
Functional outcomes and survival in patients with high-grade gliomas in dominant and nondominant hemispheres, 276
dopaminergic neuron
Early transplantation of an encapsulated glial cell line–derived neurotrophic factor–producing cell demonstrating strong neuroprotective effects in a rat model of Parkinson disease, 80
dorsal root entry zone
Microsurgical lesioning in the dorsal root entry zone for pain due to brachial plexus avulsion: a prospective series of 55 patients, 1018
dorsal scapular nerve
Surgical anatomy of the dorsal scapular nerve, 910
dorsum
Juvenile psammomatoid ossifying fibroma of the neurocranium. Report of five cases, 1151
drain
Zebra sign: cerebellar bleeding pattern characteristic of cerebrospinal fluid loss. Case report, 1159
drug delivery
Real-time in vivo imaging of the convective distribution of a low-molecular-weight tracer, 90
drug resistance
Drug resistance. Letters, 1170
elderly
Surgery for intracranial meningiomas in the elderly: a clinical–neuroimaging grading system as a predictor of outcome, 290
electrical stimulation
Suppression of secondary generalization of limbic seizures by stimulation of subthalamic nucleus in rats, 1122
electrocortical stimulation
Discrepant findings for Wada test and functional magnetic resonance imaging with regard to language function: use of electrocortical stimulation mapping to confirm results. Case report, 169
electrocorticography
Frameless stereotactic placement of depth electrodes in epilepsy surgery, 1040
electron microscopy
Vascular corrosion casts mirroring early morphological changes that lead to the formation of saccular cerebral aneurysm: an experimental study in rats, 532
electrophysiological outcome
Delayed treatment with magnesium: reduction of brain infarction and improvement of electrophysiological recovery following transient focal cerebral ischemia in rats, 1085
electrosurgery
Battling blood loss in neurosurgery: Harvey Cushing's embrace of electrosurgery. Historical vignette, 745
embolic protection
Use of an embolic protection system during endovascular recanalization of a totally occluded cervical internal carotid artery at the chronic stage. Case report, 558
emesis
Responsiveness of life-threatening refractory emesis to gabapentin–scopolamine therapy following posterior fossa surgery. Case report, 547
encapsulation
Early transplantation of an encapsulated glial cell line–derived neurotrophic factor–producing cell demonstrating strong neuroprotective effects in a rat model of Parkinson disease, 80
endocrine dysfunction
Surgical outcomes in 118 patients with Rathke cleft cysts, 189
endocrine outcome
Long-term neurological, visual, and endocrine outcomes following transnasal resection of craniopharyngioma, 650
endoglin
Biological activity of adult cavernous malformations: a study of 56 patients, 342
Endoglin gene insertion polymorphism not associated with aneurysmal subarachnoid hemorrhage, 879
endolymphatic sac tumor
Tumors of the endolymphatic sac in patients with von Hippel–Lindau disease: implications for their natural history, diagnosis, and treatment, 503
endonasal approach
The extended direct endonasal transsphenoidal approach for nonadenomatous suprasellar tumors, 832
Vagus nerve stimulation for chronic intractable hiccups. Case report, 935
endoscopic neurosurgery
Enlarged perivascular spaces mimicking multicystic brain tumors. Report of two cases and a review of the literature, 1142
endoscopy
Long-term resolution of acute, obstructive, triventricular hydrocephalus by endoscopic removal of a third ventricular hematoma without third ventriculostomy. Case report and review of the literature, 930
Vagus nerve stimulation for chronic intractable hiccups. Case report, 935

endothelial cell
Vascular corrosion casts mirroring early morphological changes that lead to the formation of saccular cerebral aneurysm: an experimental study in rats, 532
endothelin
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part I: Inhibitory effect on endothelin$_A$ receptor–mediated contraction, 1101
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part II: Effect on endothelin$_B$ receptor–mediated relaxation, 1108
endothelin$_A$ receptor antagonist
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part I: Inhibitory effect on endothelin$_A$ receptor–mediated contraction, 1101
endothelin$_B$ receptor
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part II: Effect on endothelin$_B$ receptor–mediated relaxation, 1108
endothelium
Functional and phenotypic differences between glioblastoma multiforme–derived and normal human brain endothelial cells, 699
endovascular occlusion
Endovascular coil embolization of intracranial aneurysms: important factors related to rates and outcomes of incomplete occlusion, 607
endovascular stent
Intracranial endovascular stent placement for symptomatic metastatic non-Hodgkin lymphoma. Case report, 922
endovascular therapy
Endovascular management of traumatic and iatrogenic aneurysms of the pericallosal artery. Report of two cases, 555
Optical coherence tomography: a new method to assess aneurysm healing, 348
entorhinal cortex
Malignant glioma–induced neuronal cell death in an organotypical glioma invasion model. Technical note, 738
ependymoma
Is gross-total resection sufficient treatment for posterior fossa ependymomas? 629
epilepsy
Discrepant findings for Wada test and functional magnetic resonance imaging with regard to language function: use of electrocortical stimulation mapping to confirm results. Case report, 169
Frameless stereotactic placement of depth electrodes in epilepsy surgery, 1040
Suppression of secondary generalization of limbic seizures by stimulation of subthalamic nucleus in rats, 1122
epilepsy surgery
Normal magnetic resonance imaging and medial temporal lobe epilepsy: the clinical syndrome of paradoxical temporal lobe epilepsy, 902
experimental therapy
Combined inhibition of vascular endothelial growth factor and platelet-derived growth factor signaling: effects on the angiogenesis, microcirculation, and growth of orthotopic malignant glioma, 363
extended transsphenoidal approach
Long-term neurological, visual, and endocrine outcomes following transnasal resection of craniopharyngioma, 650
The extended direct endonasal transsphenoidal approach for nonadenomatous suprasellar tumors, 832
external ventricular drainage
Long-term resolution of acute, obstructive, triventricular hydrocephalus by endoscopic removal of a third ventricular hematoma without third ventriculostomy. Case report and review of the literature, 930
extracellular matrix
Diffusion tensor analysis of peritumoral edema using lambda chart analysis indicative of the heterogeneity of the microstructures within edema, 336
extracranial–intracranial bypass surgery
Intraoperative control of extracranial–intracranial bypass patency by near-infrared indocyanine green videoangiography, 692

facial pain
Gamma knife surgery for trigeminal neuralgia: outcomes and prognostic factors, 434
Stereotactic gamma knife surgery for trigeminal neuralgia: detailed analysis of treatment response, 442
factor XIII
Spontaneous chronic subdural hematomas in young adults with deficiency in coagulation factor XIII. Report of three cases, 1130
femoral nerve palsy
Femoral nerve palsy secondary to traumatic pseudoaneurysm and iliacus hematoma. Case report, 382
fenestration
De novo fenestration of the optic nerve. Case illustration, 390
fiber stimulation
Combined use of tractography-integrated functional neuronavigation and direct fiber stimulation, 664
fibrinolysis
Blood pressure in the artery distal to an intraarterial embolus during thrombolytic therapy for occlusion of a major artery as a predictor of cerebral infarction following good recanalization, 870
fibrous dysplasia
Juvenile psammomatoid ossifying fibroma of the neurocranium. Report of five cases, 1151
fluorine-18–labeled fluorodeoxyglucose–positron emission tomography
Fluorine-18–labeled fluorodeoxyglucose–positron emission tomography studies of acute brainstem Lyme neuroborreliosis. Case report, 927
fluorine-18–labeled fluoroethyl-L-tyrosine
Multimodal metabolic imaging of cerebral gliomas: positron emission tomography with [^{18}F]fluoroethyl-L-tyrosine and magnetic resonance spectroscopy, 318
focal cerebral ischemia
Delayed treatment with magnesium: reduction of brain infarction and improvement of electrophysiological recovery following transient focal cerebral ischemia in rats, 1085
frameless stereotaxy
Frameless stereotactic placement of depth electrodes in epilepsy surgery, 1040
functional genomics
The presence of tandem *endothelial nitric oxide synthase* gene polymorphisms identifying brain aneurysms more prone to rupture, 526
functional magnetic resonance imaging
Discrepant findings for Wada test and functional magnetic resonance imaging with regard to language function: use of electrocortical stimulation mapping to confirm results. Case report, 169
functional neuronavigation
Combined use of tractography-integrated functional neuronavigation and direct fiber stimulation, 664

gabapentin
Responsiveness of life-threatening refractory emesis to gabapentin–scopolamine therapy following posterior fossa surgery. Case report, 547
gamma knife
Stereotactic radiosurgery for pituitary adenomas: an intermediate review of its safety, efficacy, and role in the neurosurgical treatment armamentarium, 678
gamma knife surgery
De novo presentation of an arteriovenous malformation. Case report and review of the literature, 726
Gamma knife and trigeminal neuralgia. Editorial, 431, 432
Gamma knife surgery for trigeminal neuralgia: outcomes and prognostic factors, 434
Integration of three-dimensional corticospinal tractography into treatment planning for gamma knife surgery, 673
Long-term outcomes in patients with vestibular schwannomas treated using gamma knife surgery: 10-year follow up, 10
Stereotactic gamma knife surgery for trigeminal neuralgia: detailed analysis of treatment response, 442
ganciclovir
Limited efficacy of gene transfer in *herpes simplex virus–thymidine kinase/ganciclovir* gene therapy for brain tumors, 328
gene therapy
Limited efficacy of gene transfer in *herpes simplex virus–thymidine kinase/ganciclovir* gene therapy for brain tumors, 328
genetic polymorphism
The presence of tandem *endothelial nitric oxide synthase* gene polymorphisms identifying brain aneurysms more prone to rupture, 526
genetics
Endoglin gene insertion polymorphism not associated with aneurysmal subarachnoid hemorrhage, 879
Influence of endothelial nitric oxide synthase T-786C single nucleotide polymorphism on aneurysm size, 68
genotype
Characterization of genetically defined types of Charcot-Marie-Tooth neuropathies by using magnetic resonance neurography, 242
glial cell line–derived neurotrophic factor
Early transplantation of an encapsulated glial cell line–derived neurotrophic factor–producing cell demonstrating strong neuroprotective effects in a rat model of Parkinson disease, 80
Research on Parkinson disease. Letters, 401
glial cell line–derived neurotrophic factor receptor-α1
Early transplantation of an encapsulated glial cell line–derived neurotrophic factor–producing cell demonstrating strong neuroprotective effects in a rat model of Parkinson disease, 80
glioblastoma multiforme
Decreased expression of heparanase in glioblastoma multiforme, 513
Functional and phenotypic differences between glioblastoma multiforme–derived and normal human brain endothelial cells, 699
Glioblastoma multiforme metastasis to the axis. Case report, 540
Prognostic significance of intracranial dissemination of glioblastoma multiforme in adults, 622
glioma
Combined cimetidine and temozolomide, compared with temozolomide alone, induces significant increases in survival in nude mice bearing U373 human glioblastoma multiforme orthotopic xenografts, 706
Functional outcomes and survival in patients with high-grade gliomas in dominant and nondominant hemispheres, 276
High-resolution three-dimensional T_2-weighted sequence for neuronavigation. A new setup and clinical trial, 658
Incontinence after brain glioma surgery: new insights into the cortical control of micturition and continence, 148
Multimodal metabolic imaging of cerebral gliomas: positron emission tomography with [^{18}F]fluoroethyl-L-tyrosine and magnetic resonance spectroscopy, 318
Neuroradiographic changes following convection-enhanced delivery of the conjugated toxin interleukin 13-PE38QQR for recurrent malignant glioma, 267
Prognostic significance of intracranial dissemination of glioblastoma multiforme in adults, 622
glioma grade
Independent predictors of morbidity after image-guided stereotactic brain biopsy: a risk assessment of 270 cases, 897
globus pallidus internus
Long-term high-frequency bilateral stimulation for neuroleptic-induced tardive dystonia. Report of two cases, 721
glycerol rhizotomy
Percutaneous retrogasserian glycerol rhizotomy for patients with idiopathic trigeminal neuralgia: a prospective analysis of factors related to pain relief, 223
Graves disease
Moyamoya disease associated with Graves disease: special considerations regarding clinical significance and management, 1013
Guglielmi detachable coil
Antegrade recanalization of a completely embolized vertebral artery after endovascular treatment of a ruptured intracranial dissecting aneurysm. Report of two cases, 161
gunshot wound
Self-inflicted submental and transoral gunshot wounds that produce nonfatal brain injuries: management and prognosis, 1029

h-caldesmon
Dexamethasone preventing contractile and cytoskeletal protein changes in rabbit basilar artery after subarachnoid hemorrhage, 715
headache
Posttraumatic migraine characteristics in athletes following sports-related concussion, 850
hearing preservation
Long-term hearing preservation after surgery for vestibular schwannoma, 6
Preservation of hearing in patients undergoing microsurgery for vestibular schwannoma: degree of meatal filling, 1
hemichoria–hemibalism
Successful long-term deep brain stimulation for hemichorea–hemballism in a patient with diabetes. Case report, 1137
hemodynamic stress
Vascular corrosion casts mirroring early morphological changes that lead to the formation of saccular cerebral aneurysm: an experimental study in rats, 532
hemorrhage
Incidence of hemorrhage associated with electrophysiological studies performed using macroelectrodes and microelectrodes in functional neurosurgery, 888
Risk of hemorrhage from an arteriovenous malformation confirmed to have been obliterated on angiography after stereotactic radiosurgery, 842
hemostasis
Aprotinin and hemostasis. Letters, 757
heparanase
Decreased expression of heparanase in glioblastoma multiforme, 513
heparin
Risk factors for ischemic lesions following aneurysmal subarachnoid hemorrhage, 194

hiccup
Responsiveness of life-threatening refractory emesis to gabapentin–scopolamine therapy following posterior fossa surgery. Case report, 547
high-school athlete
Posttraumatic migraine characteristics in athletes following sports-related concussion, 850
hippocampal sclerosis
Normal magnetic resonance imaging and medial temporal lobe epilepsy: the clinical syndrome of paradoxical temporal lobe epilepsy, 902
hippocampus
Malignant glioma–induced neuronal cell death in an organotypical glioma invasion model. Technical note, 738
history of neurosurgery
The Mayo brothers and Harvey Cushing: a review of their 39-year friendship through their personal letters. Historical vignette, 391
hydrocephalus
Diagnosis and management of idiopathic normal-pressure hydrocephalus: a prospective study in 151 patients, 987
Distal ventriculoperitoneal shunt failure caused by silicone allergy. Case report, 536
Enlarged perivascular spaces mimicking multicystic brain tumors. Report of two cases and review of the literature, 1142
Long-term resolution of acute, obstructive, triventricular hydrocephalus by endoscopic removal of a third ventricular hematoma without third ventriculostomy. Case report and review of the literature, 930
Pressure gradients in the brain in an experimental model of hydrocephalus, 1069
hyperglycemia
Hyperglycemia, excess weight, and history of hypertension as risk factors for poor outcome and cerebral infarction after aneurysmal subarachnoid hemorrhage, 998
hyperperfusion
Postoperative cerebral hyperperfusion associated with impaired cognitive function in patients undergoing carotid endarterectomy, 38
hypertension
Hyperglycemia, excess weight, and history of hypertension as risk factors for poor outcome and cerebral infarction after aneurysmal subarachnoid hemorrhage, 998
Risk factors for ischemic lesions following aneurysmal subarachnoid hemorrhage, 194
hyperthyroidism
Moyamoya disease associated with Graves disease: special considerations regarding clinical significance and management, 1013
hypoxia
Biological activity of adult cavernous malformations: a study of 56 patients, 342

idiopathic normal-pressure hydrocephalus
Diagnosis and management of idiopathic normal-pressure hydrocephalus: a prospective study in 151 patients, 987
iliacus hematoma
Femoral nerve palsy secondary to traumatic pseudoaneurysm and iliacus hematoma. Case report, 382
in-stent stenosis
Frequency and management of recurrent stenosis after carotid artery stent implantation, 29
incomplete occlusion
Endovascular coil embolization of intracranial aneurysms: important factors related to rates and outcomes of incomplete occlusion, 607
incontinence
Incontinence after brain glioma surgery: new insights into the cortical control of micturition and continence, 148
indocyanine green
Intraoperative control of extracranial–intracranial bypass patency by near-infrared indocyanine green videoangiography, 692
infiltration
Diffusion tensor analysis of peritumoral edema using lambda chart analysis indicative of the heterogeneity of the microstructures within edema, 336
inflammation
Dexamethasone preventing contractile and cytoskeletal protein changes in rabbit basilar artery after subarachnoid hemorrhage, 715
injury prevention
Program self-evaluation: the evolution of an injury prevention foundation, 849
interleukin-1β
Intraventricular chordoid meningioma presenting with Castleman disease due to overproduction of interluekin-6. Case report, 733
interleukin-6
Intraventricular chordoid meningioma presenting with Castleman disease due to overproduction of interluekin-6. Case report, 733
interleukin-13
Neuroradiographic changes following convection-enhanced delivery of the conjugated toxin interleukin 13-PE38QQR for recurrent malignant glioma, 267
internal auditory canal
Meningiomas of the cerebellopontine angle with extension into the internal auditory canal, 17
Preservation of hearing in patients undergoing microsurgery for vestibular schwannoma: degree of meatal filling, 1
internal carotid artery
Proximal intracranial internal carotid artery branches: prevalence and importance for balloon occulsion test, 45
Use of an embolic protection system during endovascular recanalization of a totally occluded cervical internal carotid artery at the chronic stage. Case report, 558
intracerebral hematoma
Intracerebral hematoma aneurysms. Letters, 583
intracerebral hemorrhage
Long-term resolution of acute, obstructive, triventricular hydrocephalus by endoscopic removal of a third ventricular hematoma without third ventriculostomy. Case report and review of the literature, 930
intracranial
Trigeminal nerve schwannoma with ancient change. Case report and review of the literature, 1163
intracranial aneurysm
Buenos Aires experience with the Neuroform self-expanding stent for the treatment of intracranial aneurysms, 235
Endoglin gene insertion polymorphism not associated with aneurysmal subarachnoid hemorrhage, 879
Endovascular coil embolization of intracranial aneurysms: important factors related to rates and outcomes of incomplete occlusion, 607
Immobilization of basic fibroblastic growth factor on a platinum microcoil to enhance tissue organization in intracranial aneurysms, 109
Influence of endothelial nitric oxide synthase T-786C single nucleotide polymorphism on aneurysm size, 68
Optical coherence tomography: a new method to assess aneurysm healing, 348
The presence of tandem *endothelial nitric oxide synthase* gene polymorphisms identifying brain aneurysms more prone to rupture, 526
intracranial hypotension
Cerebral vasospasm following intracranial hypotension caused by cerebrospinal fluid leak from an incidental lumbar durotomy, 152
Intracranial hypotension. Letters, 965

intracranial lesion
Multicentric pleomorphic xanthoastrocytoma in a patient with neurofibromatosis Type 1. Case report and review of the literature, 376
intracranial pressure
Age, intracranial pressure, autoregulation, and outcome after brain trauma, 450
Pressure gradients in the brain in an experimental model of hydrocephalus, 1069
Pressure reactivity as a guide in the treatment of cerebral perfusion pressure in patients with brain trauma, 311
The use of indomethacin in the treatment of plateau waves: effects on cerebral perfusion and oxygenation, 455
intracranial stenosis
Intraoperative perfusion computerized tomography scanning for management of intracranial stent placement in a patient with tandem intracranial stenoses. Case report, 918
intracranial stent
Intraoperative perfusion computerized tomography scanning for management of intracranial stent placement in a patient with tandem intracranial stenoses. Case report, 918
intracranial tumor
Intraoperative power Doppler ultrasonography with a contrast-enhancing agent for intracranial tumors, 295
intraoperative angiography
Intraoperative control of extracranial–intracranial bypass patency by near-infrared indocyanine green videoangiography, 692
intrasellar cyst
Surgical outcomes in 118 patients with Rathke cleft cysts, 189
intrathecal baclofen
Prolonged intrathecal baclofen withdrawal syndrome. Case reports, 1133
intrathecal colistin
Intrathecal colistin for treatment of highly resistant *Psuedomonas* ventriculitis. Case report and review of the literature, 915
intraventricular hemorrhage
Long-term resolution of acute, obstructive, triventricular hydrocephalus by endoscopic removal of a third ventricular hematoma without third ventriculostomy. Case report and review of the literature, 930
intraventricular pneumocephalus
Tension pneumoventricle after placement of a ventriculoperitoneal shunt: a novel treatment strategy. Case report, 386
intraventricular tumor
Intraventricular chordoid meningioma presenting with Castleman disease due to overproduction of interluekin-6. Case report, 733
intravital fluorescence videomicroscopy
Combined inhibition of vascular endothelial growth factor and platelet-derived growth factor signaling: effects on the angiogenesis, microcirculation, and growth of orthotopic malignant glioma, 363
ischemia
Acute microvascular platelet aggregation after subarachnoid hemorrhage, 1094
isovoxel sequence
High-resolution three-dimensional T_2-weighted sequence for neuronavigation. A new setup and clinical trial, 658

juvenile psammomatoid ossifying fibroma
Juvenile psammomatoid ossifying fibroma of the neurocranium. Report of five cases, 1151

kainic acid
Suppression of secondary generalization of limbic seizures by stimulation of subthalamic nucleus in rats, 1122
kaolin
Pressure gradients in the brain in an experimental model of hydrocephalus, 1069

lambda chart analysis
Diffusion tensor analysis of peritumoral edema using lambda chart analysis indicative of the heterogeneity of the microstructures within edema, 336
language
Discrepant findings for Wada test and functional magnetic resonance imaging with regard to language function: use of electrocortical stimulation mapping to confirm results. Case report, 169
leptomeningeal carcinomatosis
Rhabdoid meningioma occurring in an unrelated resection cavity with leptomeningeal carcinomatosis. Case report, 371
long-term follow up
Long-term hearing preservation after surgery for vestibular schwannoma, 6
long-term intracranial monitoring
Pressure gradients in the brain in an experimental model of hydrocephalus, 1069
long-term outcome
Long-term neurological, visual, and endocrine outcomes following transnasal resection of craniopharyngioma, 650
lumbar durotomy
Cerebral vasospasm following intracranial hypotension caused by cerebrospinal fluid leak from an incidental lumbar durotomy, 152
lumbar subarachnoid catheter
Bacterial meningitis caused by the use of ventricular or lumbar cerebrospinal fluid catheters, 229
Lyme disease
Fluorine-18–labeled fluorodeoxyglucose–positron emission tomography studies of acute brainstem Lyme neuroborreliosis. Case report, 927
lymphoma
Primary non-Hodgkin lymphoma of the cranial nerves mimicking neurofibromatosis Type 2. Case report, 1166

Macaca mulatta
Real-time in vivo imaging of the convective distribution of a low-molecular-weight tracer, 90
Selective ablation of nociceptive neurons for elimination of hyperalgesia and neurogenic inflammation, 522
macroelctrode recording
Incidence of hemorrhage associated with electrophysiological studies performed using macroelectrodes and microelectrodes in functional neurosurgery, 888
magnesium
Delayed treatment with magnesium: reduction of brain infarction and improvement of electrophysiological recovery following transient focal cerebral ischemia in rats, 1085
magnetic resonance imaging
Blood pressure in the artery distal to an intraarterial embolus during thrombolytic therapy for occlusion of a major artery as a predictor of cerebral infarction following good recanalization, 870
Brain surface reformatted images for fast and easy localization of perirolandic lesions, 302
Clinical implications of associated venous drainage in patients with cavernous malformation, 24
Integration of three-dimensional corticospinal tractography into treatment planning for gamma knife surgery, 673
Neuroradiographic changes following convection-enhanced delivery of the conjugated toxin interleukin 13-PE38QQR for recurrent malignant glioma, 267
Trigeminal nerve. Letters, 759
magnetic resonance neurography
Characterization of genetically defined types of Charcot-Marie-Tooth neuropathies by using magnetic resonance neurography, 242

magnetic resonance proton spectroscopy
Assessment of cerebral S100B levels by proton magnetic resonance spectroscopy after lateral fluid-percussion injury in rats, 1115
magnetic resonance spectroscopy
Multimodal metabolic imaging of cerebral gliomas: positron emission tomography with [^{18}F]fluoroethyl-L-tyrosine and magnetic resonance spectroscopy, 318
Spectroscopy and navigation. Letters, 403
malignant glioma
Induction of reactive oxygen intermediates–dependent programmed cell death in human malignant ex vivo glioma cells and inhibition of the vascular endothelial growth factor production by taurolidine, 1055
manpower
Neurosurgical workforce trends in the United States, 202
Mayo, Charles H.
The Mayo brothers and Harvey Cushing: a review of their 39-year friendship through their personal letters. Historical vignette, 391
Mayo, William J.
The Mayo brothers and Harvey Cushing: a review of their 39-year friendship through their personal letters. Historical vignette, 391
Mayo Clinic
The Mayo brothers and Harvey Cushing: a review of their 39-year friendship through their personal letters. Historical vignette, 391
meningioma
Craniotomy for meningioma in the United States between 1988 and 2000: decreasing rate of mortality and the effect of provider caseload, 977
The extended direct endonasal transsphenoidal approach for nonadenomatous suprasellar tumors, 832
Intraoperative auditory brainstem responses in patients with cerebellopontine angle meningiomas involving the inner auditory canal: analysis of the predictive value of the responses, 637
Juvenile psammomatoid ossifying fibroma of the neurocranium. Report of five cases, 1151
Meningioma. Editorial, 969, 970
Meningiomas of the cerebellopontine angle with extension into the internal auditory canal, 17
Multiple meningiomas in a patient with Rubinstein–Taybi syndrome. Case report, 167
Surgery for intracranial meningiomas in the elderly: a clinical–neuroimaging grading system as a predictor of outcome, 290
metastasis
Decreased expression of heparanase in glioblastoma multiforme, 513
Glioblastoma multiforme metastasis to the axis. Case report, 540
metastatic brain tumor
Decreased expression of heparanase in glioblastoma multiforme, 513
microbleed
Asymptomatic microbleeds in moyamoya disease: T_2*-weighted gradient-echo magnetic resonance imaging study, 470
microdialysis
Intracerebral microdialysis in severe brain trauma: the importance of catheter location, 460
microelectrode recording
Incidence of hemorrhage associated with electrophysiological studies performed using macroelectrodes and microelectrodes in functional neurosurgery, 888
microsurgery
Posterior petrous meningiomas: 82 cases, 284
microsurgical anatomy
Microsurgical anatomy of cerebral revascularization. Part I: Anterior circulation, 116
Microsurgical anatomy of cerebral revascularization. Part II: Posterior circulation, 132
microvascular decompression
Visual loss from a dolichoectatic anterior cerebral artery. Case illustration, 576
microvasculature
Acute microvascular platelet aggregation after subarachnoid hemorrhage, 1094
micturition
Incontinence after brain glioma surgery: new insights into the cortical control of micturition and continence, 148
middle cerebral artery occlusion
Relationship between cerebral blood flow and oxygen metabolism, and extracellular glucose and lactate concentrations during middle cerebral artery occlusion and reperfusion: a microdialysis and positron emission study in nonhhuman primates, 1076
migration
Functional and phenotypic differences between glioblastoma multiforme–derived and normal human brain endothelial cells, 699
mild head injury
Mild head injury. Letters, 185, 186
Sex differences in outcome following sports-related concussion, 856
mild traumatic brain injury
Posttraumatic migraine characteristics in athletes following sports-related concussion, 850
mixed glioma
The Ki-67 labeling index as a prognostic factor in Grade II oligoastrocytomas, 1033
monkey
Relationship between cerebral blood flow and oxygen metabolism, and extracellular glucose and lactate concentrations during middle cerebral artery occlusion and reperfusion: a microdialysis and positron emission study in nonhhuman primates, 1076
mouse
Combined cimetidine and temozolomide, compared with temozolomide alone, induces significant increases in survival in nude mice bearing U373 human glioblastoma multiforme orthotopic xenografts, 706
moyamoya disease
Asymptomatic microbleeds in moyamoya disease: T_2*-weighted gradient-echo magnetic resonance imaging study, 470
Moyamoya disease associated with Graves disease: special considerations regarding clinical significance and management, 1013
multicentric lesion
Multicentric pleomorphic xanthoastrocytoma in a patient with neurofibromatosis Type 1. Case report and review of the literature, 376
multifocal lesion
Prognostic significance of intracranial dissemination of glioblastoma multiforme in adults, 622
multiple aneurysms
Multiple aneurysms of the anterior communicating artery: radiological and surgical difficulties, 495

N-ethyl-*N*-nitrosourea–induced neurocarcinogenesis
Isolation of immortalized, *INKa/ARF*–deficient cells from the subventricular zone after in utero *N*-ethyl-*N*-nitrosourea exposure, 98
natural history
De novo presentation of an arteriovenous malformation. Case report and review of the literature, 726
Endovascular coil embolization of intracranial aneurysms: important factors related to rates and outcomes of incomplete occlusion, 607

Risk of rupture associated with intact cerebral aneurysms in the Japanese population: a systematic review of the literature from Japan, 601
neck remnant
Endovascular coil embolization of intracranial aneurysms: important factors related to rates and outcomes of incomplete occlusion, 607
nerve injury
Brachial plexus injury. Letters, 403, 404
neural precursor cell
Isolation of immortalized, *INKa/ARF*–deficient cells from the subventricular zone after in utero *N*-ethyl-*N*-nitrosourea exposure, 98
neural sheath tumor
A series of 397 peripheral neural sheath tumors: 30-year experience at Louisiana State University Health Sciences Center, 246
neurobehavioral outcome
Delayed treatment with magnesium: reduction of brain infarction and improvement of electrophysiological recovery following transient focal cerebral ischemia in rats, 1085
neuroborreliosis
Fluorine-18–labeled fluorodeoxyglucose–positron emission tomography studies of acute brainstem Lyme neuroborreliosis. Case report, 927
neurocutaneous syndrome
Cerebellopontomandibular vascular malformation: a rare type of cerebrofacial arteriovenous metameric syndrome. Case report, 156
neurocysticercosis
Subdural cysticercosis mimicking a chronic subdural hematoma. Case illustration, 389
neurofibroma
A series of 397 peripheral neural sheath tumors: 30-year experience at Louisiana State University Health Sciences Center, 246
neurofibromatosis
Primary non-Hodgkin lymphoma of the cranial nerves mimicking neurofibromatosis Type 2. Case report, 1166
neurofibromatosis Type 1
Multicentric pleomorphic xanthoastrocytoma in a patient with neurofibromatosis Type 1. Case report and review of the literature, 376
Neuroform stent
Buenos Aires experience with the Neuroform self-expanding stent for the treatment of intracranial aneurysms, 235
neuroleptic drug
Long-term high-frequency bilateral stimulation for neuroleptic-induced tardive dystonia. Report of two cases, 721
neuromonitoring
Intraoperative auditory brainstem responses in patients with cerebellopontine angle meningiomas involving the inner auditory canal: analysis of the predictive value of the responses, 637
neuronavigation
High-resolution three-dimensional T_2-weighted sequence for neuronavigation. A new setup and clinical trial, 658
Spectroscopy and navigation. Letters, 403
neuropathic pain
Microsurgical lesioning in the dorsal root entry zone for pain due to brachial plexus avulsion: a prospective series of 55 patients, 1018
Selective ablation of nociceptive neurons for elimination of hyperalgesia and neurogenic inflammation, 522
neuroprotection
Delayed treatment with magnesium: reduction of brain infarction and improvement of electrophysiological recovery following transient focal cerebral ischemia in rats, 1085
Early transplantation of an encapsulated glial cell line–derived neurotrophic factor–producing cell demonstrating strong neuroprotective effects in a rat model of Parkinson disease, 80
neuropsychological testing
Posttraumatic migraine characteristics in athletes following sports-related concussion, 850
neurosurgery
Incidence of hemorrhage associated with electrophysiological studies performed using macroelectrodes and microelectrodes in functional neurosurgery, 888
Neurosurgical workforce trends in the United States, 202
Surgical anatomy of the axillary nerve within the quadrangular space, 912
Tumors of the endolymphatic sac in patients with von Hippel–Lindau disease: implications for their natural history, diagnosis, and treatment, 503
neurosurgical education
Neurosurgical workforce trends in the United States, 202
neurosurgical history
Battling blood loss in neurosurgery: Harvey Cushing's embrace of electrosurgery. Historical vignette, 745
nidus obliteration
Risk of hemorrhage from an arteriovenous malformation confirmed to have been obliterated on angiography after stereotactic radiosurgery, 842
nitric oxide synthase
Influence of endothelial nitric oxide synthase T-786C single nucleotide polymorphism on aneurysm size, 68
Polymorphisms in the *endothelial nitric oxide synthase* gene and the tendency for aneurysm rupture. Editorial, 433
The presence of tandem *endothelial nitric oxide synthase* gene polymorphisms identifying brain aneurysms more prone to rupture, 526
non-Hodgkin lymphoma
Intracranial endovascular stent placement for symptomatic metastatic non-Hodgkin lymphoma. Case report, 922
non–neural sheath tumor
A series of 146 peripheral non–neural sheath nerve tumors: 30-year experience at Louisiana State University Health Sciences Center, 256
nondominant hemisphere
Functional outcomes and survival in patients with high-grade gliomas in dominant and nondominant hemispheres, 276
normal-pressure hydrocephalus
Diagnosis and management of idiopathic normal-pressure hydrocephalus: a prospective study in 151 patients, 987
Value of neuropsychological information for improved understanding of the patient with normal-pressure hydrocephalus. Editorial, 971, 972

oculomotor nerve palsy
Upper basilar artery aneurysms: oculomotor outcomes in 163 cases, 482
oligoastrocytoma
The Ki-67 labeling index as a prognostic factor in Grade II oligoastrocytomas, 1033
oligodendroglioma
Multicentric pleomorphic xanthoastrocytoma in a patient with neurofibromatosis Type 1. Case report and review of the literature, 376
operative technique
Modified osteoplastic orbitozygomatic craniotomy. Technical note, 940
optic nerve
De novo fenestration of the optic nerve. Case illustration, 390
optic nerve disease
Visual loss from a dolichoectatic anterior cerebral artery. Case illustration, 576
optical coherence
Optical coherence tomography: a new method to assess aneurysm healing, 348

orbitosygomatic craniotomy
Modified osteoplastic orbitozygomatic craniotomy. Technical note, 940
orthotopic xenograft
Combined cimetidine and temozolomide, compared with temozolomide alone, induces significant increases in survival in nude mice bearing U373 human glioblastoma multiforme orthotopic xenografts, 706
osteoplastic bone flap
Modified osteoplastic orbitozygomatic craniotomy. Technical note, 940
outcome
Age, intracranial pressure, autoregulation, and outcome after brain trauma, 450
Functional outcomes and survival in patients with high-grade gliomas in dominant and nondominant hemispheres, 276
Hyperglycemia, excess weight, and history of hypertension as risk factors for poor outcome and cerebral infarction after aneurysmal subarachnoid hemorrhage, 998
Long-term outcomes in patients with vestibular schwannomas treated using gamma knife surgery: 10-year follow up, 10
Normal magnetic resonance imaging and medial temporal lobe epilepsy: the clinical syndrome of paradoxical temporal lobe epilepsy, 902
Pressure reactivity as a guide in the treatment of cerebral perfusion pressure in patients with brain trauma, 311
Risk factors for ischemic lesions following aneurysmal subarachnoid hemorrhage, 194
outcome analysis
The Ki-67 labeling index as a prognostic factor in Grade II oligoastrocytomas, 1033
Percutaneous retrogasserian glycerol rhizotomy for patients with idiopathic trigeminal neuralgia: a prospective analysis of factors related to pain relief, 223
outcomes assessment
The Short Form–12 and the measurement of health status in patients with cerebral aneurysms: performance, validity, and reliability, 489

p16^{INK4a}
Isolation of immortalized, *INKa/ARF*–deficient cells from the subventricular zone after in utero *N*-ethyl-*N*-nitrosourea exposure, 98
p19ARF
Isolation of immortalized, *INKa/ARF*–deficient cells from the subventricular zone after in utero *N*-ethyl-*N*-nitrosourea exposure, 98
pain
Selective ablation of nociceptive neurons for elimination of hyperalgesia and neurogenic inflammation, 522
Stereotactic gamma knife surgery for trigeminal neuralgia: detailed analysis of treatment response, 442
papaverine
Papaverine and vasospasm. Letters, 181
paraclinoid aneurysm
Extradural anterior clinoidectomy. Technical note, 945
paradoxical temporal lobe epilepsy
Normal magnetic resonance imaging and medial temporal lobe epilepsy: the clinical syndrome of paradoxical temporal lobe epilepsy, 902
parent artery occlusion
Antegrade recanalization of a completely embolized vertebral artery after endovascular treatment of a ruptured intracranial dissecting aneurysm. Report of two cases, 161
Parkinson disease
Early transplantation of an encapsulated glial cell line–derived neurotrophic factor–producing cell demonstrating strong neuroprotective effects in a rat model of Parkinson disease, 80
Long-term deep brain stimulation in elderly patients with cardiac pacemakers, 53
Research on Parkinson disease. Letters, 401
Use of sagittal images for localization of the subthalamic nucleus. Technical note, 571
pathology
Independent predictors of morbidity after image-guided stereotactic brain biopsy: a risk assessment of 270 cases, 897
pathophysiology
Tumors of the endolymphatic sac in patients with von Hippel–Lindau disease: implications for their natural history, diagnosis, and treatment, 503
patient safety
Safety of intracranial aneurysm surgery performed in a postgraduate training program: implications for training, 616
pelvic plexus
A series of 146 peripheral non–neural sheath nerve tumors: 30-year experience at Louisiana State University Health Sciences Center, 256
penetrating brain injury
Brain injuries caused by spherical bolts, 864
penumbra zone
Intracerebral microdialysis in severe brain trauma: the importance of catheter location, 460
penumbra
Relationship between cerebral blood flow and oxygen metabolism, and extracellular glucose and lactate concentrations during middle cerebral artery occlusion and reperfusion: a microdialysis and positron emission study in nonhuman primates, 1076
percutaneous transluminal angioplasty
Use of an embolic protection system during endovascular recanalization of a totally occluded cervical internal carotid artery at the chronic stage. Case report, 558
perfusion computerized tomography
Intraoperative perfusion computerized tomography scanning for management of intracranial stent placement in a patient with tandem intracranial stenoses. Case report, 918
pericallosal artery
Endovascular management of traumatic and iatrogenic aneurysms of the pericallosal artery. Report of two cases, 555
pericranial flap
Self-inflicted submental and transoral gunshot wounds that produce nonfatal brain injuries: management and prognosis, 1029
peripheral nerve tumor
A series of 146 peripheral non–neural sheath nerve tumors: 30-year experience at Louisiana State University Health Sciences Center, 256
A series of 397 peripheral neural sheath tumors: 30-year experience at Louisiana State University Health Sciences Center, 246
peripheral nerve
Surgical anatomy of the axillary nerve within the quadrangular space, 912
Surgical anatomy of the dorsal scapular nerve, 910
perirolandic lesion
Brain surface reformatted images for fast and easy localization of perirolandic lesions, 302
peritumoral edema
Diffusion tensor analysis of peritumoral edema using lambda chart analysis indicative of the heterogeneity of the microstructures within edema, 336
Phase II trial
Improvement of bilateral motor functions in patients with Parkinson disease through the unilateral intraputaminal infusion of glial cell line–derived neurotrophic factor, 216
pituitary
Surgical outcomes in 118 patients with Rathke cleft cysts, 189

pituitary adenoma
Repeated transsphenoidal surgery to treat recurrent or residual pituitary adenoma, 1004
Stereotactic radiosurgery for pituitary adenomas: an intermediate review of its safety, efficacy, and role in the neurosurgical treatment armamentarium, 678
pituitary tumor
Vagus nerve stimulation for chronic intractable hiccups. Case report, 935
plateau wave
The use of indomethacin in the treatment of plateau waves: effects on cerebral perfusion and oxygenation, 455
platelet
Decrease in platelet count as an independent risk factor for symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 882
platelet aggregation
Acute microvascular platelet aggregation after subarachnoid hemorrhage, 1094
pleomorphic xanthoastrocytoma
Multicentric pleomorphic xanthoastrocytoma in a patient with neurofibromatosis Type 1. Case report and review of the literature, 376
pneumoventricle
Tension pneumoventricle after placement of a ventriculoperitoneal shunt: a novel treatment strategy. Case report, 386
polymorphism
Influence of endothelial nitric oxide synthase T-786C single nucleotide polymorphism on aneurysm size, 68
population study
Risk of rupture associated with intact cerebral aneurysms in the Japanese population: a systematic review of the literature from Japan, 601
positron emission tomography
Cortical organization Letters, 1172
Relationship between cerebral blood flow and oxygen metabolism, and extracellular glucose and lactate concentrations during middle cerebral artery occlusion and reperfusion: a microdialysis and positron emission study in nonhhuman primates, 1076
posterior cerebral artery
Upper basilar artery aneurysms: oculomotor outcomes in 163 cases, 482
posterior circulation
Microsurgical anatomy of cerebral revascularization. Part II: Posterior circulation, 132
posterior fossa tumor
Is gross-total resection sufficient treatment for posterior fossa ependymomas? 629
posterior fossa
Responsiveness of life-threatening refractory emesis to gabapentin–scopolamine therapy following posterior fossa surgery. Case report, 547
posterior petrous meningioma
Posterior petrous meningiomas: 82 cases, 284
postoperative complication
Tension pneumoventricle after placement of a ventriculoperitoneal shunt: a novel treatment strategy. Case report, 386
potine biopsy
A contralateral, transfrontal, extraventricular approach to stereotactic brainstem biopsy procedures. Technical note, 565
power Doppler ultrasonography
Intraoperative power Doppler ultrasonography with a contrast-enhancing agent for intracranial tumors, 295
precentral gyrus
Brain surface reformatted images for fast and easy localization of perirolandic lesions, 302
pressure reactivity
Pressure reactivity as a guide in the treatment of cerebral perfusion pressure in patients with brain trauma, 311
prognosis
Assessment of cerebral S100B levels by proton magnetic resonance spectroscopy after lateral fluid-percussion injury in rats, 1115
prognostic factor
Functional outcomes and survival in patients with high-grade gliomas in dominant and nondominant hemispheres, 276
Resection of brain metastases previously treated with stereotactic radiosurgery, 209
program evaluation
Program self-evaluation: the evolution of an injury prevention foundation, 849
programmed cell death
Induction of reactive oxygen intermediates–dependent programmed cell death in human malignant ex vivo glioma cells and inhibition of the vascular endothelial growth factor production by taurolidine, 1055
prolactinoma
Stereotactic radiosurgery for pituitary adenomas: an intermediate review of its safety, efficacy, and role in the neurosurgical treatment armamentarium, 678
proliferation
Functional and phenotypic differences between glioblastoma multiforme–derived and normal human brain endothelial cells, 699
pseudoaneurysm
Femoral nerve palsy secondary to traumatic pseudoaneurysm and iliacus hematoma. Case report, 382
Pseudomonas exotoxin
Neuroradiographic changes following convection-enhanced delivery of the conjugated toxin interleukin 13-PE38QQR for recurrent malignant glioma, 267
pterional approach
Cortical osteotomy technique for mobilizing the temporal muscle in pteronial craniotomies. Technical note, 174

quadrangular space
Surgical anatomy of the axillary nerve within the quadrangular space, 912
quality of life
The Short Form–12 and the measurement of health status in patients with cerebral aneurysms: performance, validity, and reliability, 489
quantified aneurysm shape
Quantified aneurysm shape and aneurysm rupture, 355
quantitative glycohistochemistry
Combined cimetidine and temozolomide, compared with temozolomide alone, induces significant increases in survival in nude mice bearing U373 human glioblastoma multiforme orthotopic xenografts, 706

radiation therapy
Is gross-total resection sufficient treatment for posterior fossa ependymomas? 629
radiosurgery
Fractions, stages, radiosurgery, and radiotherapy. Letters, 588
Gamma knife surgery for trigeminal neuralgia: outcomes and prognostic factors, 434
Resection of brain metastases previously treated with stereotactic radiosurgery, 209
Risk of hemorrhage from an arteriovenous malformation confirmed to have been obliterated on angiography after stereotactic radiosurgery, 842
Stereotactic gamma knife surgery for trigeminal neuralgia: detailed analysis of treatment response, 442
radiotherapy
Fractions, stages, radiosurgery, and radiotherapy. Letters, 588

randomized trial
Risk factors for ischemic lesions following aneurysmal subarachnoid hemorrhage, 194
rat
Assessment of cerebral S100B levels by proton magnetic resonance spectroscopy after lateral fluid-percussion injury in rats, 1115
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part I: Inhibitory effect on endothelin$_A$ receptor–mediated contraction, 1101
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part II: Effect on endothelin$_B$ receptor–mediated relaxation, 1108
Delayed cell death related to acute cerebral blood flow changes following subarachnoid hemorrhage in the rat brain, 1046
Delayed treatment with magnesium: reduction of brain infarction and improvement of electrophysiological recovery following transient focal cerebral ischemia in rats, 1085
Early transplantation of an encapsulated glial cell line–derived neurotrophic factor–producing cell demonstrating strong neuroprotective effects in a rat model of Parkinson disease, 80
Immobilization of basic fibroblastic growth factor on a platinum microcoil to enhance tissue organization in intracranial aneurysms, 109
Isolation of immortalized, *INKa/ARF*–deficient cells from the subventricular zone after in utero *N*-ethyl-*N*-nitrosourea exposure, 98
Vascular corrosion casts mirroring early morphological changes that lead to the formation of saccular cerebral aneurysm: an experimental study in rats, 532
Rathke cleft cyst
The extended direct endonasal transsphenoidal approach for nonadenomatous suprasellar tumors, 832
Surgical outcomes in 118 patients with Rathke cleft cysts, 189
reactive oxygen intermediates
Induction of reactive oxygen intermediates–dependent programmed cell death in human malignant ex vivo glioma cells and inhibition of the vascular endothelial growth factor production by taurolidine, 1055
recanalization
Antegrade recanalization of a completely embolized vertebral artery after endovascular treatment of a ruptured intracranial dissecting aneurysm. Report of two cases, 161
reconstruction
Cortical osteotomy technique for mobilizing the temporal muscle in pteronial craniotomies. Technical note, 174
recurrence
Repeated transsphenoidal surgery to treat recurrent or residual pituitary adenoma, 1004
remote cerebellar hemorrhage
Zebra sign: cerebellar bleeding pattern characteristic of cerebrospinal fluid loss. Case report, 1159
reperfusion
Relationship between cerebral blood flow and oxygen metabolism, and extracellular glucose and lactate concentrations during middle cerebral artery occlusion and reperfusion: a microdialysis and positron emission study in nonhuman primates, 1076
resection
Resection of brain metastases previously treated with stereotactic radiosurgery, 209
resection cavity
Rhabdoid meningioma occurring in an unrelated resection cavity with leptomeningeal carcinomatosis. Case report, 371
resident education
Safety of intracranial aneurysm surgery performed in a postgraduate training program: implications for training, 616
resiniferatoxin
Selective ablation of nociceptive neurons fo, elimination of hyperalgesia and neurogenic inflammation, 522
rhabdoid meningioma
Rhabdoid meningioma occurring in an unrelated resection cavity with leptomeningeal carcinomatosis. Case report, 371
risk factor
Bacterial meningitis caused by the use of ventricular or lumbar cerebrospinal fluid catheters, 229
Decrease in platelet count as an independent risk factor for symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 882
Risk factors for aneurysmal subarachnoid hemorrhage in patients in Izumo City, Japan, 60
Rosai–Dorfman disease
Rosai–Dorfman disease with dural sinus invasion. Report of two cases, 550
Rubenstein–Taybi syndrome
Multiple meningiomas in a patient with Rubinstein–Taybi syndrome. Case report, 167
ruptured aneurysm
Intracerebral hematoma aneurysms. Letters, 583
Polymorphisms in the *endothelial nitric oxide synthase* gene and the tendency for aneurysm rupture. Editorial, 433
The risk of rupture of unruptured cerebral aneurysms in the Japanese population: a systematic review of the literature from Japan by Morita, et al. Editorial, 597, 599

S100B protein
Assessment of cerebral S100B levels by proton magnetic resonance spectroscopy after lateral fluid-percussion injury in rats, 1115
sarafotoxin S6c
Cerebrovascular characterization of clazosentan, the first nonpeptide endothelin receptor antagonist clinically effective for the treatment of cerebral vasospasm. Part II: Effect on endothelin$_B$ receptor–mediated relaxation, 1108
schwannoma
A series of 397 peripheral neural sheath tumors: 30-year experience at Louisiana State University Health Sciences Center, 246
Trigeminal nerve schwannoma with ancient change. Case report and review of the literature, 1163
scopolamine
Responsiveness of life-threatening refractory emesis to gabapentin–scopolamine therapy following posterior fossa surgery. Case report, 547
seizure
Frameless stereotactic placement of depth electrodes in epilepsy surgery, 1040
sellar floor reconstruction
Vagus nerve stimulation for chronic intractable hiccups. Case report, 935
serviceable hearing
Preservation of hearing in patients undergoing microsurgery for vestibular schwannoma: degree of meatal filling, 1
sex-based difference
Sex differences in outcome following sports-related concussion, 856
SF-12
The Short Form–12 and the measurement of health status in patients with cerebral aneurysms: performance, validity, and reliability, 489
shunt
Tension pneumoventricle after placement of a ventriculoperitoneal shunt: a novel treatment strategy. Case report, 386

shunt infection
Intrathecal colistin for treatment of highly resistant *Psuedomonas* ventriculitis. Case report and review of the literature, 915
shunt malfunction
Distal ventriculoperitoneal shunt failure caused by silicone allergy. Case report, 536
shunt obstruction
Distal ventriculoperitoneal shunt failure caused by silicone allergy. Case report, 536
silicone allergy
Distal ventriculoperitoneal shunt failure caused by silicone allergy. Case report, 536
sinus histiocytosis with massive lymphadenopathy
Rosai–Dorfman disease with dural sinus invasion. Report of two cases, 550
skin
Juvenile psammomatoid ossifying fibroma of the neurocranium. Report of five cases, 1151
skull base
Intracranial endovascular stent placement for symptomatic metastatic non-Hodgkin lymphoma. Case report, 922
Meningiomas of the cerebellopontine angle with extension into the internal auditory canal, 17
skull base reconstruction
Self-inflicted submental and transoral gunshot wounds that produce nonfatal brain injuries: management and prognosis, 1029
skull base surgery
Extradural anterior clinoidectomy. Technical note, 945
slice culture
Malignant glioma–induced neuronal cell death in an organotypical glioma invasion model. Technical note, 738
smoothelin-B
Dexamethasone preventing contractile and cytoskeletal protein changes in rabbit basilar artery after subarachnoid hemorrhage, 715
spasticity
Prolonged intrathecal baclofen withdrawal syndrome. Case reports, 1133
spherical bolt
Brain injuries caused by spherical bolts, 864
spinal cord injury
Program self-evaluation: the evolution of an injury prevention foundation, 849
sports-related concussion
Sex differences in outcome following sports-related concussion, 856
squamous cell carcinoma
Juvenile psammomatoid ossifying fibroma of the neurocranium. Report of five cases, 1151
stent
Buenos Aires experience with the Neuroform self-expanding stent for the treatment of intracranial aneurysms, 235
Frequency and management of recurrent stenosis after carotid artery stent implantation, 29
Use of an embolic protection system during endovascular recanalization of a totally occluded cervical internal carotid artery at the chronic stage. Case report, 558
stereotactic biopsy
A contralateral, transfrontal, extraventricular approach to stereotactic brainstem biopsy procedures. Technical note, 565
Independent predictors of morbidity after image-guided stereotactic brain biopsy: a risk assessment of 270 cases, 897
stereotactic radiosurgery
Integration of three-dimensional corticospinal tractography into treatment planning for gamma knife surgery, 673
Stereotactic radiosurgery for pituitary adenomas: an intermediate review of its safety, efficacy, and role in the neurosurgical treatment armamentarium, 678
striatum
Improvement of bilateral motor functions in patients with Parkinson disease through the unilateral intraputaminal infusion of glial cell line–derived neurotrophic factor, 216
stroke
Delayed treatment with magnesium: reduction of brain infarction and improvement of electrophysiological recovery following transient focal cerebral ischemia in rats, 1085
stump pressure
Blood pressure in the artery distal to an intraarterial embolus during thrombolytic therapy for occlusion of a major artery as a predictor of cerebral infarction following good recanalization, 870
subarachnoid hemorrhage
Acute microvascular platelet aggregation after subarachnoid hemorrhage, 1094
Antegrade recanalization of a completely embolized vertebral artery after endovascular treatment of a ruptured intracranial dissecting aneurysm. Report of two cases, 161
Basilar artery dissection, 476
Buenos Aires experience with the Neuroform self-expanding stent for the treatment of intracranial aneurysms, 235
Cocaine and subarachnoid hemorrhage. Letters, 961
Decrease in platelet count as an independent risk factor for symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 882
Delayed cell death related to acute cerebral blood flow changes following subarachnoid hemorrhage in the rat brain, 1046
Dexamethasone preventing contractile and cytoskeletal protein changes in rabbit basilar artery after subarachnoid hemorrhage, 715
Endoglin gene insertion polymorphism not associated with aneurysmal subarachnoid hemorrhage, 879
Etomidate, transfusion, and vasospasm. Letters, 585
Hyperglycemia, excess weight, and history of hypertension as risk factors for poor outcome and cerebral infarction after aneurysmal subarachnoid hemorrhage, 998
Influence of endothelial nitric oxide synthase T-786C single nucleotide polymorphism on aneurysm size, 68
The presence of tandem endothelial nitric oxide synthase gene polymorphisms identifying brain aneurysms more prone to rupture, 526
Quantified aneurysm shape and aneurysm rupture, 355
Risk factors for aneurysmal subarachnoid hemorrhage in patients in Izumo City, Japan, 60
Risk factors for ischemic lesions following aneurysmal subarachnoid hemorrhage, 194
The Short Form–12 and the measurement of health status in patients with cerebral aneurysms: performance, validity, and reliability, 489
Upper basilar artery aneurysms: oculomotor outcomes in 163 cases, 482
subdural hematoma
Spontaneous chronic subdural hematomas in young adults with deficiency in coagulation factor XIII. Report of three cases, 1130
subdural space
Subdural cysticercosis mimicking a chronic subdural hematoma. Case illustration, 389
suboccipital approach
Long-term hearing preservation after surgery for vestibular schwannoma, 6
suboccipotal decompression
Resolution of neurogenic arterial hypertension after suboccipital decompression for Chiari malformation. Case report, 1147

substantia nigra pars reticulata
Suppression of secondary generalization of limbic seizures by stimulation of subthalamic nucleus in rats, 1122
subthalamic nucleus
Long-term deep brain stimulation in elderly patients with cardiac pacemakers, 53
Suppression of secondary generalization of limbic seizures by stimulation of subthalamic nucleus in rats, 1122
Use of sagittal images for localization of the subthalamic nucleus. Technical note, 571
suction
Zebra sign: cerebellar bleeding pattern characteristic of cerebrospinal fluid loss. Case report, 1159
suicide
Self-inflicted submental and transoral gunshot wounds that produce nonfatal brain injuries: management and prognosis, 1029
superior cerebellar artery
Upper basilar artery aneurysms: oculomotor outcomes in 163 cases, 482
supraorbital craniotomy
Supraorbital craniotomy for parasellar lesions. Technical note, 951
suprasellar tumor
The extended direct endonasal transsphenoidal approach for nonadenomatous suprasellar tumors, 832
surgery
Incontinence after brain glioma surgery: new insights into the cortical control of micturition and continence, 148
Is gross-total resection sufficient treatment for posterior fossa ependymomas? 629
Multiple aneurysms of the anterior communicating artery: radiological and surgical difficulties, 495
Safety of intracranial aneurysm surgery performed in a postgraduate training program: implications for training, 616
Surgical anatomy of the axillary nerve within the quadrangular space, 912
surgical anatomy
Extradural anterior clinoidectomy. Technical note, 945
Modified osteoplastic orbitozygomatic craniotomy. Technical note, 940
surgical approach
Resection of large vestibular schwannomas: facial nerve preservation in the context of surgical approach and patient-assessed outcome, 643
surgical navigation
Intraoperative power Doppler ultrasonography with a contrast-enhancing agent for intracranial tumors, 295
surgical technique
Cortical osteotomy technique for mobilizing the temporal muscle in pteronial craniotomies. Technical note, 174
survival
Combined inhibition of vascular endothelial growth factor and platelet-derived growth factor signaling: effects on the angiogenesis, microcirculation, and growth of orthotopic malignant glioma, 363
The Ki-67 labeling index as a prognostic factor in Grade II oligoastrocytomas, 1033
Prognostic significance of intracranial dissemination of glioblastoma multiforme in adults, 622
survival analysis
Combined cimetidine and temozolomide, compared with temozolomide alone, induces significant increases in survival in nude mice bearing U373 human glioblastoma multiforme orthotopic xenografts, 706
suture knot
Vagus nerve stimulation for chronic intractable hiccups. Case report, 935
T_2*-weighted magnetic resonance imaging
Asymptomatic microbleeds in moyamoya disease: T_2*-weighted gradient-echo magnetic resonance imaging study, 470
tandem stenoses
Intraoperative perfusion computerized tomography scanning for management of intracranial stent placement in a patient with tandem intracranial stenoses. Case report, 918
tardive dystonia
Long-term high-frequency bilateral stimulation for neuroleptic-induced tardive dystonia. Report of two cases, 721
taurolidine
Induction of reactive oxygen intermediates–dependent programmed cell death in human malignant ex vivo glioma cells and inhibition of the vascular endothelial growth factor production by taurolidine, 1055
temozolomide
Combined cimetidine and temozolomide, compared with temozolomide alone, induces significant increases in survival in nude mice bearing U373 human glioblastoma multiforme orthotopic xenografts, 706
temporal lobe epilepsy
Normal magnetic resonance imaging and medial temporal lobe epilepsy: the clinical syndrome of paradoxical temporal lobe epilepsy, 902
temporalis muscle
Cortical osteotomy technique for mobilizing the temporal muscle in pteronial craniotomies. Technical note, 174
Modified osteoplastic orbitozygomatic craniotomy. Technical note, 940
Supraorbital craniotomy for parasellar lesions. Technical note, 951
thalamus
Long-term deep brain stimulation in elderly patients with cardiac pacemakers, 53
third ventriculostomy
Long-term resolution of acute, obstructive, triventricular hydrocephalus by endoscopic removal of a third ventricular hematoma without third ventriculostomy. Case report and review of the literature, 930
three-dimensional turbo–spin echo magnetic resonance imaging
High-resolution three-dimensional T_2-weighted sequence for neuronavigation. A new setup and clinical trial, 658
thymidine kinase
Limited efficacy of gene transfer in *herpes simplex virus–thymidine kinase/ganciclovir* gene therapy for brain tumors, 328
tic douloureux
Gamma knife surgery for trigeminal neuralgia: outcomes and prognostic factors, 434
Stereotactic gamma knife surgery for trigeminal neuralgia: detailed analysis of treatment response, 442
tomography
Optical coherence tomography: a new method to assess aneurysm healing, 348
tractography
Combined use of tractography-integrated functional neuronavigation and direct fiber stimulation, 664
training program
Neurosurgical workforce trends in the United States, 202
transcranial Doppler ultrasonography
The use of indomethacin in the treatment of plateau waves: effects on cerebral perfusion and oxygenation, 455
transmural pressure
Pressure gradients in the brain in an experimental model of hydrocephalus, 1069
transsphenoidal approach
Extended transsphenoidal approach. Editorial, 825, 827
transsphenoidal craniotomy
Surgical outcomes in 118 patients with Rathke cleft cysts, 189

transsphenoidal surgery
Repeated transsphenoidal surgery to treat recurrent or residual pituitary adenoma, 1004
traumatic aneurysm
Endovascular management of traumatic and iatrogenic aneurysms of the pericallosal artery. Report of two cases, 555
traumatic brain injury
Assessment of cerebral S100B levels by proton magnetic resonance spectroscopy after lateral fluid-percussion injury in rats, 1115
Pressure reactivity as a guide in the treatment of cerebral perfusion pressure in patients with brain trauma, 311
Program self-evaluation: the evolution of an injury prevention foundation, 849
Sex differences in outcome following sports-related concussion, 856
treatment planning
Integration of three-dimensional corticospinal tractography into treatment planning for gamma knife surgery, 673
tremor
Long-term deep brain stimulation in elderly patients with cardiac pacemakers, 53
trigeminal
Trigeminal nerve schwannoma with ancient change. Case report and review of the literature, 1163
trigeminal ganglion
Selective ablation of nociceptive neurons for elimination of hyperalgesia and neurogenic inflammation, 522
trigeminal nerve
Primary non-Hodgkin lymphoma of the cranial nerves mimicking neurofibromatosis Type 2. Case report, 1166
Trigeminal nerve. Letters, 759
trigeminal neuralgia
Gamma knife and trigeminal neuralgia. Editorial, 431, 432
Gamma knife surgery for trigeminal neuralgia: outcomes and prognostic factors, 434
Percutaneous retrogasserian glycerol rhizotomy for patients with idiopathic trigeminal neuralgia: a prospective analysis of factors related to pain relief, 223
Selective ablation of nociceptive neurons for elimination of hyperalgesia and neurogenic inflammation, 522
Stereotactic gamma knife surgery for trigeminal neuralgia: detailed analysis of treatment response, 442
Trigeminal neuralgia. Letters, 1173
tumor
Endovascular management of traumatic and iatrogenic aneurysms of the pericallosal artery. Report of two cases, 555
Malignant glioma–induced neuronal cell death in an organotypical glioma invasion model. Technical note, 738
Multiple meningiomas in a patient with Rubinstein–Taybi syndrome. Case report, 167
tumor angiogenesis
Functional and phenotypic differences between glioblastoma multiforme–derived and normal human brain endothelial cells, 699
tumor dissemination
Prognostic significance of intracranial dissemination of glioblastoma multiforme in adults, 622
tumor growth
Combined inhibition of vascular endothelial growth factor and platelet-derived growth factor signaling: effects on the angiogenesis, microcirculation, and growth of orthotopic malignant glioma, 363

Unified Parkinson's Disease Rating Scale
Improvement of bilateral motor functions in patients with Parkinson disease through the unilateral intraputaminal infusion of glial cell line–derived neurotrophic factor, 216

unruptured aneurysm
Comments on the unruptured aneurysm study from Japan; does this study clarify what to do? Editorial, 593, 595
Risk of rupture associated with intact cerebral aneurysms in the Japanese population: a systematic review of the literature from Japan, 601
The risk of rupture of unruptured cerebral aneurysms in the Japanese population: a systematic review of the literature from Japan by Morita, et al. Editorial, 597, 599

vascular corrosion cast
Vascular corrosion casts mirroring early morphological changes that lead to the formation of saccular cerebral aneurysm: an experimental study in rats, 532
vascular endothelial growth factor
Induction of reactive oxygen intermediates–dependent programmed cell death in human malignant ex vivo glioma cells and inhibition of the vascular endothelial growth factor production by taurolidine, 1055
Intraventricular chordoid meningioma presenting with Castleman disease due to overproduction of interluekin-6. Case report, 733
vascular malformation
Cerebellopontomandibular vascular malformation: a rare type of cerebrofacial arteriovenous metameric syndrome. Case report, 156
vasogenic edema
Diffusion tensor analysis of peritumoral edema using lambda chart analysis indicative of the heterogeneity of the microstructures within edema, 336
vasospasm
Decrease in platelet count as an independent risk factor for symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 882
venoarterial difference in partial pressure of carbon dioxide
The use of indomethacin in the treatment of plateau waves: effects on cerebral perfusion and oxygenation, 455
venous drainage
Clinical implications of associated venous drainage in patients with cavernous malformation, 24
venous malformation
Clinical implications of associated venous drainage in patients with cavernous malformation, 24
ventralis oralis
Successful long-term deep brain stimulation for hemichorea–hemballism in a patient with diabetes. Case report, 1137
ventriculitis
Intrathecal colistin for treatment of highly resistant *Psuedomonas* ventriculitis. Case report and review of the literature, 915
ventriculoperitoneal shunt
Distal ventriculoperitoneal shunt failure caused by silicone allergy. Case report, 536
ventriculostomy catheter
Bacterial meningitis caused by the use of ventricular or lumbar cerebrospinal fluid catheters, 229
vertebral artery
Antegrade recanalization of a completely embolized vertebral artery after endovascular treatment of a ruptured intracranial dissecting aneurysm. Report of two cases, 161
vertebrobasilar nonsacular aneurysm
Enlarging vertebrobasilar nonsaccular intracranial aneurysms: frequency, predictors, and clinical outcome of growth, 72
vestibular schwannoma
Long-term hearing preservation after surgery for vestibular schwannoma, 6
Long-term outcomes in patients with vestibular schwannomas treated using gamma knife surgery: 10-year follow up, 10
Preservation of hearing in patients undergoing microsurgery for vestibular schwannoma: degree of meatal filling, 1

Primary non-Hodgkin lymphoma of the cranial nerves mimicking neurofibromatosis Type 2. Case report, 1166
Resection of large vestibular schwannomas: facial nerve preservation in the context of surgical approach and patient-assessed outcome, 643
Virchow–Robin spaces
Enlarged perivascular spaces mimicking multicystic brain tumors. Report of two cases and review of the literature, 1142
volume outcome
Craniotomy for meningioma in the United States between 1988 and 2000: decreasing rate of mortality and the effect of provider caseload, 977
von Hippel–Lindau disease
Tumors of the endolymphatic sac in patients with von Hippel–Lindau disease: implications for their natural history, diagnosis, and treatment, 503
Wada test
Discrepant findings for Wada test and functional magnetic resonance imaging with regard to language function: use of electrocortical stimulation mapping to confirm results. Case report, 169
whole-brain radiation therapy
Brain metastasis from an adenoid cystic carcinoma of the Bartholin gland. Case report, 543

Index to
Journal of Neurosurgery: Pediatrics
Volume 102

January, March, April, May, 2005

Author Index

Abel MF, Damiano DL, Gilgannon M, Carmines D, Kang HG, Bennett BC, Laws ER Jr. Biomechanical changes in gait following selective dorsal rhizotomy, 157

Acosta FL Jr., Binder DK, Barkovich AJ, Frieden IJ, Gupta N. Neurocutaneous melanosis presenting with hydrocephalus. Case report and review of the literature, 96

Agrawal D, Gowda NK, Bal CS, Pant M, Mahapatra AK. Is medial temporal injury responsible for pediatric postconcussion syndrome? A prospective controlled study with single-photon emission computerized tomography, 167

Agrawal D, Steinbok P, Cochrane DD. Scaphocephaly or dolichocephaly? Letters, 253

Ahn ES, Chin LS, Gyure KA, Hudes RS, Ragheb J, DiPatri AJ Jr. Long-term control after resection and gamma knife surgery of an intracranial clear cell meningioma. Case report, 303

Akalan N. *See* Çataltepe O, 280

Akay KM, Izci Y, Baysefer A, Timurkaynak E. Composite type of split cord malformation: two different types at three different levels. Case report, 436

Amano E. *See* Fujita M, 299

Anderson RCE. *See* Gottfried ON, 439

———. *See* Rao G, 314

Aoki S. *See* Oya S, 105

Arai M, Kashihara K. Dandy Walker. Letters, 353

Aryan HE. *See* Meltzer HS, 347

Ashley WW Jr., Narayan P, Park TS, Tu P, Perry A, Leonard JR. Incidental pediatric intraparenchymal xanthogranuloma. Case report and review of the literature, 307

———, Ojemann JG, Park TS, Wippold FJ II. Primary hypothyroidism in a 12-year-old girl with a suprasellar pituitary mass: rapid regression after thyroid replacement therapy. Case report, 413

Ashraf W. *See* Bayston R, 207

Awad IA. *See* O'Shaughnessy BA, 338

Bademci G, Evliyaoglu C, Keskil S. Proximally situated osseous septum in complex spina bifida. Case report, 92

Bal CS. *See* Agrawal D, 167

Barkovich AJ. *See* Acosta FL Jr., 96

Batjer HH. *See* O'Shaughnessy BA, 228, 238, 338

Baumgartner J, Teichgraeber J. Scaphocephaly or dolichocephaly? Letters, 254

Baykaner MK. *See* Tufan K, 431

Baysefer A. *See* Akay KM, 436

Bayston R, Bhundia C, Ashraf W. Hydromer-coated catheters to prevent shunt infection?, 207

Beauchamp R. *See* Steinbok P, 363

Bendok BR. *See* O'Shaughnessy BA, 338

Benedetto N. *See* Perrini P, 244

Bennett BC. *See* Abel MF, 157

Bennett R. *See* Meltzer HS, 347

Berenstein A. *See* Song JK, 81

Bhundia C. *See* Bayston R, 207

Billman G. *See* Meltzer HS, 347

Binder DK. *See* Acosta FL Jr., 96

Blaser SE. *See* Fletcher JM, 268

Blount JP. *See* Tubbs RS, 213, 218, 221, 423

Boop FA. *See* Helton KJ, 179

———. *See* Kyrnetskiy EE, 31

Boudousquie A. *See* Fletcher JM, 268

Bowman RM. *See* O'Shaughnessy BA, 228

Brandt ME. *See* Fletcher JM, 268

Brisman JL. *See* Song JK, 81

Brockmeyer DL. *See* Gottfried ON, 439

———. *See* Rao G, 314

Buccoliero AM. *See* Perrini P, 244

Caceres A, Reitman AJ, Tomita T. Craniopharyngioma and Cushing disease. Case report, 318

Cakan N. *See* Sood S, 127

Caldarelli M, Massimi L, Kondageski C, Di Rocco C. Midline dermoid cysts. Letters, 137

Carmines D. *See* Abel MF, 157

Carson BS Sr. *See* Khan A, 53

Çataltepe O, Turanli G, Yalnizoglu D, Topçu M, Akalan N. Surgical management of temporal lobe tumor–related epilepsy in children, 280

Ceciliano A. *See* Monges JA, 440

Chen CL. *See* Wong AMK, 385

Chernov MF, Kamikawa S, Yamane F, Hori T. Slit-ventricle syndrome. Editorial, 258

———, ———, ———, Ishihara S, Hori T. Neurofiberscope-guided management of slit-ventricle syndrome due to shunt placement, 260

Chin LS. *See* Ahn ES, 303

Cho BK. *See* Yang SY, 417

Chuang SH. *See* Iida K, 187

Chung CY. *See* Wong AMK, 385

Cirak B, Suzer T. Midline dermoid cysts. Letters, 135

Cochrane DD. *See* Agrawal D, 253

Cohen AR. *See* Dashti SR, 322

Cohen-Gadol AA, Nahed BV, Voorhees JR, Maher CO,

SPENCER DD. Historical vignette. Cushing's experience with the surgical treatment of spinal dysraphism, 441
———. *See* Jacob JT, 350
COLE JS IV, PITTMAN T. Intradural mesh: an unusual cause of spinal cord tethering. Case report, 311
COPELAND K. *See* Fletcher JM, 268

DAMIANO DL. *See* Abel MF, 157
DANESHMAND S. *See* McEwing RL, 248
DASHTI SR, ROBINSON S, RODGERS M, COHEN AR. Pineal region giant cell astrocytoma associated with tuberous sclerosis. Case report, 322
DEFOORT-DHELLEMMES S. *See* Vinchon M, 380
DENNIS M. *See* Fletcher JM, 268
DESURMONT M. *See* Vinchon M, 380
DHELLEMMES P. *See* Vinchon M, 380
DI LORENZO N. *See* Perrini P, 244
DI ROCCO C. *See* Caldarelli M, 137
DIPATRI AJ JR. *See* Ahn ES, 303
———. *See* O'Shaughnessy BA, 238
DOGULU F. *See* Tufan K, 431
DRAKE J. Slit-ventricle syndrome. Editorial, 257
DRAKE JM. *See* Fletcher JM, 268
DWIVEDI N. *See* Sharma A, 403

EDDLEMAN C. *See* O'Shaughnessy BA, 338
EDWARDS M. *See* Helton KJ, 179
EDWARDS RJ. *See* Tarnaris A, 224
ELLIOTT I. *See* Iida K, 187
ERŞAHIN Y. Pineal tumors. Letters, 137
EVLIYAOGLU C. *See* Bademci G, 92

FAGAN LH. *See* George TM, 150
FASSETT DR, PINGREE J, KESTLE JRW. The high incidence of tumor dissemination in myxopapillary ependymoma in pediatric patients. Report of five cases and review of the literature, 59
FELDSTEIN N. *See* Senatus PB, 72
FELDSTEIN NA. *See* Rao G, 314
FERNANDEZ PM. *See* Song JK, 81
FLANNERY AM. *See* Rahimi SY, 163
FLETCHER JM, COPELAND K, FREDERICK JA, BLASER SE, KRAMER LA, NORTHRUP H, HANNAY HJ, BRANDT ME, FRANCIS DJ, VILLARREAL G, DRAKE JM, LAURENT JP, TOWNSEND I, INWOOD S, BOUDOUSQUIE A, DENNIS M. Spinal lesion level in spina bifida: a source of neural and cognitive heterogeneity, 268
FRANCIS DJ. *See* Fletcher JM, 268
FRASER K. *See* Hanigan WC, 426
FREDERICK JA. *See* Fletcher JM, 268
FRIEDEN IJ. *See* Acosta FL Jr., 96
FRIM DM. *See* Yamini B, 138
FUJISAWA H. *See* Misaki K, 197
FUJITA M, SATO M, NAKAMURA M, KUDO K, NAGASAKA T, MIZUNO M, AMANO E, OKAMOTO Y, HOTTA Y, HATANO H, NAKAHARA N, WAKABAYASHI T, YOSHIDA J. Multicentric atypical teratoid/rhabdoid tumors occurring in the eye and fourth ventricle of an infant. Case report, 299
FUKUSATO T. *See* Misaki K, 197
FUKUSHIMA N. *See* Higashiyama F, 390

GAILLOUD P. *See* Gallia GL, 332
GALARZA M. *See* Monges JA, 440
GALASSI E. *See* Giulioni M, 288
GALLIA GL, MOORE C, JORDAN L, GAILLOUD P, JALLO GI. Neonatal cavernous carotid artery aneurysm. Case report, 332
GENNARELLI TA. *See* Muszynski CA, 374
GEORGE TM, FAGAN LH. Adult tethered cord syndrome in patients with postrepair myelomeningocele: an evidence-based outcome study, 150
GETCH CG. *See* O'Shaughnessy BA, 228
GILGANNON M. *See* Abel MF, 157
GIULIONI M, GALASSI E, ZUCCHELLI M, VOLPI L. Seizure outcome of lesionectomy in glioneuronal tumors associated with epilepsy in children, 288
GONSALEZ S. *See* Hayward R, 16
GOTTFRIED ON, RAO G, ANDERSON RCE, HEDLUND GL, BROCKMEYER DL. Diffusion restriction of a spinal arachnoid cyst. Case illustration, 439
GOWDA NK. *See* Agrawal D, 167
GRABB PA. *See* Tubbs RS, 218
GRANVILLE R. *See* Meltzer HS, 347
GUARNIERI M. *See* Khan A, 53
GUIDI E. *See* Perrini P, 244
GUPTA N. *See* Acosta FL Jr., 96
GYURE KA. *See* Ahn ES, 303

HAM SD. *See* Sood S, 127, 146
HANIGAN WC, FRASER K, TARANTINO M, WANG H. Tumefaction of the dural sinuses associated with a coagulopathy following treatment of hydrocephalus in a perinate. Case report, 426
HANNAY HJ. *See* Fletcher JM, 268
HASEGAWA M. *See* Misaki K, 197
HATANO H. *See* Fujita M, 299
HAYASHI N. *See* Oya S, 105
HAYASHI Y. *See* Misaki K, 197
HAYWARD DR. *See* Saunders DE, 172
HAYWARD R, GONSALEZ S. How low can you go? Intracranial pressure, cerebral perfusion pressure, and respiratory obstruction in children with complex craniosynostosis, 16
HEDLUND GL. *See* Gottfried ON, 439
HELTON KJ, EDWARDS M, STEEN RG, MERCHANT TE, SAPP MV, BOOP FA, LANGSTON J. Neuroimaging-detected late transient treatment-induced lesions in pediatric patients with brain tumors, 179
HENTSCHEL SJ, YEN KG, LANG FF. Chiari I malformation and acute acquired comitant esotropia. Case report and review of the literature, 407
HICDONMEZ T. *See* Steinbok P, 363
HIGASHIYAMA F, FUKUSHIMA N, YOKOUCHI K, KAWAGISHI K, MORIIZUMI T. The minimum number of facial motor neurons essential for minimal whisker movement in neonatally nerve-transected young adult rats, 390
HOLOWKA S. *See* Iida K, 187
HORI T. *See* Chernov MF, 258, 260
HOTTA Y. *See* Fujita M, 299
HUANG J. *See* Senatus PB, 72
HUDES RS. *See* Ahn ES, 303

IDEKER RE. *See* Tubbs RS, 213
IIDA K, OTSUBO H, MATSUMOTO Y, OCHI A, OISHI M, HOLOWKA

S, Pang E, Elliott I, Weiss SK, Chuang SH, Snead OC III, Rutka JT. Characterizing magnetic spike sources by using magnetoencephalography-guided neuronavigation in epilepsy surgery in pediatric patients, 187
Inwood S. *See* Fletcher JM, 268
Ishihara S. *See* Chernov MF, 260
Ito S, Sekido K, Kanno H, Sato H, Tanaka M, Yamaguchi K, Yamamoto I. Phenotypic diversity in patients with craniosynostoses unrelated to Apert syndrome: the role of *fibroblast growth factor* receptor gene mutations, 23
Izci Y. *See* Akay KM, 436
Izumi M. *See* Oya S, 105

Jacob JT, Cohen-Gadol AA, Maher CO, Meyer FB. Transorbital penetrating brainstem injury in a child. Case report, 350
Jakacki RI. Treatment strategies for high-risk medulloblastoma and supratentorial primitive neuroectodermal tumors. Review of the literature, 44
Jallo GI. *See* Gallia GL, 332
———. *See* Khan A, 53
James HE. *See* McEwing RL, 248
Jimenez DJ. Helmet molding. Letters, 445
Jordan L. *See* Gallia GL, 332

Kamikawa S. *See* Chernov MF, 258, 260
Kang HG. *See* Abel MF, 157
Kanno H. *See* Ito S, 23
Karande S. *See* Sharma A, 403
Kardes O. *See* Tufan K, 431
Kashihara K. *See* Arai M, 353
Kawagishi K. *See* Higashiyama F, 390
Kawahara N. *See* Oya S, 105
Kerrigan JF. *See* Ng Y, 78
Keskil S. *See* Bademci G, 92
Kestle JRW, Walker ML. A multicenter prospective cohort study of the Strata valve for the management of hydrocephalus in pediatric patients, 141
———. *See* Fassett DR, 59
Khan A, Jallo GI, Liu YJ, Carson BS Sr., Guarnieri M. Infusion rates and drug distribution in brain tumor models in rats, 53
Khan RB. *See* Kyrnetskiy EE, 31
Khandji A. *See* Senatus PB, 72
Killingsworth CR. *See* Tubbs RS, 213
Kim IH. *See* Yang SY, 417
Kim SK. *See* Yang SY, 417
Kim YY. *See* Yang SY, 417
Kirino T. *See* Oya S, 105
———. *See* Yoshino M, 101
Klein O. Dandy Walker. Letters, 353
Kondageski C. *See* Caldarelli M, 137
Kosnik EJ. *See* Thompson WD Jr., 65
Kramer LA. *See* Fletcher JM, 268
Kudo K. *See* Fujita M, 299
Kun LE. *See* Kyrnetskiy EE, 31
Kyrnetskiy EE, Kun LE, Boop FA, Sanford RA, Khan RB. Types, causes, and outcome of intracranial hemorrhage in children with cancer, 31

Lam CH, Sethi KA, Low WC. A morphometric, neuroanatomical, and behavioral study on the effects of geometric constraint on the growing brain: the methyl 2-cyanoacrylate craniosynostosis model, 396
Lang FF. *See* Hentschel SJ, 407
Langston J. *See* Helton KJ, 179
Laurent JP. *See* Fletcher JM, 268
Lauryssen C. *See* Tung TH, 86
Laws ER Jr. *See* Abel MF, 157
Lee MR. *See* Rahimi SY, 163
Leonard JR. *See* Ashley WW Jr., 307
Levy ML. *See* Meltzer HS, 347
Lim SY. *See* Yang SY, 417
Liu JK, Walker ML. Posterior cervical approach for intrathecal baclofen pump insertion in children with previous spinal fusions. Technical note, 119
———. *See* Khan A, 53
Lokuketagoda J. *See* Sood S, 146
Low WC. *See* Lam CH, 396
Lowis SP. *See* Tarnaris A, 224
Lui TN. *See* Wong AMK, 385

Mackinnon SE. *See* Tung TH, 86
Mahapatra AK. *See* Agrawal D, 167
Maher CO. *See* Cohen-Gadol AA, 441
Maher CO. *See* Jacob JT, 350
Martin DZ. *See* Tung TH, 86
Marukawa K. *See* Misaki K, 197
Massimi L. *See* Caldarelli M, 137
Matsumoto Y. *See* Iida K, 187
McClelland S III. *See* Senatus PB, 72
McEwing RL, Pretorius DH, James HE, Daneshmand S. Prenatal assignation of lesion levels in neural tube defects by using ultrasonography. Case report and review of the literature, 248
Meltzer HS, Granville R, Aryan HE, Billman G, Bennett R, Levy ML. Gel-based surgical preparation resulting in an operating room fire during a neurosurgical procedure. Case report, 347
Merchant TE. *See* Helton KJ, 179
Meyer FB. *See* Jacob JT, 350
Minamoto T. *See* Misaki K, 197
Mineta T. *See* Okamoto H, 294
Misaki K, Marukawa K, Hayashi Y, Fukusato T, Minamoto T, Hasegawa M, Yamashita J, Fujisawa H. Correlation of γ-catenin expression with good prognosis in medulloblastomas, 197
Mizuno M. *See* Fujita M, 299
Monges JA, Galarza M, Sosa FP, Ceciliano A. Direct surgical approach of a congenital dural arteriovenous fistula at the torcular herophili in a neonate. Case illustration, 440
Moore C. *See* Gallia GL, 332
Moriizumi T. *See* Higashiyama F, 390
Morita A. *See* Yoshino M, 101
Muszynski CA, Yoganandan N, Pintar FA, Gennarelli TA. Risk of pediatric head injury after motor vehicle accidents, 374

Nagasaka T. *See* Fujita M, 299
Nahed BV. *See* Cohen-Gadol AA, 441
Nakahara N. *See* Fujita M, 299
Nakahara Y. *See* Okamoto H, 294
Nakamura M. *See* Fujita M, 299
Narayan P. *See* Ashley WW Jr., 307

NG Y, KERRIGAN JF, PRENGER EC, WHITE WL, REKATE HL. Successful resection of a hypothalamic hamartoma and a Rathke cleft cyst. Case report, 78
NIEMANN DB. *See* Rajpal S, 342
NIIMI Y. *See* Song JK, 81
NORTHRUP H. *See* Fletcher JM, 268
NOVAK CB. *See* Tung TH, 86

O'SHAUGHNESSY BA, DIPATRI AJ JR., PARKINSON RJ, BATJER HH. Development of a de novo cerebral arteriovenous malformation in a child with sickle cell disease and moyamoya arteriopathy. Case report, 238
———, EDDLEMAN C, BENDOK BR, PARKINSON RJ, AWAD IA, BATJER HH. Ruptured superior cerebellar artery aneurysm in a child with bilateral fibromuscular hyperplasia of the renal arteries. Case report and review of the literature, 338
———, GETCH CG, BOWMAN RM, BATJER HH. Ruptured traumatic vertebral artery pseudoaneurysm in a child treated with trapping and posterior inferior cerebellar artery reimplantation. Case report and review of the literature, 231
OAKES WJ. Shunts in Africa. Editorial, 357
———. *See* Tubbs RS, 213, 218, 221, 228, 423
OCHI A. *See* Iida K, 187
OI S, SAMII A, SAMII M. Frameless free-hand maneuvering of a small-diameter rigid-rod neuroendoscope with a working channel used during high-resolution imaging. Technical note, 113
OISHI M. *See* Iida K, 187
OJEMANN JG. *See* Ashley WW Jr., 413
OKAMOTO H, MINETA T, UEDA S, NAKAHARA Y, SHIRAISHI T, TAMIYA T, TABUCHI K. Detection of JC virus DNA sequences in brain tumors in pediatric patients, 294
OKAMOTO Y. *See* Fujita M, 299
OTSUBO H. *See* Iida K, 187
OYA S, KAWAHARA N, AOKI S, HAYASHI N, SHIBAHARA J, IZUMI M, KIRINO T. Intracranial extracerebral glioneuronal heterotopia. Case report and review of the literature, 105
OZTANIR N. *See* Tufan K, 431

PANG D, TSE HH, ZWIENENBERG-LEE M, SMITH M, ZOVICKIAN J. The combined use of hydroxyapatite and bioresorbable plates to repair cranial defects in children, 36
———, ZWIENENBERG-LEE M, SMITH M, ZOVICKIAN J. Progressive cranial nerve palsy following shunt placement in an isolated fourth ventricle. Case report, 326
PANG E. *See* Iida K, 187
PANT M. *See* Agrawal D, 167
PARK SH. *See* Yang SY, 417
PARK TS. *See* Ashley WW Jr., 307, 413
PARKINSON RJ. *See* O'Shaughnessy BA, 238, 338
PEI YC. *See* Wong AMK, 385
PERRINI P, SCOLLATO A, GUIDI E, BENEDETTO N, BUCCOLIERO AM, DI LORENZO N. Tethered cervical spinal cord due to a hamartomatous stalk in a young adult. Case report, 244
PERRY A. *See* Ashley WW Jr., 307
PERSING J. Helmet molding. Letters, 446
PHIPPS KP. *See* Saunders DE, 172
PINGREE J. *See* Fassett DR, 59
PINTAR FA. *See* Muszynski CA, 374
PITTMAN T. *See* Cole JS IV, 311
POPLE IK. *See* Tarnaris A, 224
PRABHAKARAN P. *See* Reddy AT, 135
PRENGER EC. *See* Ng Y, 78
PRETORIUS DH. *See* McEwing RL, 248

RAGHEB J. *See* Ahn ES, 303
RAHIMI SY, SINGH H, YEH DJ, SHAVER EG, FLANNERY AM, LEE MR. Golf-associated head injury in the pediatric population: a common sports injury, 163
RAJPAL S, NIEMANN DB, TURK AS. Transverse venous sinus stent placement as treatment for benign intracranial hypertension in a young male. Case report and review of the literature, 342
RANADIVE N. *See* Sharma A, 403
RAO G, ANDERSON RCE, FELDSTEIN NA, BROCKMEYER DL. Expansion of arachnoid cysts in children. Report of two cases and review of the literature, 314
———. *See* Gottfried ON, 439
REDDY AT, PRABHAKARAN P. CPP or ICP? Letters, 135
REITMAN AJ. *See* Caceres A, 318
REKATE HL. *See* Ng Y, 78
ROBINSON S. *See* Dashti SR, 322
RODGERS M. *See* Dashti SR, 322
ROLLINS DL. *See* Tubbs RS, 213
RUTKA JT. *See* Iida K, 187

SAMII A. *See* Oi S, 113
SAMII M. *See* Oi S, 113
SANFORD RA. *See* Kyrnetskiy EE, 31
SAPP MV. *See* Helton KJ, 179
SATO H. *See* Ito S, 23
SATO M. *See* Fujita M, 299
SAUNDERS DE, PHIPPS KP, WADE AM, HAYWARD DR. Surveillance imaging strategies following surgery and/or radiotherapy for childhood cerebellar low-grade astrocytoma, 172
SAWATZKY B. *See* Steinbok P, 363
SAYAL P. *See* Sharma A, 403
SCHUHMANN MU. *See* Sood S, 127
SCOLLATO A. *See* Perrini P, 244
SEKIDO K. *See* Ito S, 23
SELDEN NR. CPP or ICP? Letters, 134
SENATUS PB, MCCLELLAND S III, TANJI K, KHANDJI A, HUANG J, FELDSTEIN N. The transformation of pediatric gliomatosis cerebri to cerebellar glioblastoma multiforme presenting as supra- and infratentorial acute disseminated encephalomyelitis. Case report, 72
SETHI KA. *See* Lam CH, 396
SHARMA A, KARANDE S, SAYAL P, RANADIVE N, DWIVEDI N. Spinal intramedullary arachnoid cyst in a 4-year-old girl: a rare cause of treatable acute quadriparesis. Case report, 403
SHAVER EG. *See* Rahimi SY, 163
SHIBAHARA J. *See* Oya S, 105
———. *See* Yoshino M, 101
SHIRAISHI T. *See* Okamoto H, 294
SIDDIQI J. *See* Won DJ, 123
SINGH H. *See* Rahimi SY, 163
SMITH M. *See* Pang D, 36, 326
SMITH WM. *See* Tubbs RS, 213
SNEAD OC III. *See* Iida K, 187
SONG JK, NIIMI Y, BRISMAN JL, FERNANDEZ PM, BERENSTEIN A. Multiple cerebral aneurysms in a neonate: occlusion and rupture. Case report, 81
SOOD S, LOKUKETAGODA J, HAM SD. Periventricular rigidity in long-term shunt-treated hydrocephalus, 146

———, Schuhmann MU, Cakan N, Ham SD. Endoscopic fenestration and coagulation shrinkage of suprasellar arachnoid cysts. Technical note, 127
Sosa FP. *See* Monges JA, 440
Spencer DD. *See* Cohen-Gadol AA, 441
Steen RG. *See* Helton KJ, 179
Steinbok P, Hicdonmez T, Sawatzky B, Beauchamp R, Wickenheiser D. Spinal deformities after selective dorsal rhizotomy for spastic cerebral palsy, 363
———. *See* Agrawal D, 253
Suzer T. *See* Cirak B, 135

Tabuchi K. *See* Okamoto H, 294
Tamiya T. *See* Okamoto H, 294
Tanaka M. *See* Ito S, 23
Tanji K. *See* Senatus PB, 72
Tarantino M. *See* Hanigan WC, 426
Tarnaris A, Edwards RJ, Lowis SP, Pople IK. Atypical external hydrocephalus with visual failure due to occult leptomeningeal dissemination of a pontine glioma. Case report, 224
Teichgraeber J. *See* Baumgartner J, 254
Thompson WD Jr., Kosnik EJ. Spontaneous regression of a diffuse brainstem lesion in the neonate. Report of two cases and review of the literature, 65
Timurkaynak E. *See* Akay KM, 436
Tomita T. *See* Caceres A, 318
Topçu M. *See* Çataltepe O, 280
Townsend I. *See* Fletcher JM, 268
Tse HH. *See* Pang D, 36
Tu P. *See* Ashley WW Jr., 307
Tubbs RS, Killingsworth CR, Rollins DL, Smith WM, Ideker RE, Wellons JC III, Blount JP, Oakes WJ. Vagus nerve stimulation for induced spinal cord seizures: insights into seizure cessation, 213
———, Oakes WJ. Self-mutilation in a child with a tethered spinal cord. Case report, 228
———, Tyler-Kabara EC, Wellons JC III, Blount JP, Oakes WJ. Unusual findings during abdominal placement of a ventriculoperitoneal shunt. Report of three cases, 423
———, Wellons JC III, Blount JP, Grabb PA, Oakes WJ. Referred shoulder pain from ventriculoperitoneal shunts. Report of three cases, 218
———, ———, ———, Oakes WJ. Transient ventriculoperitoneal shunt dysfunction in children with myelodysplasia and urinary bladder infection. Report of three cases, 221
Tufan K, Dogulu F, Kardes O, Oztanir N, Baykaner MK. Dorsolumbar junction spinal tuberculosis in an infant. Case report, 431
Tung TH, Martin DZ, Novak CB, Lauryssen C, Mackinnon SE. Nerve reconstruction in lumbosacral plexopathy. Case report and review of the literature, 86
Turanli G. *See* Çataltepe O, 280
Turk AS. *See* Rajpal S, 342
Tyler-Kabara EC. *See* Tubbs RS, 423

Ueda S. *See* Okamoto H, 294

Villarreal G. *See* Fletcher JM, 268
Vinchon M, Defoort-Dhellemmes S, Desurmont M, Dhellemmes P. Accidental and nonaccidental head injuries in infants: a prospective study, 380
Volpi L. *See* Giulioni M, 288
Voorhees JR. *See* Cohen-Gadol AA, 441

Wade AM. *See* Saunders DE, 172
Wagner W. Helmet molding. Letters, 445
Wakabayashi T. *See* Fujita M, 299
Walker ML. *See* Kestle JRW, 141
———. *See* Liu JK, 119
Wang CM. *See* Wong AMK, 385
Wang H. *See* Hanigan WC, 426
Wang KC. *See* Yang SY, 417
Warf BC. Comparison of 1-year outcomes for the Chhabra and Codman-Hakim Micro Precision shunt systems in Uganda: a prospective study in 195 children, 358
———. Hydrocephalus in Uganda: the predominance of infectious origin and primary management with endoscopic third ventriculostomy, 1
———. Shunts in Africa. Editorial, 357
Weiss SK. *See* Iida K, 187
Wellons JC III. *See* Tubbs RS, 213, 218, 221, 423
White WL. *See* Ng Y, 78
Wickenheiser D. *See* Steinbok P, 363
Wippold FJ II. *See* Ashley WW Jr., 413
Won DJ, Siddiqi J, Yamada S. A novel, simplified pediatric syringopleural shunt. Technical note, 123
Wong AMK, Pei YC, Lui TN, Chen CL, Wang CM, Chung CY. Comparison between botulinum toxin type A injection and selective posterior rhizotomy in improving gait performance in children with cerebral palsy, 385

Yalnizoglu D. *See* Çataltepe O, 280
Yamada S. *See* Won DJ, 123
Yamaguchi K. *See* Ito S, 23
Yamamoto I. *See* Ito S, 23
Yamane F. *See* Chernov MF, 258, 260
Yamashita J. *See* Misaki K, 197
Yamini B, Frim DM. Pineal tumors. Letters, 138
Yang SY, Wang KC, Cho BK, Kim YY, Lim SY, Park SH, Kim IH, Kim SK. Radiation-induced cerebellar glioblastoma at the site of a treated medulloblastoma. Case report, 417
Yeh DJ. *See* Rahimi SY, 163
Yen KG. *See* Hentschel SJ, 407
Yoganandan N. *See* Muszynski CA, 374
Yokouchi K. *See* Higashiyama F, 390
Yoshida J. *See* Fujita M, 299
Yoshino M, Morita A, Shibahara J, Kirino T. Radiation-induced spinal cord cavernous malformation. Case report, 101

Zovickian J. *See* Pang D, 36, 326
Zucchelli M. *See* Giulioni M, 288
Zwienenberg-Lee M. *See* Pang D, 36, 326

Subject Index

Acute acquired comitant esotropia
Chiari I malformation and acute acquired comitant esotropia. Case report and review of the literature, 407
Acute disseminated encephalomyelitis
The transformation of pediatric gliomatosis cerebri to cerebellar glioblastoma multiforme presenting as supra- and infratentorial acute disseminated encephalomyelitis. Case report, 72
Adult
Adult tethered cord syndrome in patients with postrepair myelomeningocele: an evidence-based outcome study, 150
Anatomy
A morphometric, neuroanatomical, and behavioral study on the effects of geometric constraint on the growing brain: the methyl 2-cyanoacrylate craniosynostosis model, 396
Aneurysm
Multiple cerebral aneurysms in a neonate: occlusion and rupture. Case report, 81
Neonatal cavernous carotid artery aneurysm. Case report, 332
Anterior cranial fossa
Expansion of arachnoid cysts in children. Report of two cases and review of the literature, 314
Arachnoid cyst
Diffusion restriction of a spinal arachnoid cyst. Case illustration, 439
Expansion of arachnoid cysts in children. Report of two cases and review of the literature, 314
Arteriovenous malformation
Development of a de novo cerebral arteriovenous malformation in a child with sickle cell disease and moyamoya arteriopathy. Case report, 238
Atypical teratoid/rhabdoid tumor
Multicentric atypical teratoid/rhabdoid tumors occurring in the eye and fourth ventricle of an infant. Case report, 299

Bacterial adhesion
Hydromer-coated catheters to prevent shunt infection?, 207
Basilar artery
Ruptured superior cerebellar artery aneurysm in a child with bilateral fibromuscular hyperplasia of the renal arteries. Case report and review of the literature, 338
Benign brainstem lesion
Spontaneous regression of a diffuse brainstem lesion in the neonate. Report of two cases and review of the literature, 65
Benign intracranial hypertension
Transverse venous sinus stent placement as treatment for benign intracranial hypertension in a young male. Case report and review of the literature, 342
Bone integration
The combined use of hydroxyapatite and bioresorbable plates to repair cranial defects in children, 36
Botulinum toxin
Comparison between botulinum toxin type A injection and selective posterior rhizotomy in improving gait performance in children with cerebral palsy, 385
Brain neoplasm
Craniopharyngioma and Cushing disease. Case report, 318
Detection of JC virus DNA sequences in brain tumors in pediatric patients, 294
Pineal region giant cell astrocytoma associated with tuberous sclerosis. Case report, 322
Surgical management of temporal lobe tumor–related epilepsy in children, 280
Surveillance imaging strategies following surgery and/or radiotherapy for childhood cerebellar low-grade astrocytoma, 172
Brain tumor
Primary hypothyroidism in a 12-year-old girl with a suprasellar pituitary mass: rapid regression after thyroid replacement therapy. Case report, 413
Brain
Infusion rates and drug distribution in brain tumor models in rats, 53
Brainstem glioma
Spontaneous regression of a diffuse brainstem lesion in the neonate. Report of two cases and review of the literature, 65
Brainstem shift
Progressive cranial nerve palsy following shunt placement in an isolated fourth ventricle. Case report, 326
Brainstem
Transorbital penetrating brainstem injury in a child. Case report, 350
Bypass
Ruptured traumatic vertebral artery pseudoaneurysm in a child treated with trapping and posterior inferior cerebellar artery reimplantation. Case report and review of the literature, 231

Cancer
Types, causes, and outcome of intracranial hemorrhage in children with cancer, 31
Catheter
A novel, simplified pediatric syringopleural shunt. Technical note, 123
Cavernous carotid artery
Neonatal cavernous carotid artery aneurysm. Case report, 332
Cavernous malformation
Radiation-induced spinal cord cavernous malformation. Case report, 101
Central nervous system tumor
Infusion rates and drug distribution in brain tumor models in rats, 53
Central nervous system
Vagus nerve stimulation for induced spinal cord seizures: insights into seizure cessation, 213
Cerebellar glioblastoma multiforme
The transformation of pediatric gliomatosis cerebri to cerebellar glioblastoma multiforme presenting as supra- and infratentorial acute disseminated encephalomyelitis. Case report, 72

Cerebral aneurysm
Ruptured superior cerebellar artery aneurysm in a child with bilateral fibromuscular hyperplasia of the renal arteries. Case report and review of the literature, 338
Cerebral atrophy
Atypical external hydrocephalus with visual failure due to occult leptomeningeal dissemination of a pontine glioma. Case report, 224
Cerebral palsy
Biomechanical changes in gait following selective dorsal rhizotomy, 157
Comparison between botulinum toxin type A injection and selective posterior rhizotomy in improving gait performance in children with cerebral palsy, 385
Posterior cervical approach for intrathecal baclofen pump insertion in children with previous spinal fusions. Technical note, 119
Cerebral perfusion pressure
How low can you go? Intracranial pressure, cerebral perfusion pressure, and respiratory obstruction in children with complex craniosynostosis, 16
Cerebral revascularization
Ruptured traumatic vertebral artery pseudoaneurysm in a child treated with trapping and posterior inferior cerebellar artery reimplantation. Case report and review of the literature, 231
Cerebrospinal fluid pulsation
The combined use of hydroxyapatite and bioresorbable plates to repair cranial defects in children, 36
Cerebrospinal fluid shunt
Atypical external hydrocephalus with visual failure due to occult leptomeningeal dissemination of a pontine glioma. Case report, 224
Cerebrospinal fluid
Referred shoulder pain from ventriculoperitoneal shunts. Report of three cases, 218
Transient ventriculoperitoneal shunt dysfunction in children with myelodysplasia and urinary bladder infection. Report of three cases, 221
Unusual findings during abdominal placement of a ventriculoperitoneal shunt. Report of three cases, 423
Cervical spine
Spinal intramedullary arachnoid cyst in a 4-year-old girl: a rare cause of treatable acute quadriparesis. Case report, 403
Chemotherapy
Infusion rates and drug distribution in brain tumor models in rats, 53
Chiari malformation
Chiari I malformation and acute acquired comitant esotropia. Case report and review of the literature, 407
Child abuse
Accidental and nonaccidental head injuries in infants: a prospective study, 380
Child safety seat
Risk of pediatric head injury after motor vehicle accidents, 374
Children
Composite type of split cord malformation: two different types at three different levels. Case report, 436
Unusual findings during abdominal placement of a ventriculoperitoneal shunt. Report of three cases, 423
Clear cell meningioma
Long-term control after resection and gamma knife surgery of an intracranial clear cell meningioma. Case report, 303
c-myc
Correlation of γ-catenin expression with good prognosis in medulloblastomas, 197
Coagulation shrinkage
Endoscopic fenestration and coagulation shrinkage of suprasellar arachnoid cysts. Technical note, 127
Complication
Neurofiberscope-guided management of slit-ventricle syndrome due to shunt placement, 260
Unusual findings during abdominal placement of a ventriculoperitoneal shunt. Report of three cases, 423
Composite type
Composite type of split cord malformation: two different types at three different levels. Case report, 436
Congenital disorder
Tethered cervical spinal cord due to a hamartomatous stalk in a young adult. Case report, 244
Congenital dural arteriovenous fistula
Direct surgical approach of a congenital dural arteriovenous fistula at the torcular herophili in a neonate. Case illustration, 440
Congenital malformation
Intracranial extracerebral glioneuronal heterotopia. Case report and review of the literature, 105
Cranial nerve
Vagus nerve stimulation for induced spinal cord seizures: insights into seizure cessation, 213
Cranial neuropathy
Progressive cranial nerve palsy following shunt placement in an isolated fourth ventricle. Case report, 326
Craniocerebral trauma
Tansorbital penetrating brainstem injury in a child. Case report, 350
Craniopharyngioma
Craniopharyngioma and Cushing disease. Case report, 318
Cranioplasty
The combined use of hydroxyapatite and bioresorbable plates to repair cranial defects in children, 36
Craniosynostosis
A morphometric, neuroanatomical, and behavioral study on the effects of geometric constraint on the growing brain: the methyl 2-cyanoacrylate craniosynostosis model, 396
How low can you go? Intracranial pressure, cerebral perfusion pressure, and respiratory obstruction in children with complex craniosynostosis, 16
Phenotypic diversity in patients with craniosynostoses unrelated to Apert syndrome: the role of *fibroblast growth factor receptor* gene mutations, 23
Cushing disease
Craniopharyngioma and Cushing disease. Case report, 318
Cyclin D1
Correlation of γ-catenin expression with good prognosis in medulloblastomas, 197

Developing country
Comparison of 1-year outcomes for the Chhabra and Codman-Hakim Micro Precision shunt systems in Uganda: a prospective study in 195 children, 358
Hydrocephalus in Uganda: the predominance of infectious origin and primary management with endoscopic third ventriculostomy, 1
Development
A morphometric, neuroanatomical, and behavioral study on the effects of geometric constraint on the growing brain: the methyl 2-cyanoacrylate craniosynostosis model, 396
Diastematomyelia
Proximally situated osseous septum in complex spina bifida. Case report, 92
Diffuse pontine lesion
Spontaneous regression of a diffuse brainstem lesion in the neonate. Report of two cases and review of the literature, 65
Diffusion restriction
Diffusion restriction of a spinal arachnoid cyst. Case illustration, 439
Dissecting pseudoaneurysm
Ruptured traumatic vertebral artery pseudoaneurysm in a child treated with trapping and posterior inferior cerebellar artery reimplantation. Case report and review of the literature, 231

Dissemination
The high incidence of tumor dissemination in myxopapillary ependymoma in pediatric patients. Report of five cases and review of the literature, 59
Dorsal rhizotomy
Biomechanical changes in gait following selective dorsal rhizotomy, 157
Dorsolumbar junction
Dorsolumbar junction spinal tuberculosis in an infant. Case report, 431
Dural sinus
Tumefaction of the dural sinuses associated with a coagulopathy following treatment of hydrocephalus in a perinate. Case report, 426
Dysembryoplastic neuroepithelial tumor
Seizure outcome of lesionectomy in glioneuronal tumors associated with epilepsy in children, 288
Dysesthesia
Self-mutilation in a child with a tethered spinal cord. Case report, 228
Dysjunction disorder
Tethered cervical spinal cord due to a hamartomatous stalk in a young adult. Case report, 244

Electrosurgery
Gel-based surgical preparation resulting in an operating room fire during a neurosurgical procedure. Case report, 347
Endoscopic fenestration
Endoscopic fenestration and coagulation shrinkage of suprasellar arachnoid cysts. Technical note, 127
Endoscopic third ventriculostomy
Hydrocephalus in Uganda: the predominance of infectious origin and primary management with endoscopic third ventriculostomy, 1
Endovascular embolization
Neonatal cavernous carotid artery aneurysm. Case report, 332
Endovascular
Transverse venous sinus stent placement as treatment for benign intracranial hypertension in a young male. Case report and review of the literature, 342
Ependymoma
The high incidence of tumor dissemination in myxopapillary ependymoma in pediatric patients. Report of five cases and review of the literature, 59
Epidermoid cyst
Diffusion restriction of a spinal arachnoid cyst. Case illustration, 439
Epilepsy surgery
Characterizing magnetic spike sources by using magnetoencephalography-guided neuronavigation in epilepsy surgery in pediatric patients, 187
Epilepsy surgery
Seizure outcome of lesionectomy in glioneuronal tumors associated with epilepsy in children, 288
Epilepsy
Surgical management of temporal lobe tumor–related epilepsy in children, 280
Vagus nerve stimulation for induced spinal cord seizures: insights into seizure cessation, 213
Evidence-based analysis
Adult tethered cord syndrome in patients with postrepair myelomeningocele: an evidence-based outcome study, 150

Facial nerve
The minimum number of facial motor neurons essential for minimal whisker movement in neonatally nerve-transected young adult rats, 390
Fetus
Prenatal assignation of lesion levels in neural tube defects by using ultrasonography. Case report and review of the literature, 248
Fibroblast growth factor receptor
Phenotypic diversity in patients with craniosynostoses unrelated to Apert syndrome: the role of *fibroblast growth factor receptor* gene mutations, 23
Fibromuscular hyperplasia
Ruptured superior cerebellar artery aneurysm in a child with bilateral fibromuscular hyperplasia of the renal arteries. Case report and review of the literature, 338
Fibular graft
Dorsolumbar junction spinal tuberculosis in an infant. Case report, 431
Fire
Gel-based surgical preparation resulting in an operating room fire during a neurosurgical procedure. Case report, 347
Foreign body
Transorbital penetrating brainstem injury in a child. Case report, 350
Free-hand technique
Frameless free-hand maneuvering of a small-diameter rigid-rod neuroendoscope with a working channel used during high-resolution imaging. Technical note, 113

Gait
Biomechanical changes in gait following selective dorsal rhizotomy, 157
Comparison between botulinum toxin type A injection and selective posterior rhizotomy in improving gait performance in children with cerebral palsy, 385
Gamma knife surgery
Long-term control after resection and gamma knife surgery of an intracranial clear cell meningioma. Case report, 303
Ganglioglioma
Seizure outcome of lesionectomy in glioneuronal tumors associated with epilepsy in children, 288
γ-catenin
Correlation of γ-catenin expression with good prognosis in medulloblastomas, 197
Genotype
Phenotypic diversity in patients with craniosynostoses unrelated to Apert syndrome: the role of *fibroblast growth factor receptor* gene mutations, 23
Germline mutation
Multicentric atypical teratoid/rhabdoid tumors occurring in the eye and fourth ventricle of an infant. Case report, 299
Glioblastoma multiforme
Radiation-induced cerebellar glioblastoma at the site of a treated medulloblastoma. Case report, 417
Glioblastoma
Atypical external hydrocephalus with visual failure due to occult leptomeningeal dissemination of a pontine glioma. Case report, 224
Gliomatosis cerebri
The transformation of pediatric gliomatosis cerebri to cerebellar glioblastoma multiforme presenting as supra- and infratentorial acute disseminated encephalomyelitis. Case report, 72
Glioneuronal heterotopia
Intracranial extracerebral glioneuronal heterotopia. Case report and review of the literature, 105
Glioneuronal tumor
Seizure outcome of lesionectomy in glioneuronal tumors associated with epilepsy in children, 288
Golf injury
Golf-associated head injury in the pediatric population: a common sports injury, 163

Hamartoma
Intracranial extracerebral glioneuronal heterotopia. Case report and review of the literature, 105
Hamartomatous tissue
Tethered cervical spinal cord due to a hamartomatous stalk in a young adult. Case report, 244
Harvey Cushing
Cushing's experience with the surgical treatment of spinal dysraphism. Historical vignette, 441
Head injury
Accidental and nonaccidental head injuries in infants: a prospective study, 380
High-resolution imaging
Frameless free-hand maneuvering of a small-diameter rigid-rod neuroendoscope with a working channel used during high-resolution imaging. Technical note, 113
History of neurosurgery
Cushing's experience with the surgical treatment of spinal dysraphism. Historical vignette, 441
hSNF5/INI1
Multicentric atypical teratoid/rhabdoid tumors occurring in the eye and fourth ventricle of an infant. Case report, 299
Hydrocephalus
A multicenter prospective cohort study of the Strata valve for the management of hydrocephalus in pediatric patients, 141
Comparison of 1-year outcomes for the Chhabra and Codman-Hakim Micro Precision shunt systems in Uganda: a prospective study in 195 children, 358
Endoscopic fenestration and coagulation shrinkage of suprasellar arachnoid cysts. Technical note, 127
Hydrocephalus in Uganda: the predominance of infectious origin and primary management with endoscopic third ventriculostomy, 1
Neurocutaneous melanosis presenting with hydrocephalus. Case report and review of the literature, 96
Neurofiberscope-guided management of slit-ventricle syndrome due to shunt placement, 260
Periventricular rigidity in long-term shunt-treated hydrocephalus, 146
Transient ventriculoperitoneal shunt dysfunction in children with myelodysplasia and urinary bladder infection. Report of three cases, 221
Tumefaction of the dural sinuses associated with a coagulopathy following treatment of hydrocephalus in a perinate. Case report, 426
Hydromer
Hydromer-coated catheters to prevent shunt infection?, 207
Hydroxyapatite
The combined use of hydroxyapatite and bioresorbable plates to repair cranial defects in children, 36
Hypertension
Ruptured superior cerebellar artery aneurysm in a child with bilateral fibromuscular hyperplasia of the renal arteries. Case report and review of the literature, 338
Hypothalamic hamartoma
Successful resection of a hypothalamic hamartoma and a Rathke cleft cyst. Case report, 78
Hypothalamus
Intracranial extracerebral glioneuronal heterotopia. Case report and review of the literature, 105
Hypothyroidism
Primary hypothyroidism in a 12-year-old girl with a suprasellar pituitary mass: rapid regression after thyroid replacement therapy. Case report, 413

Infant
Accidental and nonaccidental head injuries in infants: a prospective study, 380
Dorsolumbar junction spinal tuberculosis in an infant. Case report, 431
Infusion rate
Infusion rates and drug distribution in brain tumor models in rats, 53
Intelligence quotient
Spinal lesion level in spina bifida: a source of neural and cognitive heterogeneity, 268
Interventional angiography
Direct surgical approach of a congenital dural arteriovenous fistula at the torcular herophili in a neonate. Case illustration, 440
Intracranial hemorrhage
Types, causes, and outcome of intracranial hemorrhage in children with cancer, 31
Intracranial pressure
How low can you go? Intracranial pressure, cerebral perfusion pressure, and respiratory obstruction in children with complex craniosynostosis, 16
Intramedullary arachnoid cyst
Spinal intramedullary arachnoid cyst in a 4-year-old girl: a rare cause of treatable acute quadriparesis. Case report, 403
Intrathecal baclofen pump
Posterior cervical approach for intrathecal baclofen pump insertion in children with previous spinal fusions. Technical note, 119
Isolated fourth ventricle
Progressive cranial nerve palsy following shunt placement in an isolated fourth ventricle. Case report, 326

JC virus
Detection of JC virus DNA sequences in brain tumors in pediatric patients, 294
Juvenile xanthogranuloma
Incidental pediatric intraparenchymal xanthogranuloma. Case report and review of the literature, 307

Kyphosis
Spinal deformities after selective dorsal rhizotomy for spastic cerebral palsy, 363

Late delayed radiation effect
Neuroimaging-detected late transient treatment-induced lesions in pediatric patients with brain tumors, 179
Leptomeningeal gliomatosis
Atypical external hydrocephalus with visual failure due to occult leptomeningeal dissemination of a pontine glioma. Case report, 224
Lesion level
Spinal lesion level in spina bifida: a source of neural and cognitive heterogeneity, 268
Lesionectomy
Seizure outcome of lesionectomy in glioneuronal tumors associated with epilepsy in children, 288
Local delivery
Infusion rates and drug distribution in brain tumor models in rats, 53
Lordosis
Spinal deformities after selective dorsal rhizotomy for spastic cerebral palsy, 363
Lumbosacral plexopathy
Nerve reconstruction in lumbosacral plexopathy. Case report and review of the literature, 86

Magnetic resonance imaging
Spinal intramedullary arachnoid cyst in a 4-year-old girl: a rare cause of treatable acute quadriparesis. Case report, 403
Spinal lesion level in spina bifida: a source of neural and cognitive heterogeneity, 268
Surveillance imaging strategies following surgery and/or radiotherapy for childhood cerebellar low-grade astrocytoma, 172

Magnetic spike source
Characterizing magnetic spike sources by using magnetoencephalography-guided neuronavigation in epilepsy surgery in pediatric patients, 187
Magnetoencephalography
Characterizing magnetic spike sources by using magnetoencephalography-guided neuronavigation in epilepsy surgery in pediatric patients, 187
Management
Dorsolumbar junction spinal tuberculosis in an infant. Case report, 431
Medial temporal hypoperfusion
Is medial temporal injury responsible for pediatric postconcussion syndrome? A prospective controlled study with single-photon emission computerized tomography, 167
Medial temporal ischemia
Is medial temporal injury responsible for pediatric postconcussion syndrome? A prospective controlled study with single-photon emission computerized tomography, 167
Median cleft
Proximally situated osseous septum in complex spina bifida. Case report, 92
Medulloblastoma
Correlation of γ-catenin expression with good prognosis in medulloblastomas, 197
Radiation-induced cerebellar glioblastoma at the site of a treated medulloblastoma. Case report, 417
Treatment strategies for high-risk medulloblastoma and supratentorial primitive neuroectodermal tumors. Review of the literature, 44
Melanosis
Neurocutaneous melanosis presenting with hydrocephalus. Case report and review of the literature, 96
Meningomyelocele
Spinal lesion level in spina bifida: a source of neural and cognitive heterogeneity, 268
Mild traumatic brain injury
Is medial temporal injury responsible for pediatric postconcussion syndrome? A prospective controlled study with single-photon emission computerized tomography, 167
Minor head injury
Is medial temporal injury responsible for pediatric postconcussion syndrome? A prospective controlled study with single-photon emission computerized tomography, 167
Motor vehicle accident
Risk of pediatric head injury after motor vehicle accidents, 374
Moyamoya
Development of a de novo cerebral arteriovenous malformation in a child with sickle cell disease and moyamoya arteriopathy. Case report, 238
Musashi1
Multicentric atypical teratoid/rhabdoid tumors occurring in the eye and fourth ventricle of an infant. Case report, 299
Mutation
Phenotypic diversity in patients with craniosynostoses unrelated to Apert syndrome: the role of *fibroblast growth factor receptor* gene mutations, 23
Myelomeningocele
Adult tethered cord syndrome in patients with postrepair myelomeningocele: an evidence-based outcome study, 150
Cushing's experience with the surgical treatment of spinal dysraphism. Historical vignette, 441
Hydrocephalus in Uganda: the predominance of infectious origin and primary management with endoscopic third ventriculostomy, 1
Intradural mesh: an unusual cause of spinal cord tethering. Case report, 311
Prenatal assignation of lesion levels in neural tube defects by using ultrasonography. Case report and review of the literature, 248
Self-mutilation in a child with a tethered spinal cord. Case report, 228
Transient ventriculoperitoneal shunt dysfunction in children with myelodysplasia and urinary bladder infection. Report of three cases, 221
Myxopapillary
The high incidence of tumor dissemination in myxopapillary ependymoma in pediatric patients. Report of five cases and review of the literature, 59

Neonatal meningitis
Hydrocephalus in Uganda: the predominance of infectious origin and primary management with endoscopic third ventriculostomy, 1
Neonatal rat
The minimum number of facial motor neurons essential for minimal whisker movement in neonatally nerve-transected young adult rats, 390
Neonate
Direct surgical approach of a congenital dural arteriovenous fistula at the torcular herophili in a neonate. Case illustration, 440
Multiple cerebral aneurysms in a neonate: occlusion and rupture. Case report, 81
Neonatal cavernous carotid artery aneurysm. Case report, 332
Nerve graft
Nerve reconstruction in lumbosacral plexopathy. Case report and review of the literature, 86
Nerve injury
Nerve reconstruction in lumbosacral plexopathy. Case report and review of the literature, 86
Nerve transection
The minimum number of facial motor neurons essential for minimal whisker movement in neonatally nerve-transected young adult rats, 390
Nestin
Multicentric atypical teratoid/rhabdoid tumors occurring in the eye and fourth ventricle of an infant. Case report, 299
Neuroendoscopic surgery
Frameless free-hand maneuvering of a small-diameter rigid-rod neuroendoscope with a working channel used during high-resolution imaging. Technical note, 113
Neuroendoscopy
Neurofiberscope-guided management of slit-ventricle syndrome due to shunt placement, 260
Neuronal plasticity
The minimum number of facial motor neurons essential for minimal whisker movement in neonatally nerve-transected young adult rats, 390
Neuronavigation
Characterizing magnetic spike sources by using magnetoencephalography-guided neuronavigation in epilepsy surgery in pediatric patients, 187
Neuropsychology
Spinal lesion level in spina bifida: a source of neural and cognitive heterogeneity, 268
N-myc
Correlation of γ-catenin expression with good prognosis in medulloblastomas, 197

Obesity
Craniopharyngioma and Cushing disease. Case report, 318
Obstructive sleep apnea
How low can you go? Intracranial pressure, cerebral perfusion pressure, and respiratory obstruction in children with complex craniosynostosis, 16

Optic atrophy
Atypical external hydrocephalus with visual failure due to occult leptomeningeal dissemination of a pontine glioma. Case report, 224
Outcome
A multicenter prospective cohort study of the Strata valve for the management of hydrocephalus in pediatric patients, 141
Comparison of 1-year outcomes for the Chhabra and Codman-Hakim Micro Precision shunt systems in Uganda: a prospective study in 195 children, 358

p53 gene mutation
Radiation-induced cerebellar glioblastoma at the site of a treated medulloblastoma. Case report, 417
Pain
Self-mutilation in a child with a tethered spinal cord. Case report, 228
Pallister–Hall syndrome
Successful resection of a hypothalamic hamartoma and a Rathke cleft cyst. Case report, 78
Panhypopituitarism
Craniopharyngioma and Cushing disease. Case report, 318
Paresthesia
Self-mutilation in a child with a tethered spinal cord. Case report, 228
Pediatric brain tumor
Neuroimaging-detected late transient treatment-induced lesions in pediatric patients with brain tumors, 179
Pediatric head injury
Risk of pediatric head injury after motor vehicle accidents, 374
Pelvic/sacral fracture
Nerve reconstruction in lumbosacral plexopathy. Case report and review of the literature, 86
Penetrating injury
Transorbital penetrating brainstem injury in a child. Case report, 350
Peripheral nerve
Referred shoulder pain from ventriculoperitoneal shunts. Report of three cases, 218
Vagus nerve stimulation for induced spinal cord seizures: insights into seizure cessation, 213
Periventricular gliosis
Periventricular rigidity in long-term shunt-treated hydrocephalus, 146
Persistent postconcussion syndrome
Is medial temporal injury responsible for pediatric postconcussion syndrome? A prospective controlled study with single-photon emission computerized tomography, 167
Phakomatosis
Pineal region giant cell astrocytoma associated with tuberous sclerosis. Case report, 322
Phenotype
Phenotypic diversity in patients with craniosynostoses unrelated to Apert syndrome: the role of *fibroblast growth factor receptor* gene mutations, 23
Pilocytic astrocytoma
Surveillance imaging strategies following surgery and/or radiotherapy for childhood cerebellar low-grade astrocytoma, 172
Pineal gland
Pineal region giant cell astrocytoma associated with tuberous sclerosis. Case report, 322
Pituitary adenoma
Primary hypothyroidism in a 12-year-old girl with a suprasellar pituitary mass: rapid regression after thyroid replacement therapy. Case report, 413
Pituitary hyperplasia
Primary hypothyroidism in a 12-year-old girl with a suprasellar pituitary mass: rapid regression after thyroid replacement therapy. Case report, 413
Pleural space
A novel, simplified pediatric syringopleural shunt. Technical note, 123
Posterior cervical approach
Posterior cervical approach for intrathecal baclofen pump insertion in children with previous spinal fusions. Technical note, 119
Posterior inferior cerebellar artery
Ruptured traumatic vertebral artery pseudoaneurysm in a child treated with trapping and posterior inferior cerebellar artery reimplantation. Case report and review of the literature, 231
Prevention
Hydromer-coated catheters to prevent shunt infection?, 207
Prognostic factor
Correlation of γ-catenin expression with good prognosis in medulloblastomas, 197
Surveillance imaging strategies following surgery and/or radiotherapy for childhood cerebellar low-grade astrocytoma, 172
Programmable valve
Neurofiberscope-guided management of slit-ventricle syndrome due to shunt placement, 260
Pseudotumor cerebri
Transverse venous sinus stent placement as treatment for benign intracranial hypertension in a young male. Case report and review of the literature, 342

Radiation dosimetry
Neuroimaging-detected late transient treatment-induced lesions in pediatric patients with brain tumors, 179
Radiation therapy
Radiation-induced spinal cord cavernous malformation. Case report, 101
Radiation treatment
Types, causes, and outcome of intracranial hemorrhage in children with cancer, 31
Radiation-induced neoplasm
Radiation-induced cerebellar glioblastoma at the site of a treated medulloblastoma. Case report, 417
Radical debridement
Dorsolumbar junction spinal tuberculosis in an infant. Case report, 431
Radiotherapy
Atypical external hydrocephalus with visual failure due to occult leptomeningeal dissemination of a pontine glioma. Case report, 224
Rat
A morphometric, neuroanatomical, and behavioral study on the effects of geometric constraint on the growing brain: the methyl 2-cyanoacrylate craniosynostosis model, 396
Infusion rates and drug distribution in brain tumor models in rats, 53
Rathke cleft cyst
Successful resection of a hypothalamic hamartoma and a Rathke cleft cyst. Case report, 78
Referred pain
Referred shoulder pain from ventriculoperitoneal shunts. Report of three cases, 218
Renal artery stenosis
Ruptured superior cerebellar artery aneurysm in a child with bilateral fibromuscular hyperplasia of the renal arteries. Case report and review of the literature, 338
Resorbable plates
The combined use of hydroxyapatite and bioresorbable plates to repair cranial defects in children, 36
Retinal hemorrhage
Accidental and nonaccidental head injuries in infants: a prospective study, 380
Retrograde neuronal tracer
The minimum number of facial motor neurons essential for mini-

mal whisker movement in neonatally nerve-transected young adult rats, 390
Rhizotomy
Comparison between botulinum toxin type A injection and selective posterior rhizotomy in improving gait performance in children with cerebral palsy, 385
Rigid-rod neuroendoscope
Frameless free-hand maneuvering of a small-diameter rigid-rod neuroendoscope with a working channel used during high-resolution imaging. Technical note, 113

Scoliosis
Spinal deformities after selective dorsal rhizotomy for spastic cerebral palsy, 363
Seizure
Seizure outcome of lesionectomy in glioneuronal tumors associated with epilepsy in children, 288
Selective dorsal rhizotomy
Spinal deformities after selective dorsal rhizotomy for spastic cerebral palsy, 363
Self mutilation
Self-mutilation in a child with a tethered spinal cord. Case report, 228
Shunt infection
Hydromer-coated catheters to prevent shunt infection?, 207
Shunt
A novel, simplified pediatric syringopleural shunt. Technical note, 123
Comparison of 1-year outcomes for the Chhabra and Codman-Hakim Micro Precision shunt systems in Uganda: a prospective study in 195 children, 358
Progressive cranial nerve palsy following shunt placement in an isolated fourth ventricle. Case report, 326
Tumefaction of the dural sinuses associated with a coagulopathy following treatment of hydrocephalus in a perinate. Case report, 426
Sickle cell disease
Development of a de novo cerebral arteriovenous malformation in a child with sickle cell disease and moyamoya arteriopathy. Case report, 238
Slit-ventricle syndrome
Neurofiberscope-guided management of slit-ventricle syndrome due to shunt placement, 260
Periventricular rigidity in long-term shunt-treated hydrocephalus, 146
Spasticity
Biomechanical changes in gait following selective dorsal rhizotomy, 157
Comparison between botulinum toxin type A injection and selective posterior rhizotomy in improving gait performance in children with cerebral palsy, 385
Posterior cervical approach for intrathecal baclofen pump insertion in children with previous spinal fusions. Technical note, 119
Spinal deformities after selective dorsal rhizotomy for spastic cerebral palsy, 363
Spina bifida aperta
Self-mutilation in a child with a tethered spinal cord. Case report, 228
Spina bifida
Intradural mesh: an unusual cause of spinal cord tethering. Case report, 311
Prenatal assignation of lesion levels in neural tube defects by using ultrasonography. Case report and review of the literature, 248
Spinal lesion level in spina bifida: a source of neural and cognitive heterogeneity, 268
Transient ventriculoperitoneal shunt dysfunction in children with myelodysplasia and urinary bladder infection. Report of three cases, 221
Spinal cord
Radiation-induced spinal cord cavernous malformation. Case report, 101
Spinal deformity
Spinal deformities after selective dorsal rhizotomy for spastic cerebral palsy, 363
Spinal dysraphism
Cushing's experience with the surgical treatment of spinal dysraphism. Historical vignette, 441
Self-mutilation in a child with a tethered spinal cord. Case report, 228
Spinal tuberculosis
Dorsolumbar junction spinal tuberculosis in an infant. Case report, 431
Spine
Composite type of split cord malformation: two different types at three different levels. Case report, 436
Prenatal assignation of lesion levels in neural tube defects by using ultrasonography. Case report and review of the literature, 248
Split cord malformation
Composite type of split cord malformation: two different types at three different levels. Case report, 436
Proximally situated osseous septum in complex spina bifida. Case report, 92
Spontaneous regression
Spontaneous regression of a diffuse brainstem lesion in the neonate. Report of two cases and review of the literature, 65
Sports head injury
Golf-associated head injury in the pediatric population: a common sports injury, 163
Stent
Transverse venous sinus stent placement as treatment for benign intracranial hypertension in a young male. Case report and review of the literature, 342
Stereotactic radiosurgery
Long-term control after resection and gamma knife surgery of an intracranial clear cell meningioma. Case report, 303
Stroke
Development of a de novo cerebral arteriovenous malformation in a child with sickle cell disease and moyamoya arteriopathy. Case report, 238
Subarachnoid hemorrhage
Multiple cerebral aneurysms in a neonate: occlusion and rupture. Case report, 81
Subdural hematoma
Accidental and nonaccidental head injuries in infants: a prospective study, 380
Subependymal giant cell astrocytoma
Pineal region giant cell astrocytoma associated with tuberous sclerosis. Case report, 322
Subgranular zone
Multicentric atypical teratoid/rhabdoid tumors occurring in the eye and fourth ventricle of an infant. Case report, 299
Suprasellar arachnoid cyst
Endoscopic fenestration and coagulation shrinkage of suprasellar arachnoid cysts. Technical note, 127
Supratentorial primitive neuroectodermal tumor
Treatment strategies for high-risk medulloblastoma and supratentorial primitive neuroectodermal tumors. Review of the literature, 44
Surgical complication
Gel-based surgical preparation resulting in an operating room fire during a neurosurgical procedure. Case report, 347
Surgical repair
Direct surgical approach of a congenital dural arteriovenous fistula at the torcular herophili in a neonate. Case illustration, 440

Surveillance imaging
Surveillance imaging strategies following surgery and/or radiotherapy for childhood cerebellar low-grade astrocytoma, 172
Syrinx
A novel, simplified pediatric syringopleural shunt. Technical note, 123

T-antigen
Detection of JC virus DNA sequences in brain tumors in pediatric patients, 294
Temporal lobe tumor
Surgical management of temporal lobe tumor–related epilepsy in children, 280
Tethered cervical spinal cord
Tethered cervical spinal cord due to a hamartomatous stalk in a young adult. Case report, 244
Tethered cord syndrome
Intradural mesh: an unusual cause of spinal cord tethering. Case report, 311
Tethered cord
Adult tethered cord syndrome in patients with postrepair myelomeningocele: an evidence-based outcome study, 150
Proximally situated osseous septum in complex spina bifida. Case report, 92
Tethered spinal cord
Intradural mesh: an unusual cause of spinal cord tethering. Case report, 311
Torcular herophili
Direct surgical approach of a congenital dural arteriovenous fistula at the torcular herophili in a neonate. Case illustration, 440
Transcallosal resection
Successful resection of a hypothalamic hamartoma and a Rathke cleft cyst. Case report, 78
Transient treatment effect
Neuroimaging-detected late transient treatment-induced lesions in pediatric patients with brain tumors, 179
Transorbital injury
Transorbital penetrating brainstem injury in a child. Case report, 350
Trapping
Ruptured traumatic vertebral artery pseudoaneurysm in a child treated with trapping and posterior inferior cerebellar artery reimplantation. Case report and review of the literature, 231
Treatment effect
Neuroimaging-detected late transient treatment-induced lesions in pediatric patients with brain tumors, 179
Tuberous sclerosis
Pineal region giant cell astrocytoma associated with tuberous sclerosis. Case report, 322

Ultrasonography
Prenatal assignation of lesion levels in neural tube defects by using ultrasonography. Case report and review of the literature, 248

Valve
A multicenter prospective cohort study of the Strata valve for the management of hydrocephalus in pediatric patients, 141
Venous sinus
Transverse venous sinus stent placement as treatment for benign intracranial hypertension in a young male. Case report and review of the literature, 342
Ventricular shunt
Periventricular rigidity in long-term shunt-treated hydrocephalus, 146
Ventriculitis
Hydrocephalus in Uganda: the predominance of infectious origin and primary management with endoscopic third ventriculostomy, 1
Ventriculoperitoneal shunt
A multicenter prospective cohort study of the Strata valve for the management of hydrocephalus in pediatric patients, 141
Neurocutaneous melanosis presenting with hydrocephalus. Case report and review of the literature, 96
Neurofiberscope-guided management of slit-ventricle syndrome due to shunt placement, 260
Vertebral artery
Ruptured traumatic vertebral artery pseudoaneurysm in a child treated with trapping and posterior inferior cerebellar artery reimplantation. Case report and review of the literature, 231
Visceral
Referred shoulder pain from ventriculoperitoneal shunts. Report of three cases, 218

Whisker movement
The minimum number of facial motor neurons essential for minimal whisker movement in neonatally nerve-transected young adult rats, 390

Index to
Journal of Neurosurgery: Spine
Volume 2

January–June, 2005

Author Index

ABUMI K. *See* Ito M, 222
———. *See* Kotani Y, 188
ACOSTA F. *See* Ames CP, 83
ADIBZAHDEH M. *See* Conrad S, 319
AGOZZINO L. *See* Rotondo M, 372
AGRAWAL S. *See* Husain M, 265
AKYILDIZ AI. *See* Çolak A, 327
AL-GHATANY M, AL-SHRAIM M, LEVI ADO, MIDHA R. Pathological features including apoptosis in subacute posttraumatic ascending myelopathy. Case report and review of the literature, 619
AL-SHRAIM M. *See* Al-Ghatany M, 619
AMES CP, ACOSTA F, NOTTMEIER E. Novel treatment of basilar invagination resulting from an untreated C-1 fracture associated with transverse ligament avulsion. Case report and description of surgical technique, 83
AMES CP, CRAWFORD NR, CHAMBERLAIN RH, DESHMUKH V, SADIKOVIC B, SONNTAG VKH. Biomechanical evaluation of a bioresorbable odontoid screw, 182
AMUNDSON E. *See* Mantha A, 303
ANAND N. *See* Johnson JP, 233
ANDERSON DG. *See* Tannoury T, 584
ANDO N. *See* Park JS, 69
ANRACT P. *See* Vialle R, 596
APFELBAUM RI. *See* Gluf WM, 155
ARAZI M, GUNEY O, OZDEMIR M, ULUOGLU O, UZUM N. Fibrous dysplasia. Letters, 510
ARIMA J. *See* Ikuta K, 624
ATKINSON PP. *See* Cohen-Gadol AA, 206
AYUK J, NATARAJAN G, GEH JI, MITCHELL RD, GITTOES NJL. Pituitary carcinoma with a single metastasis causing cervical spinal cord compression. Case report, 349

BAGLEY CA. *See* Mantha A, 303
BAILES JE. Experience with cervical stenosis and temporary paralysis in athletes, 11
BAISDEN JL. *See* Yoganandan N, 481
BARATTA R. *See* Tender GC, 298
BARATTA RV. *See* Tender GC, 279
BARBARO NM. *See* Cha YH, 612
BARRY C. *See* Hitchon PW, 339
BARTH M. *See* Thomé C, 271
BARUT S. *See* Çolak A, 327
BATTAGLIA TC. *See* Tannoury T, 584
BATZDORF U. *See* Filler AG, 99
BÄZNER HJ. *See* Capelle HH, 608
BEISSE R, MÜCKLEY T, SCHMIDT MH, HAUSCHILD M, BÜHREN V. Surgical technique and results of endoscopic anterior spinal canal decompression, 128
BELL GR. *See* McLain RF, 17
BENZEL E, SONNTAG VKH, MCCORMICK P. A novel surgical treatment of lumbar disc herniation in patients with long-standing degenerative disc disease. Editorial, 513
BERNSTEIN M. *See* Mahadewa T, 601
BERTAGNOLI F, YUE JJ, PFEIFFER F, FENK-MAYER A, LAWRENCE JP, KERSHAW T, NANIEVA R. Early results after ProDisc-C cervical disc replacement, 403
BEUTE GN. *See* Jellema K, 580
BHATTACHARJI S. *See* Moorthy RK, 418
BIGGS N. *See* Dow G, 574
BILSKY MH, BOAKYE M, COLLIGNON F, KRAUS D, BOLAND P. Operative management of metastatic and malignant primary subaxial cervical tumors, 256
———. *See* Modha A, 366
BINDER DK, SARKISSIAN V, DILLON WP, WEINSTEIN PR. Spontaneous intracranial hypotension associated with transdural thoracic osteophyte reversed by primary dural repair. Case report, 614
BLONDET E, DULOU R, CAMPARO P, PERNOT P. Lumbar intradural metastasis of a primary carcinoid tumor of the lung. Case illustration, 231
BLOUNT JP. *See* Tubbs RS, 335
BLUMENTHAL SL. *See* Geisler FH, 397
BOAKYE M, MUMMANENI PV, GARRETT M, RODTS G, HAID R. Anterior cervical discectomy and fusion involving a polyetheretherketone spacer and bone morphogenetic protein, 521
———. *See* Bilsky MH, 256
BOCCHETTI A. *See* Rotondo M, 372
BOLAND P. *See* Bilsky MH, 256
BORGENS R. *See* Shapiro S, 1, 3
BÖRM W. *See* Neidlinger-Wilke C, 457
BORNEMANN A. *See* Roser F, 472
BOYD M. *See* Dvorak MF, 411
BOZKURT G. *See* Inci S, 79
BRAY RS. *See* Johnson JP, 233
BREM H. *See* Mantha A, 303
BROCKMEYER DL. *See* Gluf WM, 164
BÜHREN V. *See* Beisse R, 128
BURKUS JK, POLLY DW JR, GORNET M. Artificial disc. Letters, 395
BURTON AW. *See* Hentschel SJ, 436

CADOUX-HUDSON TAD. *See* Shad A, 116
CAMPARO P. *See* Blondet E, 231
CAPELLE HH, WÖHRLE JC, WEIGEL R, GRIPS E, BÄZNER HJ,

KRAUSS JK. Propriospinal myoclonus due to cervical disc herniation. Case report, 608
CARSIN-NICOL B. *See* Heckly A, 72
CASAS CE, HERRERA LP, PRUSMACK C, RUENES G, MARCILLO A, GUEST JD. Effects of epidural hypothermic saline infusion on locomotor outcome and tissue preservation after moderate thoracic spinal cord contusion in rats, 308
———. *See* Guest JD, 498
ÇELIK SE, GÖRGÜLÜ M. Tophaceous gout of the atlantoaxial joint. Case illustration, 230
CELLI P, TRILLÒ G, FERRANTE L. Spinal extradural schwannoma, 447
CHA YH, CHI JH, BARBARO NM. Spontaneous spinal subdural hematoma associated with low-molecular-weight heparin. Case report, 612
CHAMBERLAIN RH. *See* Ames CP, 182
———. *See* Hott JS, 175
CHAN DPK. *See* Tannoury T, 584
CHANG HS, JOKO M, MATSUO N, KIM SD, NAKAGAWA H. Subarachnoid pressure–dependent change in syrinx size in a patient with syringomyelia associated with adhesive arachnoiditis. Case report, 209
CHAYNES P. *See* Jalbert F, 491
CHEN JF, WU CT, LEE SC, LEE ST. Posterior atlantoaxial transpedicular screw and plate fixation. Technical note, 386
———. *See* Lee ST, 399
CHEN LR. *See* Liao CC, 34
CHEN TY. *See* Liao CC, 34
CHI JH. *See* Cha YH, 612
CHIBA K. *See* Matsumoto M, 23, 535
CHIOU TSM. Chronological changes of postsympathectomy compensatory hyperhidrosis and recurrent sweating in patients with palmar hyperhidrosis, 151
CHO JM. *See* Ha Y, 55
CHOUDHRI TF. *See* Resnick DK, 637, 639, 647, 653, 658, 662, 670, 673, 679, 686, 692, 700, 707, 716, 725, 733, 737
CHUNG I. *See* Fountas KN, 399
CIAPPETTA P. *See* Paolini S, 75
CLAES L. *See* Neidlinger-Wilke C, 457
COHEN-GADOL AA, ATKINSON PP, KRAUSS WE. Central nervous system superficial siderosis following spinal surgery, 206
———, SPENCER DD, KRAUSS WE. The development of techniques for resection of spinal cord tumors by Harvey W. Cushing. Historical Vignette, 92
ÇOLAK A, KARAOĞLAN A, BARUT S, KÖKTÜRK S, AKYILDIZ AI, TAŞYÜREKLI M. Neuroprotection and functional recovery after application of the caspase-9 inhibitor z-LEHD-fmk in a rat model of traumatic spinal cord injury, 327
COLLIGNON F. *See* Bilsky MH, 256
COLOMBAT M. *See* Vialle R, 596
CONRAD S, SCHLUESENER HJ, ADIBZAHDEH M, SCHWAB JM. Spinal cord injury induction of lesional expression of profibrotic and angiogenic connective tissue growth factor confined to reactive astrocytes, invading fibroblasts and endothelial cells, 319
CONTRATTI F, MENNITI A, FRAIOLI FM. Fibrous dysplasia. Letters, 510
COOPER PR. *See* Joseffer SS, 145
CRAWFORD NR. *See* Ames CP, 182
———. *See* Hott JS, 175
CROCKARD A. *See* Ibrahim A, 195
CROWL AC. *See* Tannoury T, 584
CRUZ-ALMEIDA Y. *See* Haq I, 50
CUNNINGHAM BW. *See* Kotani Y, 188
D'AVANZO R. *See* Rotondo M, 372
DAILEY AT. *See* Resnick DK, 637, 639, 647, 653, 658, 662, 670, 673, 679, 686, 692, 700, 707, 716, 725, 733, 737
DAVIS RF. *See* North RB, 564
DEGEN JW, GAGNON GJ, VOYADZIS JM, MCRAE DA, LUNSDEN M, DIETERICH S, MOLZAHN I, HENDERSON FC. CyberKnife stereotactic radiosurgical treatment of spinal tumors for pain control and quality of life, 540
DELFINI R. *See* Paolini S, 75
DE PINIEUX G. *See* Vialle R, 596
DESHMUKH V. *See* Ames CP, 182
DETTMANN E. *See* Marquardt G, 466
DHERT WJA. *See* Verlaan JJ, 398
DICKMAN CA. *See* Feiz-Erfan I, 381
DIETERICH S. *See* Degen JW, 540
DILLON WP. *See* Binder DK, 614
DIMOPOULOS VG. *See* Fountas KN, 399
DMITRIEV AE. *See* Kotani Y, 188
DONNER RS. *See* Fountas KN, 344
DOW G, BIGGS N, EVANS G, GILLESPIE J, RAMSDEN R, KING A. Spinal tumors in neurofibromatosis Type 2. Is emerging knowledge of genotype predictive of natural history? 574
DRAPÉ JL. *See* Vialle R, 596
DULOU R. *See* Blondet E, 231
DVORAK MF, JOHNSON MG, BOYD M, JOHNSON G, KWON BK, FISHER CG. Long-term health-related quality of life outcomes following Jefferson-type burst fractures of the atlas, 411

EICHHOLZ K. *See* Hitchon PW, 339
EPSTEIN FJ. *See* Shrivastava RK, 249
EVANS G. *See* Dow G, 574

FAGER CA. Cervical arthroplasty. Letters, 394
FARAHANI K. *See* Filler AG, 99
FEHLINGS M, KRASSIOUKOV A. Intraoperative monitoring. Letters, 400
FEIZ-ERFAN I, GONZALEZ LF, DICKMAN CA. Atlantooccipital transarticular screw fixation for the treatment of traumatic occipitoatlantal dislocation. Technical note, 381
FELTES CH. *See* Fountas KN, 344
FENK-MAYER A. *See* Bertagnoli F, 403
FERRANTE L. *See* Celli P, 447
FEYDY A. *See* Vialle R, 596
FILLER AG, HAYNES J, JORDAN SE, PRAGER J, VILLABLANCA JP, FARAHANI K, MCBRIDE DQ, TSURUDA JS, MORISOLI B, BATZDORF U, JOHNSON JP. Sciatica of nondisc origin and piriformis syndrome: diagnosis by magnetic resonance neurography and interventional magnetic resonance imaging with outcome study of resulting treatment, 99
FIRAT P. *See* Inci S, 79
FISHER CG. *See* Dvorak MF, 411
FOLLETT K. *See* Hitchon PW, 339
FOUNTAS KN, DIMOPOULOS VG, CHUNG I. Intraoperative monitoring. Letters, 399
———, DONNER RS, NIKOLAKAKOS LG, FELTES CH, KARAMPELAS I, ROBINSON JS JR. Adult paravertebral pleomorphic rhabdomyosarcoma infiltrating diffusely the whole spinal axis. Case report, 344
FOURNEY DF. *See* Hentschel SJ, 436
FOURNEY DR, GOKASLAN ZL. Use of "MAPS" for determining the optimal surgical approach to metastatic disease of the thoracolumbar spine: anterior, posterior, or combined. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 40

———. *See* Rhines LD, 199
Fraioli FM. *See* Contratti F, 510
Fukagawa S. *See* Ikuta K, 624

Gagnon GJ. *See* Degen JW, 540
Gaikwad SB. *See* Gupta V, 486
Gallia GL. *See* Mantha A, 303
Galloway M. *See* Ibrahim A, 195
Garfin SR. *See* Kimura S, 137
Garg A. *See* Gupta V, 486
Garonzik I. *See* Mantha A, 303
Garrett M. *See* Boakye M, 521
Geh JI. *See* Ayuk J, 349
Geisler FH, Blumenthal SL, Guyer RD, McAfee PC, Regan JJ, Johnson JP, Mullin B. Artificial disc. Letters, 397
Gelabert-González M. Paragangliomas of the lumbar region. Report of two cases and review of the literature, 354
Gillespie J. *See* Dow G, 574
Gittoes NJL. *See* Ayuk J, 349
Gluf WM, Brockmeyer DL. Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 67 pediatric patients, 164
Gluf WM, Schmidt MH, Apfelbaum RI. Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 191 adult patients, 155
Goel A, Kulkarni AG, Sharma P. Reduction of fixed atlantoaxial dislocation in 24 cases. Technical note, 505
Gokaslan ZL. *See* Fourney DR, 40
———. *See* Holman PJ, 550
———. *See* Mantha A, 303
———. *See* Rhines LD, 199
Gonzalez LF. *See* Feiz-Erfan I, 381
Goodkin R. *See* Mohit AA, 476
Görgülü M. *See* Çelik SE, 230
Gornet M. *See* Burkus JK, 395
Goshi K. See Ikuta K, 624
Green BA. *See* Haq I, 50
Grips E. *See* Capelle HH, 608
Groff M. *See* Shapiro S, 1, 3
Groff MW. *See* Resnick DK, 637, 639, 647, 653, 658, 662, 670, 673, 679, 686, 692, 700, 707, 716, 725, 733, 737
Guest JD, Silbert L, Casas CE. Use of percutaneous endoscopy to place syringopleural or cystoperitoneal cerebrospinal fluid shunts. Technical note, 498
——. *See* Casas CE, 308
Guiducci A. *See* Paolini S, 75
Guigui P. *See* Vialle R, 596
Gulsen S. *See* Inci S, 79
Guney O. *See* Arazi M, 510
Gupta RK. *See* Husain M, 265
Gupta V, Rizvi T, Garg A, Gaikwad SB, Mishra NK. Postangiographic thrombosis of a spinal arteriovenous malformation. Case report, 486
Guyer RD. *See* Geisler FH, 397

Ha Y, Kim YS, Cho JM, Yoon SH, Park SR, Yoon DH, Kim EY, Park HC. Role of granulocyte–macrophage colony–stimulating factor in preventing apoptosis and improving functional outcome in experimental spinal cord contusion injury, 55
Hadley MN. *See* Resnick DK, 637, 639, 647, 653, 658, 662, 670, 673, 679, 686, 692, 700, 707, 716, 725, 733, 737
Hagy S. *See* Shapiro S, 1, 3
Haid R. *See* Boakye M, 521
———. *See* Mummaneni PV, 395
Hamlat A. *See* Heckly A, 72
Haq I, Cruz-Almeida Y, Siqueira EB, Norenberg M, Green BA, Levi AD. Postoperative fibrosis after surgical treatment of the porcine spinal cord: a comparison of dural substitutes. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 50
Hargens AR. *See* Kimura S, 137
Harsan H. *See* Mahadewa T, 601
Hasegawa K. *See* Kimura S, 137
Hashimoto N. *See* Hayashi H, 604
Hashimoto T. *See* Kanayama M, 441
Hauschild M. *See* Beisse R, 128
Hayashi H, Kihara S, Hoshimaru M, Hashimoto N. Diaphragmatic paralysis caused by cervical spondylosis. Case report, 604
Haynes J. *See* Filler AG, 99
Heary RF. Introduction to the Guidelines for the Performance of Fusion Procedures for Degenerative Disease of the Lumbar Spine, 636
Heckly A, Carsin-Nicol B, Poulain P, Hamlat A. Diagnosis-related pitfall of a lateral sacral cyst. Case report, 72
Hejazi N. Microsurgical infrapedicular paramedian approach for retrovertebral lumbar disc herniations. Technical note, 88
Henderson FC. *See* Degen JW, 540
Hentschel SJ, Burton AW, Fourney DF, Rhines LD, Mendel E. Percutaneous vertebroplasty and kyphoplasty performed at a cancer center: refuting proposed contraindications, 436
Herberhold C. *See* Jung A, 123
Herrera LP. *See* Casas CE, 308
Hesselink JR. *See* Kimura S, 137
Hirano N. *See* Nakano M, 27
Hitchon PW, Eichholz K, Barry C, Rubenbauer P, Ingalhalikar A, Nakamura S, Follett K, Lim TH, Torner J. Biomechanical studies of an artificial disc implant in the human cadaveric spine, 339
Holman PJ, Suki D, McCutcheon I, Wolinsky JP, Rhines LD, Gokaslan ZL. Surgical management of metastatic disease of the lumbar spine: experience with 139 patients, 550
Hongo M. *See* Miyakoshi N, 495
Hoshimaru M. *See* Hayashi H, 604
Hosoe H. *See* Takeuchi A, 394
Hott JS, Lynch JJ, Chamberlain RH, Sonntag VKH, Crawford NR. Biomechanical comparison of C1–2 posterior fixation techniques, 175
Hu N. *See* Kotani Y, 188
Husain M, Jha DK, Agrawal S, Husain N, Gupta RK. Conical working tube: a special device for endoscopic surgery of herniated lumbar discs, 265
Husain N. *See* Husain M, 265

Ibrahim A, Galloway M, Leung C, Revesz T, Crockard A. Cervical spine chordoid meningioma. Case report, 195
Ignatius A. *See* Neidlinger-Wilke C, 457
Ikuta K, Arima J, Tanaka T, Oga M, Nakano S, Sasaki K, Goshi K, Yo M, Fukagawa S. Short-term results of microendoscopic posterior decompression for lumbar spinal stenosis. Technical note, 624
Inci S, Bozkurt G, Gulsen S, Firat P, Ozgen T. Rare cause of subarachnoid hemorrhage: spinal meningeal carcinomatosis. Case report, 79
Ingalhalikar A. *See* Hitchon PW, 339
Ishihara H. *See* Nakano M, 27

ISHII K. *See* Matsumoto M, 535
ISHIKAWA M. *See* Matsumoto M, 535
ITO K. *See* Nakagawa H, 431
ITO M, MOTOMIYA M, ABUMI K, SHIRADO O, KOTANI Y, KADOYA K, MUROTA E, MINAMI A. Vertebral osteonecrosis associated with sarcoidosis. Case report, 222
———. *See* Kotani Y, 188
ITOI E. *See* Miyakoshi N, 495

JALBERT F, CHAYNES P, LAGARRIGUE J. Asymptomatic spherocytosis presenting with spinal cord compression. Case report, 491
JALLO GI. *See* Shrivastava RK, 249
JAMES J. *See* Mohit AA, 476
JANG JS, LEE SH. Efficacy of percutaneous vertebroplasty combined with radiotherapy in osteolytic metastatic spinal tumors, 243
JELLEMA K, SLUZEWSKI M, VAN ROOIJ WJ, TIJSSEN CC, BEUTE GN. Embolization of spinal dural arteriovenous fistulas: importance of occlusion of the draining vein, 580
JHA DK. *See* Husain M, 265
JIMBO K, PARK JS, YOKOSUKA K, SATO K, NAGATA K. Positive feedback loop of interleukin-1β upregulating production of inflammatory mediators in human intervertebral disc cells in vitro, 589
JOANES V. Missed thoracic fractures. Letters, 393
JOHNSON G. *See* Dvorak MF, 411
JOHNSON JP, PASHMAN RS, LAURYSSEN C, ANAND N, REGAN JJ, BRAY RS. The changing role for neurosurgeons and the treatment of spinal deformity, 233
———. *See* Filler AG, 99
———. *See* Geisler FH, 397
JOHNSON MG. *See* Dvorak MF, 411
JOKO M. *See* Chang HS, 209
JORDAN SE. *See* Filler AG, 99
JOSEFFER SS, COOPER PR. Modern imaging of spinal tuberculosis, 145
JUNG A, SCHRAMM J, LEHNERDT K, HERBERHOLD C. Recurrent laryngeal nerve palsy during anterior cervical spine surgery: a prospective study, 123
JUNG SM. *See* Liao CC, 34

KADOYA K. *See* Ito M, 222
KALFAS I. *See* McLain RF, 17
KAMEL M. *See* Kelly J, 215
KANAYAMA M, HASHIMOTO T, SHIGENOBU K, OHA F, YAMANE S. New treatment of lumbar disc herniation involving 5-hydroxytryptamine$_{2A}$ receptor inhibitor: a randomized controlled trial, 441
KARAMPELAS I. *See* Fountas KN, 344
KARAOĞLAN A. *See* Çolak A, 327
KASUKAWA Y. *See* Miyakoshi N, 495
KAWAGUCHI Y. *See* Nakano M, 27
KAWAJI Y. *See* Kimura S, 137
KELLY J, LIM C, KAMEL M, KEOHANE C, O'SULLIVAN M. Topacheous gout as a rare cause of spinal stenosis in the lumbar region. Case report, 215
KEOHANE C. *See* Kelly J, 215
KERSHAW T. *See* Bertagnoli F, 403
KHOO L. *See* Resnick DK, 637, 639, 647, 653, 658, 662, 670, 673, 679, 686, 692, 700, 707, 716, 725, 733, 737
KIHARA S. *See* Hayashi H, 604
KIKUCHI S. *See* Yabuki S, 170
KIM DH. *See* Kim SM, 62
KIM EY. *See* Ha Y, 55
KIM SD. *See* Chang HS, 209
———. *See* Nakagawa H, 431
KIM SM, LIM TJ, PATERNO J, PARK J, KIM DH. Biomechanical comparison: stability of lateral-approach anterior lumbar interbody fusion and lateral fixation compared with anterior-approach anterior lumbar interbody fusion and posterior fixation in the lower lumbar spine, 62
KIM YS. *See* Ha Y, 55
KIMURA S, HESSELINK JR, GARFIN SR, KAWAJI Y, HASEGAWA K, HARGENS AR. Axial load–dependent cervical spinal alterations during simulated upright posture: a comparison of healthy controls and patients with cervical degenerative disease, 137
KING A. *See* Dow G, 574
KING JT JR, MOOSSY JJ, TSEVAT J, ROBERTS MS. Multimodal assessment after surgery for cervical spondylotic myelopathy, 526
KÖKTÜRK S. *See* Çolak A, 327
KOTANI Y, CUNNINGHAM BW, ABUMI K, DMITRIEV AE, ITO M, HU N, SHIKINAMI Y, MCAFEE PC, MINAMI A. Multidirectional flexibility analysis of cervical artificial disc reconstruction: in vitro human cadaveric spine model, 188
———. *See* Ito M, 222
KRASSIOUKOV A. *See* Fehlings M, 400
KRAUS D. *See* Bilsky MH, 256
KRAUSS JK. *See* Capelle HH, 608
KRAUSS WE. *See* Cohen-Gadol AA, 92, 206
KULKARNI AG. *See* Goel A, 505
KUTZ S. *See* Tender GC, 298
KWON BK. *See* Dvorak MF, 411

LAGARRIGUE J. *See* Jalbert F, 491
LAROCCA VR. *See* North RB, 564
LAURYSSEN C. *See* Johnson JP, 233
LAWRENCE JP. *See* Bertagnoli F, 403
LEACH JCD. *See* Shad A, 116
LEE SC. *See* Chen JF, 386
LEE SH. *See* Jang JS, 243
LEE ST, CHEN JF, WU CT. Vertebroplasty for burst fractures. Letters, 399
LEE ST. *See* Chen JF, 386
LEGNANI FG. *See* Mantha A, 303
LEHNERDT K. *See* Jung A, 123
LEUNG C. *See* Ibrahim A, 195
LEVI AD. *See* Haq I, 50
LEVI ADO. *See* Al-Ghatany M, 619
LIAO CC, CHEN TY, JUNG SM, CHEN LR. Surgical experience with symptomatic thoracic ossification of the ligamentum flavum, 34
LIDAR Z. *See* Lifshutz J, 218
LIEDERT A. *See* Neidlinger-Wilke C, 457
LIFSHUTZ J, LIDAR Z, MAIMAN D. Thoracic aortic pseudoaneurysm after spine trauma in ankylosing spondylitis. Case report, 218
LIM C. *See* Kelly J, 215
LIM TH. *See* Hitchon PW, 339
LIM TJ. *See* Kim SM, 62
LUNSDEN M. *See* Degen JW, 540
LYNCH JJ. *See* Hott JS, 175

MACHIDA M. *See* Tamura M, 226
MAHADEWA T, HARSAN H, NUGROHO S, BERNSTEIN M. Postoperative recovery of complete sudden paraplegia due to lumbar schwannoma. Case report, 601
MAIMAN D. *See* Lifshutz J, 218
MAIMAN DJ. *See* Yoganandan N, 481
MANTHA A, LEGNANI FG, BAGLEY CA, GALLIA GL, GARONZIK I, PRADILLA G, AMUNDSON E, TYLER BM, BREM H, GOKASLAN ZL. A novel rat model for the study of intraosseous metastatic spine cancer, 303

MARCILLO A. *See* Casas CE, 308
MARKWALDER TM. *See* Wenger M, 289, 513, 515
MARQUARDT G, SETZER M, THEISEN A, DETTMANN E, SEIFERT V. A novel dynamic model for experimental spinal cord compression, 466
MARUIWA H. *See* Matsumoto M, 535
MATSUMOTO M, CHIBA K, NAKAMURA M, OGAWA Y, TOYAMA Y, OGAWA J. Impact of interlaminar graft materials on the fusion status in atlantoaxial transarticular screw fixation, 23
———, ISHIKAWA M, ISHII K, NISHIZAWA T, MARUIWA H, NAKAMURA M, CHIBA K, TOYAMA Y. Usefulness of neurological examination for diagnosis of the affected level in patients with cervical compressive myelopathy: prospective comparative study with radiological evaluation, 535
MATSUO N. *See* Chang HS, 209
———. *See* Mizuno J, 425
MATSUURA K. *See* Nakano M, 27
MATZ PG. *See* Resnick DK, 637, 639, 647, 653, 658, 662, 670, 673, 679, 686, 692, 700, 707, 716, 725, 733, 737
MCAFEE PC. *See* Geisler FH, 397
———. *See* Kotani Y, 188
———. *See* North RB, 564
MCBRIDE DQ. *See* Filler AG, 99
MCCORMICK P. *See* Benzel E, 513
MCCUTCHEON I. *See* Holman PJ, 550
MCLAIN RF, KALFAS I, BELL GR, TETZLAFF JE, YOON HJ, RANA M. Comparison of spinal and general anesthesia in lumbar laminectomy surgery: a case-controlled analysis of 400 patients, 17
MCRAE DA. *See* Degen JW, 540
MENDEL E. *See* Hentschel SJ, 436
MENNITI A. *See* Contratti F, 510
MIDHA R. *See* Al-Ghatany M, 619
MINAMI A. *See* Ito M, 222
———. *See* Kotani Y, 188
MIRZA S. *See* Mohit AA, 476
MISHRA NK. *See* Gupta V, 486
MISSORI P. *See* Paolini S, 75
MITCHELL RD. *See* Ayuk J, 349
MIYAKOSHI N, SHIMADA Y, OKADA K, HONGO M, KASUKAWA Y, ITOI E. Ligamentum flavum hematoma in the rigid thoracic spinal segments. Case report, 495
MIYAMOTO K. *See* Takeuchi A, 394
MIZUNO J, NAKAGAWA H, MATSUO N, SONG J. Dural ossification associated with cervical ossification of the posterior longitudinal ligament: frequency of dural ossification and comparison of neuroimaging modalities in ability to identify the disease, 425
———. *See* Nakagawa H, 431
MODHA A, PATY P, BILSKY MH. Presacral ganglioneuromas. Report of five cases and review of the literature, 366
MOHIT AA, MIRZA S, JAMES J, GOODKIN R. Charcot arthropathy in relation to autonomic dysreflexia in spinal cord injury. Case report and review of the literature, 476
MOLZAHN I. *See* Degen JW, 540
MOORTHY RK, BHATTACHARJI S, THAYUMANASAMY G, RAJSHEKHAR V. Quantitative changes in gait parameters after central corpectomy for cervical spondylotic myelopathy, 418
MOOSSY JJ. *See* King JT Jr, 526
MORGALLA M. *See* Roser F, 472
MORISOLI B. *See* Filler AG, 99
MOTOMIYA M. *See* Ito M, 222
MÜCKLEY T. *See* Beisse R, 128
MULLIN B. *See* Geisler FH, 397
MUMMANENI P. *See* Resnick DK, 637, 639, 647, 653, 658, 662, 670, 673, 679, 686, 692, 700, 707, 716, 725, 733, 737
MUMMANENI PV, HAID R. Cervical arthroplasty. Letters, 395
———. *See* Boakye M, 521
MUROTA E. *See* Ito M, 222
NAGATA K. *See* Jimbo K, 589
———. *See* Park JS, 69
NAKAGAWA H, KIM SD, MIZUNO J, OHARA Y, ITO K. Technical advantages of an ultrasonic bone curette in spinal surgery, 431
———. *See* Chang HS, 209
———. *See* Mizuno J, 425
NAKAMURA M. *See* Matsumoto M, 23, 535
NAKAMURA S. *See* Hitchon PW, 339
NAKANO M, HIRANO N, ISHIHARA H, KAWAGUCHI Y, MATSUURA K. Calcium phosphate cement leakage after percutaneous vertebroplasty for osteoporotic vertebral fractures: risk factor analysis for cement leakage, 27
NAKANO S. *See* Ikuta K, 624
NANIEVA R. *See* Bertagnoli F, 403
NATALE M. *See* Rotondo M, 372
NATARAJAN G. *See* Ayuk J, 349
NEIDLINGER-WILKE C, WÜRTZ K, LIEDERT A, SCHMIDT C, BÖRM W, IGNATIUS A, WILKE HJ, CLAES L. A three-dimensional collagen matrix as a suitable culture system for the comparison of cyclic strain and hydrostatic pressure effects on intervertebral disc cells, 457
NELSON P. *See* Shapiro S, 1, 3
NIKOLAKAKOS LG. *See* Fountas KN, 344
NISHIZAWA T. *See* Matsumoto M, 535
NORENBERG M. *See* Haq I, 50
NORTH CA. *See* North RB, 564
NORTH RB, LAROCCA VR, SCHWARTZ J, NORTH CA, ZAHURAK M, DAVIS RF, MCAFEE PC. Surgical management of spinal metastases: analysis of prognostic factors during a 10-year experience, 564
NOTTMEIER E. *See* Ames CP, 83
NUGROHO S. *See* Mahadewa T, 601

O'SULLIVAN M. *See* Kelly J, 215
OAKES WJ. *See* Tubbs RS, 335
OGA M. *See* Ikuta K, 624
OGAWA J. *See* Matsumoto M, 23
OGAWA Y. *See* Matsumoto M, 23
OHA F. *See* Kanayama M, 441
OHARA Y. *See* Nakagawa H, 431
OKADA K. *See* Miyakoshi N, 495
ONER FC. *See* Verlaan JJ, 398
OZDEMIR M. *See* Arazi M, 510
OZGEN T. *See* Inci S, 79

PAOLINI S, CIAPPETTA P, GUIDUCCI A, PRINCIPI M, MISSORI P, DELFINI R. Foraminal deposition of calcium pyrophosphate dihydrate crystals in the thoracic spine: possible relationship with disc herniation and implications for surgical planning. Report of two cases, 75
PARK HC. *See* Ha Y, 55
PARK J. *See* Kim SM, 62
PARK JS, SHIRACHI I, SATO K, ANDO N, NAGATA K. Lipoma with dumb-bell extradural extension through the intervertebral foramen into the spinal canal. Case report, 69
———. *See* Jimbo K, 589
PARK SR. *See* Ha Y, 55
PARKINSON JF, SEKHON LHS. Cervical arthroplasty complicated by delayed spontaneous fusion. Case report, 377
PASCUZZI R. *See* Shapiro S, 1, 3
PASHMAN RS. *See* Johnson JP, 233
PASQUALETTO L. *See* Rotondo M, 372
PATERNO J. *See* Kim SM, 62
PATY P. *See* Modha A, 366

PERIN NI. *See* Shrivastava RK, 249
PERNOT P. *See* Blondet E, 231
PFEIFFER F. *See* Bertagnoli F, 403
PINTAR FA. *See* Yoganandan N, 481
POLLY DW JR. *See* Burkus JK, 395
POST KD. *See* Shrivastava RK, 249
POULAIN P. *See* Heckly A, 72
PRADILLA G. *See* Mantha A, 303
PRAGER J. *See* Filler AG, 99
PRINCIPI M. *See* Paolini S, 75
PRUSMACK C. *See* Casas CE, 308
PURVINES S. *See* Shapiro S, 1, 3

RAJSHEKHAR V. *See* Moorthy RK, 418
RAMSDEN R. *See* Dow G, 574
RANA M. *See* McLain RF, 17
REGAN JJ. *See* Geisler FH, 397
———. *See* Johnson JP, 233
RESNICK DK, CHOUDHRI TF, DAILEY AT, GROFF MW, KHOO L, MATZ PG, MUMMANENI P, WATTERS WC III, WANG J, WALTERS BC, HADLEY MN. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 1: introduction and methodology, 637
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 2: assessment of functional outcome, 639
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 3: assessment of economic outcome, 647
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 4: radiographic assessment of fusion, 653
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 5: correlation between radiographic and functional outcome, 658
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 6: magnetic resonance imaging and discography for patient selection for lumbar fusion, 662
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 7: intractable low-back pain without stenosis or spondylolisthesis, 670
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 8: lumbar fusion for disc herniation and radiculopathy, 672
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 9: fusion in patients with stenosis and spondylolisthesis, 679
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 10: fusion following decompression in patients with stenosis without spondylolisthesis, 686
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 11: interbody techniques for lumbar fusion, 692
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 12: pedicle screw fixation as an adjunct to posterolateral fusion for low-back pain, 700
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 13: injection therapies, low-back pain, and lumbar fusion, 707
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 14: bracing as an adjunct to or substitute for lumbar fusion, 716
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 15: electrophysiological monitoring and lumbar fusion, 725
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 16: bone graft extenders and substitutes, 733
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, ———. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 17: bone growth stimulators and lumbar fusion, 737
REVESZ T. *See* Ibrahim A, 195
RHINES LD, FOURNEY DR, SIADATI A, SUK I, GOKASLAN ZL. En bloc resection of multilevel cervical chordoma with C-2 involvement. Case report and description of operative technique, 199
———. *See* Hentschel SJ, 436
———. *See* Holman PJ, 550
RILLARDON L. *See* Vialle R, 596RITZ R. *See* Roser F, 472
RIZVI T. *See* Gupta V, 486
ROBERTS MS. *See* King JT Jr, 526
ROBINSON JS JR. *See* Fountas KN, 344
RODGERS RB. *See* Shapiro S, 1, 3
RODTS G. *See* Boakye M, 521
ROOS K. *See* Shapiro S, 1, 3
ROSER F, RITZ R, MORGALLA M, TATAGIBA M, BORNEMANN A. Spinal nerve root ganglionitis as a cause of disc herniation. Case report, 472
ROTONDO M, D'AVANZO R, NATALE M, PASQUALETTO L, BOCCHETTI A, AGOZZINO L, SCUOTTO A. Intramedullary neurenteric cysts of the spine. Report of three cases, 372
RUBENBAUER P. *See* Hitchon PW, 339
RUENES G. *See* Casas CE, 308

SADIKOVIC B. *See* Ames CP, 182
SAITO M. *See* Tamura M, 226
SALTER EG. *See* Tubbs RS, 335
SAPIO N. *See* Wenger M, 289
SARKISSIAN V. *See* Binder DK, 614
SASAKI K. *See* Ikuta K, 624
SATO K. *See* Jimbo K, 589
———. *See* Park JS, 69
SCHARF J. *See* Thomé C, 271
SCHLUESENER HJ. *See* Conrad S, 319
SCHMIDT C. *See* Neidlinger-Wilke C, 457
SCHMIDT MH. *See* Beisse R, 128
———. *See* Gluf WM, 155

SCHMIEDEK P. *See* Thomé C, 271
SCHRAMM J. *See* Jung A, 123
SCHWAB JM. *See* Conrad S, 319
SCHWARTZ J. *See* North RB, 564
SCUOTTO A. *See* Rotondo M, 372
SEIFERT V. *See* Marquardt G, 466
SEKHON LHS. *See* Parkinson JF, 377
SETZER M. *See* Marquardt G, 466
SHAD A, LEACH JCD, TEDDY PJ, CADOUX-HUDSON TAD. Use of the Solis cage and local autologous bone graft for anterior cervical discectomy and fusion: early technical experience, 116
SHAPIRO S, BORGENS R, PASCUZZI R, ROOS K, GROFF M, PURVINES S, RODGERS RB, HAGY S, NELSON P. Oscillating field stimulation for complete spinal cord injury in humans: a Phase 1 trial, 3
———, PASCUZZI R, ROOS K, GROFF M, PURVINES S, RODGERS RB, HAGY S, NELSON P, BORGENS R. Phase 1 trial of oscillating field stimulation for complete spinal cord injury in humans. Editorial, 1
SHARMA P. *See* Goel A, 505
SHIBASAKI K. *See* Tamura M, 226
SHIGENOBU K. *See* Kanayama M, 441
SHIKINAMI Y. *See* Kotani Y, 188
SHIMADA Y. *See* Miyakoshi N, 495
SHIMIZU K. *See* Takeuchi A, 394
SHIRACHI I. *See* Park JS, 69
SHIRADO O. *See* Ito M, 222
SHRIVASTAVA RK, EPSTEIN FJ, PERIN NI, POST KD, JALLO GI. Intramedullary spinal cord tumors in patients older than 50 years of age: management and outcome analysis, 249
SIADATI A. *See* Rhines LD, 199
SILBERT L. *See* Guest JD, 498
SIQUEIRA EB. *See* Haq I, 50
SLUZEWSKI M. *See* Jellema K, 580
SONG J. *See* Mizuno J, 425
SONNTAG VKH. *See* Ames CP, 182
———. *See* Benzel E, 513
———. *See* Hott JS, 175
SPENCER DD. *See* Cohen-Gadol AA, 92
SUK I. *See* Rhines LD, 199
SUKI D. *See* Holman PJ, 550

TAKEUCHI A, MIYAMOTO K, HOSOE H, SHIMIZU K. Missed thoracic fractures. Letters, 394
TAMURA M, SAITO M, MACHIDA M, SHIBASAKI K. A transsternoclavicular approach for the anterior decompression and fusion of the upper thoracic spine. Technical note, 226
TANAKA T. *See* Ikuta K, 624
TANNOURY T, CROWL AC, BATTAGLIA TC, CHAN DPK, ANDERSON DG. An anatomical study comparing standard fluoroscopy and virtual fluoroscopy for the placement of C1–2 transarticular screws, 584
TAŞYÜREKLI M. *See* Çolak A, 327
TATAGIBA M. *See* Roser F, 472
TATOR CH. Phase 1 trial of oscillating field stimulation for complete spinal cord injury in humans. Editorial, 1
TEDDY PJ. *See* Shad A, 116
TENDER GC, BARATTA RV, VOORHIES RM. Unilateral progressive alterations in the lumbar spine: a biomechanical study, 298
———, ———, ———. Unilateral removal of pars interarticularis, 279
TETZLAFF JE. *See* McLain RF, 17
THAYUMANASAMY G. *See* Moorthy RK, 418
THEISEN A. *See* Marquardt G, 466
THOMÉ C, BARTH M, SCHARF J, SCHMIEDEK P. Outcome after lumbar sequestrectomy compared with microdiscectomy: a prospective randomized study, 271
TIJSSEN CC. *See* Jellema K, 580
TOHME-NOUN C. *See* Vialle R, 596
TORNER J. *See* Hitchon PW, 339
TOYAMA Y. *See* Matsumoto M, 23, 535
TRILLÒ G. *See* Celli P, 447
TSEVAT J. *See* King JT Jr, 526
TSURUDA JS. *See* Filler AG, 99
TUBBS RS, SALTER EG, WELLONS JC, BLOUNT JP, OAKES WJ. Anatomical landmarks for the lumbar plexus on the posterior abdominal wall, 335
TYLER BM. *See* Mantha A, 303

ULUOGLU O. *See* Arazi M, 510
UZUM N. *See* Arazi M, 510

VAN ROOIJ WJ. *See* Jellema K, 580
VERLAAN JJ, DHERT WJA, ONER FC. Vertebroplasty for burst fractures. Letters, 398
VIALLE R, FEYDY A, RILLARDON L, TOHME-NOUN C, ANRACT P, COLOMBAT M, DE PINIEUX G, DRAPÉ JL, GUIGUI P. Chondroblastoma of the lumbar spine. Report of two cases and review of the literature, 596
VILLABLANCA JP. *See* Filler AG, 99
VOORHIES RM. *See* Tender GC, 279, 298
VOYADZIS JM. *See* Degen JW, 540

WALTERS BC. *See* Resnick DK, 637, 639, 647, 653, 658, 662, 670, 673, 679, 686, 692, 700, 707, 716, 725, 733, 737
WANG J. *See* Resnick DK, 637, 639, 647, 653, 658, 662, 670, 673, 679, 686, 692, 700, 707, 716, 725, 733, 737
WATTERS WC III. *See* Resnick DK, 637, 639, 647, 653, 658, 662, 670, 673, 679, 686, 692, 700, 707, 716, 725, 733, 737
WEIGEL R. *See* Capelle HH, 608
WEINSTEIN PR. *See* Binder DK, 614
WELLONS JC. *See* Tubbs RS, 335
WENGER M, MARKWALDER TM. A novel surgical treatment of lumbar disc herniation in patients with long-standing degenerative disc disease, 515
———, ———. A novel surgical treatment of lumbar disc herniation in patients with long-standing degenerative disc disease. Editorial, 513
———, SAPIO N, MARKWALDER TM. Long-term outcome in 132 consecutive patients after posterior internal fixation and fusion for Grade I and II isthmic spondylolisthesis, 289
WILKE HJ. *See* Neidlinger-Wilke C, 457
WÖHRLE JC. *See* Capelle HH, 608
WOLINSKY JP. *See* Holman PJ, 550
WU CT. *See* Lee ST, 399
WÜRTZ K. *See* Neidlinger-Wilke C, 457
YABUKI S, KIKUCHI S. Endoscopic partial laminectomy for cervical myelopathy, 170
YAMANE S. *See* Kanayama M, 441
YO M. *See* Ikuta K, 624
YOGANANDAN N, BAISDEN JL, MAIMAN DJ, PINTAR FA. Type II odontoid fracture from frontal impact. Case report and biomechanical mechanism of injury, 481
YOKOSUKA K. *See* Jimbo K, 589
YOON DH. *See* Ha Y, 55
YOON HJ. *See* McLain RF, 17
YOON SH. *See* Ha Y, 55
YUE JJ. *See* Bertagnoli F, 403

ZAHURAK M. *See* North RB, 564

Subject Index

Acute paraplegia
Postoperative recovery of complete sudden paraplegia due to lumbar schwannoma. Case report, 601
Adhesion
Postoperative fibrosis after surgical treatment of the porcine spinal cord: a comparison of dural substitutes. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 50
Adhesive arachnoiditis
Subarachnoid pressure-dependent change in syrinx size in a patient with syringomyelia associated with adhesive arachnoiditis. Case report, 209
Ambulatory ability
Surgical management of spinal metastases: analysis of prognostic factors during a 10-year experience, 564
Anesthesia
Comparison of spinal and general anesthesia in lumbar laminectomy surgery: a case-controlled analysis of 400 patients, 17
Animal model
A novel rat model for the study of intraosseous metastatic spine cancer, 303
Ankylosing spondylitis
Thoracic aortic pseudoaneurysm after spine trauma in ankylosing spondylitis. Case report, 218
Anterior approach
Biomechanical comparison: stability of lateral-approach anterior lumbar interbody fusion and lateral fixation compared with anterior-approach anterior lumbar interbody fusion and posterior fixation in the lower lumbar spine, 62
Surgical technique and results of endoscopic anterior spinal canal decompression, 128
Anterior cervical discectomy and fusion
Anterior cervical discectomy and fusion involving a polyetheretherketone spacer and bone morphogenetic protein, 521
Use of the Solis cage and local autologous bone graft for anterior cervical discectomy and fusion: early technical experience, 116
Anterior decompression
Surgical technique and results of endoscopic anterior spinal canal decompression, 128
Anterior lumbar interbody fusion
Biomechanical comparison: stability of lateral-approach anterior lumbar interbody fusion and lateral fixation compared with anterior-approach anterior lumbar interbody fusion and posterior fixation in the lower lumbar spine, 62
Apoptosis
Neuroprotection and functional recovery after application of the caspase-9 inhibitor z-LEHD-fmk in a rat model of traumatic spinal cord injury, 327
Pathological features including apoptosis in subacute posttraumatic ascending myelopathy. Case report and review of the literature, 619
Role of granulocyte-macrophage colony-stimulating factor in preventing apoptosis and improving functional outcome in experimental spinal cord contusion injury, 55
Approach
Use of "MAPS" for determining the optimal surgical approach to metastatic disease of the thoracolumbar spine: anterior, posterior, or combined. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 40
Arteriovenous fistula
Embolization of spinal dural arteriovenous fistulas: importance of occlusion of the draining vein, 580
Arteriovenous malformation
Postangiographic thrombosis of a spinal arteriovenous malformation. Case report, 486
Arthroplasty
Cervical arthroplasty complicated by delayed spontaneous fusion. Case report, 377
Early results after ProDisc-C cervical disc replacement, 403
Artificial disc
Biomechanical studies of an artificial disc implant in the human cadaveric spine, 339
Artificial disc replacement
Early results after ProDisc-C cervical disc replacement, 403
Artificial intervertebral disc
Multidirectional flexibility analysis of cervical artificial disc reconstruction: in vitro human cadaveric spine model, 188
Astrocytoma
Intramedullary spinal cord tumors in patients older than 50 years of age: management and outcome analysis, 249
Astrocytosis
Spinal cord injury induction of lesional expression of profibrotic and angiogenic connective tissue growth factor confined to reactive astrocytes, invading fibroblasts and endothelial cells, 319
Athlete
Experience with cervical stenosis and temporary paralysis in athletes, 11
Atlantoaxial
An anatomical study comparing standard fluoroscopy and virtual fluoroscopy for the placement of C1-2 transarticular screws, 584
Atlantoaxial fixation
Novel treatment of basilar invagination resulting from an untreated C-1 fracture associated with transverse ligament avulsion. Case report and description of surgical technique, 83
Posterior atlantoaxial transpedicular screw and plate fixation. Technical note, 386
Reduction of fixed atlantoaxial dislocation in 24 cases. Technical note, 505
Atlantoaxial joint
Tophaceous gout of the atlantoaxial joint. Case illustration, 230
Atlantoaxial junction
Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 67 pediatric patients, 164
Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 191 adult patients, 155
Atlantoaxial stability
Biomechanical comparison of C1-2 posterior fixation techniques, 175

Atlas
Atlantooccipital transarticular screw fixation for the treatment of traumatic occipitoatlantal dislocation. Technical note, 381
Impact of interlaminar graft materials on the fusion status in atlantoaxial transarticular screw fixation, 23
Long-term health-related quality of life outcomes following Jefferson-type burst fractures of the atlas, 411
Reduction of fixed atlantoaxial dislocation in 24 cases. Technical note, 505
Autonomic dysreflexia
Charcot arthropathy in relation to autonomic dysreflexia in spinal cord injury. Case report and review of the literature, 476
Axial load
Axial load-dependent cervical spinal alterations during simulated upright posture: a comparison of healthy controls and patients with cervical degenerative disease, 137
Axis
Impact of interlaminar graft materials on the fusion status in atlantoaxial transarticular screw fixation, 23
Reduction of fixed atlantoaxial dislocation in 24 cases. Technical note, 505
Axon growth inhibition
Spinal cord injury induction of lesional expression of profibrotic and angiogenic connective tissue growth factor confined to reactive astrocytes, invading fibroblasts and endothelial cells, 319

Basilar invagination
Novel treatment of basilar invagination resulting from an untreated C-1 fracture associated with transverse ligament avulsion. Case report and description of surgical technique, 83
Biomechanical stability
Biomechanical comparison: stability of lateral-approach anterior lumbar interbody fusion and lateral fixation compared with anterior-approach anterior lumbar interbody fusion and posterior fixation in the lower lumbar spine, 62
Biomechanical study
Biomechanical evaluation of a bioresorbable odontoid screw, 182
Multidirectional flexibility analysis of cervical artificial disc reconstruction: in vitro human cadaveric spine model, 188
Type II odontoid fracture from frontal impact. Case report and biomechanical mechanism of injury, 481
Biomechanical testing
Unilateral progressive alterations in the lumbar spine: a biomechanical study, 298
Biomechanics
Biomechanical comparison of C1-2 posterior fixation techniques, 175
Bioresorbable screw
Biomechanical evaluation of a bioresorbable odontoid screw, 182
Blood patch
Spontaneous intracranial hypotension associated with transdural thoracic osteophyte reversed by primary dural repair. Case report, 614
Bone graft
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 11: interbody techniques for lumbar fusion, 692
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 12: pedicle screw fixation as an adjunct to posterolateral fusion for low-back pain, 700
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 16: bone graft extenders and substitutes, 733
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 17: bone growth stimulators and lumbar fusion, 737
Bone growth stimulator
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 17: bone growth stimulators and lumbar fusion, 737
Bone morphogenetic protein
Anterior cervical discectomy and fusion involving a polyetheretherketone spacer and bone morphogenetic protein, 521
Bone screw
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 12: pedicle screw fixation as an adjunct to posterolateral fusion for low-back pain, 700
Bone substitute
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 16: bone graft extenders and substitutes, 733
Brace therapy
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 14: brace therapy as an adjunct to or substitute for lumbar fusion, 716
Breast metastasis
A novel rat model for the study of intraosseous metastatic spine cancer, 303
Bryan disc
Cervical arthroplasty complicated by delayed spontaneous fusion. Case report, 377

C-1 lateral mass screw
Biomechanical comparison of C1–2 posterior fixation techniques, 175
C-2 pars interarticularis screw
Biomechanical comparison of C1–2 posterior fixation techniques, 175
Cadaver
Biomechanical studies of an artificial disc implant in the human cadaveric spine, 339
Calcification
Foraminal deposition of calcium pyrophosphate dihydrate crystals in the thoracic spine: possible relationship with disc herniation and implications for surgical planning. Report of two cases, 75
Calcium phosphate cement
Calcium phosphate cement leakage after percutaneous vertebroplasty for osteoporotic vertebral fractures: risk factor analysis for cement leakage, 27
Calcium pyrophosphate dihydrate
Foraminal deposition of calcium pyrophosphate dihydrate crystals in the thoracic spine: possible relationship with disc herniation and implications for surgical planning. Report of two cases, 75
Cancer
Surgical management of metastatic disease of the lumbar spine: experience with 139 patients, 550
Carcinoid tumor
Lumbar intradural metastasis of a primary carcinoid tumor of the lung. Case illustration, 231
Caspase-9
Neuroprotection and functional recovery after application of the caspase-9 inhibitor z-LEHD-fmk in a rat model of traumatic spinal cord injury, 327
Cauda equina
Paragangliomas of the lumbar region. Report of two cases and review of the literature, 354
Central corpectomy
Quantitative changes in gait parameters after central corpectomy for cervical spondylotic myelopathy, 418
Cerebrospinal fluid
Use of percutaneous endoscopy to place syringopleural or cystoperitoneal cerebrospinal fluid shunts. Technical note, 498

Cerebrospinal fluid leak
Spontaneous intracranial hypotension associated with transdural thoracic osteophyte reversed by primary dural repair. Case report, 614
Cervical chordoid meningioma
Cervical spine chordoid meningioma. Case report, 195
Cervical compressive myelopathy
Usefulness of neurological examination for diagnosis of the affected level in patients with cervical compressive myelopathy: prospective comparative study with radiological evaluation, 535
Cervical myelopathy
Cervical arthroplasty complicated by delayed spontaneous fusion. Case report, 377
Cervical spine
An anatomical study comparing standard fluoroscopy and virtual fluoroscopy for the placement of C1-2 transarticular screws, 584
Axial load-dependent cervical spinal alterations during simulated upright posture: a comparison of healthy controls and patients with cervical degenerative disease, 137
Diaphragmatic paralysis caused by cervical spondylosis. Case report, 604
Dural ossification associated with cervical ossification of the posterior longitudinal ligament: frequency of dural ossification and comparison of neuroimaging modalities in ability to identify the disease, 425
Endoscopic partial laminectomy for cervical myelopathy, 170
Experience with cervical stenosis and temporary paralysis in athletes, 11
Lipoma with dumb-bell extradural extension through the intervertebral foramen into the spinal canal. Case report, 69
Long-term health-related quality of life outcomes following Jefferson-type burst fractures of the atlas, 411
Multidirectional flexibility analysis of cervical artificial disc reconstruction: in vitro human cadaveric spine model, 188
Multimodal assessment after surgery for cervical spondylotic myelopathy, 526
Operative management of metastatic and malignant primary subaxial cervical tumors, 256
Propriospinal myoclonus due to cervical disc herniation. Case report, 608
Recurrent laryngeal nerve palsy during anterior cervical spine surgery: a prospective study, 123
Tophaceous gout of the atlantoaxial joint. Case illustration, 230
Type II odontoid fracture from frontal impact. Case report and biomechanical mechanism of injury, 481
Use of the Solis cage and local autologous bone graft for anterior cervical discectomy and fusion: early technical experience, 116
Cervical spondylosis
Early results after ProDisc-C cervical disc replacement, 403
Cervical spondylotic myelopathy
Quantitative changes in gait parameters after central corpectomy for cervical spondylotic myelopathy, 418
Cervicothoracic junction
Operative management of metastatic and malignant primary subaxial cervical tumors, 256
Chondroblastoma
Chondroblastoma of the lumbar spine. Report of two cases and review of the literature, 596
Chordoid meningioma
Cervical spine chordoid meningioma. Case report, 195
Chordoma
En bloc resection of multilevel cervical chordoma with C-2 involvement. Case report and description of operative technique, 199
Colhicine
Tophaceous gout of the atlantoaxial joint. Case illustration, 230
Compensatory hyperhidrosis
Chronological changes of postsympathectomy compensatory hyperhidrosis and recurrent sweating in patients with palmar hyperhidrosis, 151
Complication
Calcium phosphate cement leakage after percutaneous vertebroplasty for osteoporotic vertebral fractures: risk factor analysis for cement leakage, 27
Comparison of spinal and general anesthesia in lumbar laminectomy surgery: a case-controlled analysis of 400 patients, 17
Recurrent laryngeal nerve palsy during anterior cervical spine surgery: a prospective study, 123
Compression device
Axial load-dependent cervical spinal alterations during simulated upright posture: a comparison of healthy controls and patients with cervical degenerative disease, 137
Contraindication
Percutaneous vertebroplasty and kyphoplasty performed at a cancer center: refuting proposed contraindications, 436
Craniocervical junction
Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 67 pediatric patients, 164
Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 191 adult patients, 155
Craniovertebral anomaly
Reduction of fixed atlantoaxial dislocation in 24 cases. Technical note, 505
CyberKnife
CyberKnife stereotactic radiosurgical treatment of spinal tumors for pain control and quality of life, 540
Cyclic strain
A three-dimensional collagen matrix as a suitable culture system for the comparison of cyclic strain and hydrostatic pressure effects on intervertebral disc cells, 457
Cytokine
Positive feedback loop of interleukin-1β upregulating production of inflammatory mediators in human intervertebral disc cells in vitro, 589

Degenerative disc disease
A novel surgical treatment of lumbar disc herniation in patients with long-standing degenerative disc disease, 515
Axial load-dependent cervical spinal alterations during simulated upright posture: a comparison of healthy controls and patients with cervical degenerative disease, 137
Diagnosis
Usefulness of neurological examination for diagnosis of the affected level in patients with cervical compressive myelopathy: prospective comparative study with radiological evaluation, 535
Diagnostic imaging
Modern imaging of spinal tuberculosis, 145
Diaphragmatic paralysis
Diaphragmatic paralysis caused by cervical spondylosis. Case report, 604
Differential diagnosis
Diagnosis-related pitfall of a lateral sacral cyst. Case report, 72
Disc herniation
A novel surgical treatment of lumbar disc herniation in patients with long-standing degenerative disc disease, 515
Foraminal deposition of calcium pyrophosphate dihydrate crystals in the thoracic spine: possible relationship with disc herniation and implications for surgical planning. Report of two cases, 75

Microsurgical infrapedicular paramedian approach for retrovertebral lumbar disc herniations. Technical note, 88
Outcome after lumbar sequestrectomy compared with microdiscectomy: a prospective randomized study, 271
Discectomy
Biomechanical studies of an artificial disc implant in the human cadaveric spine, 339
Conical working tube: a special device for endoscopic surgery of herniated lumbar discs, 265
Discography
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 6: magnetic resonance imaging and discography for patient selection for lumbar fusion, 662
Dumb-bell extradural extension
Lipoma with dumb-bell extradural extension through the intervertebral foramen into the spinal canal. Case report, 69
Dural ossification
Dural ossification associated with cervical ossification of the posterior longitudinal ligament: frequency of dural ossification and comparison of neuroimaging modalities in ability to identify the disease, 425
Dural substitute
Postoperative fibrosis after surgical treatment of the porcine spinal cord: a comparison of dural substitutes. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 50

Economic outcome
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 3: assessment of economic outcome, 647
Electromyography
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 15: electrophysiological monitoring and lumbar fusion, 725
Embolization
Embolization of spinal dural arteriovenous fistulas: importance of occlusion of the draining vein, 580
En bloc resection
En bloc resection of multilevel cervical chordoma with C-2 involvement. Case report and description of operative technique, 199
Endoscope
Conical working tube: a special device for endoscopic surgery of herniated lumbar discs, 265
Endoscopic surgery
Endoscopic partial laminectomy for cervical myelopathy, 170
Short-term results of microendoscopic posterior decompression for lumbar spinal stenosis. Technical note, 624
Endoscopy
Surgical technique and results of endoscopic anterior spinal canal decompression, 128
Ependymoma
Intramedullary spinal cord tumors in patients older than 50 years of age: management and outcome analysis, 249
Epidural injection
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 13: injection therapies, low-back pain, and lumbar fusion, 707
Epidural metastasis
A novel dynamic model for experimental spinal cord compression, 466
Extradural tumor
Spinal extradural schwannoma, 447
Extramedullary hematopoiesis
Asymptomatic spherocytosis presenting with spinal cord compression. Case report, 491

Facetectomy
Microsurgical infrapedicular paramedian approach for retrovertebral lumbar disc herniations. Technical note, 88
Fibrosis
Postoperative fibrosis after surgical treatment of the porcine spinal cord: a comparison of dural substitutes. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 50
Fluoronavigation
An anatomical study comparing standard fluoroscopy and virtual fluoroscopy for the placement of C1-2 transarticular screws, 584
Foramen
Foraminal deposition of calcium pyrophosphate dihydrate crystals in the thoracic spine: possible relationship with disc herniation and implications for surgical planning. Report of two cases, 75
Fracture
Long-term health-related quality of life outcomes following Jefferson-type burst fractures of the atlas, 411
Fusion
Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 67 pediatric patients, 164
Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 191 adult patients, 155
Cervical arthroplasty complicated by delayed spontaneous fusion. Case report, 377
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 1: introduction and methodology, 637
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 2: assessment of functional outcome, 639
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 3: assessment of economic outcome, 647
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 4: radiographic assessment of fusion, 653
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 5: correlation between radiographic and functional outcome, 658
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 6: magnetic resonance imaging and discography for patient selection for lumbar fusion, 662
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 7: intractable low-back pain without stenosis or spondylolisthesis, 670
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 8: lumbar fusion for disc herniation and radiculopathy, 673
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 9: fusion in patients with stenosis and spondylolisthesis, 679
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 10: fusion following decompression in patients with stenosis without spondylolisthesis, 686
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 11: interbody techniques for lumbar fusion, 692
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 12: pedicle screw fixation as an adjunct to posterolateral fusion for low-back pain, 700
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 14: brace therapy as an adjunct to or substitute for lumbar fusion, 716
Guidelines for the performance of fusion procedures for degenerative

disease of the lumbar spine. Part 15: electrophysiological monitoring and lumbar fusion, 725
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 16: bone graft extenders and substitutes, 733
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 17: bone growth stimulators and lumbar fusion, 737
Impact of interlaminar graft materials on the fusion status in atlantoaxial transarticular screw fixation, 23

Ganglioneuroma
Presacral ganglioneuromas. Report of five cases and review of the literature, 366
Ganglionitis
Spinal nerve root ganglionitis as a cause of disc herniation. Case report, 472
Genotype
Spinal tumors in neurofibromatosis Type 2. Is emerging knowledge of genotype predictive of natural history? 574
Glial scar formation
Spinal cord injury induction of lesional expression of profibrotic and angiogenic connective tissue growth factor confined to reactive astrocytes, invading fibroblasts and endothelial cells, 319
Gout
Topacheous gout as a rare cause of spinal stenosis in the lumbar region. Case report, 215
Tophaceous gout of the atlantoaxial joint. Case illustration, 230
Granulocyte-macrophage colony-stimulating factor
Role of granulocyte-macrophage colony-stimulating factor in preventing apoptosis and improving functional outcome in experimental spinal cord contusion injury, 55

Harvey Cushing
The development of techniques for resection of spinal cord tumors by Harvey W. Cushing. Historical Vignette, 92
Health status
Multimodal assessment after surgery for cervical spondylotic myelopathy, 526
Health-related quality of life
Long-term health-related quality of life outcomes following Jefferson-type burst fractures of the atlas, 411
Hematoma
Ligamentum flavum hematoma in the rigid thoracic spinal segments. Case report, 495
Hemilaminectomy
Microsurgical infrapedicular paramedian approach for retrovertebral lumbar disc herniations. Technical note, 88
Hemosiderin
Central nervous system superficial siderosis following spinal surgery, 206
Herniated disc
Conical working tube: a special device for endoscopic surgery of herniated lumbar discs, 265
Herniated nucleus pulposus
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 8: lumbar fusion for disc herniation and radiculopathy, 673
History
The development of techniques for resection of spinal cord tumors by Harvey W. Cushing. Historical Vignette, 92
Hoarseness
Recurrent laryngeal nerve palsy during anterior cervical spine surgery: a prospective study, 123
Hydrostatic pressure
A three-dimensional collagen matrix as a suitable culture system for the comparison of cyclic strain and hydrostatic pressure effects on intervertebral disc cells, 457
Hypothermia
Effects of epidural hypothermic saline infusion on locomotor outcome and tissue preservation after moderate thoracic spinal cord contusion in rats, 308

Inflammation
Postoperative fibrosis after surgical treatment of the porcine spinal cord: a comparison of dural substitutes. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 50
Instability
Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 67 pediatric patients, 164
Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 191 adult patients, 155
Interlaminar graft
Impact of interlaminar graft materials on the fusion status in atlantoaxial transarticular screw fixation, 23
Interleukin-1β
Positive feedback loop of interleukin-1β upregulating production of inflammatory mediators in human intervertebral disc cells in vitro, 589
Internal fixation
An anatomical study comparing standard fluoroscopy and virtual fluoroscopy for the placement of C1-2 transarticular screws, 584
Intervertebral angle
Axial load-dependent cervical spinal alterations during simulated upright posture: a comparison of healthy controls and patients with cervical degenerative disease, 137
Intervertebral disc cell
A three-dimensional collagen matrix as a suitable culture system for the comparison of cyclic strain and hydrostatic pressure effects on intervertebral disc cells, 457
Intervertebral disc herniation
Positive feedback loop of interleukin-1β upregulating production of inflammatory mediators in human intervertebral disc cells in vitro, 589
Intracranial hypotension
Spontaneous intracranial hypotension associated with transdural thoracic osteophyte reversed by primary dural repair. Case report, 614
Intradural extramedullary metastasis
Lumbar intradural metastasis of a primary carcinoid tumor of the lung. Case illustration, 231
Intramedullary
Intramedullary spinal cord tumors in patients older than 50 years of age: management and outcome analysis, 249
Intramedullary lesion
Intramedullary neurenteric cysts of the spine. Report of three cases, 372
Ischemia
Effects of epidural hypothermic saline infusion on locomotor outcome and tissue preservation after moderate thoracic spinal cord contusion in rats, 308
Isthmic spondylolisthesis
Long-term outcome in 132 consecutive patients after posterior internal fixation and fusion for Grade I and II isthmic spondylolisthesis, 289

Kyphoplasty
Percutaneous vertebroplasty and kyphoplasty performed at a cancer center: refuting proposed contraindications, 436

Kyphosis
The changing role for neurosurgeons and the treatment of spinal deformity, 233

Laminectomy
Comparison of spinal and general anesthesia in lumbar laminectomy surgery: a case-controlled analysis of 400 patients, 17
Endoscopic partial laminectomy for cervical myelopathy, 170
Laminoplasty
Diaphragmatic paralysis caused by cervical spondylosis. Case report, 604
Laminotomy
Short-term results of microendoscopic posterior decompression for lumbar spinal stenosis. Technical note, 624
Laryngoscopy
Recurrent laryngeal nerve palsy during anterior cervical spine surgery: a prospective study, 123
Lateral approach
Biomechanical comparison: stability of lateral-approach anterior lumbar interbody fusion and lateral fixation compared with anterior-approach anterior lumbar interbody fusion and posterior fixation in the lower lumbar spine, 62
Ligamentum flavum
Ligamentum flavum hematoma in the rigid thoracic spinal segments. Case report, 495
Surgical experience with symptomatic thoracic ossification of the ligamentum flavum, 34
Lipoma
Lipoma with dumb-bell extradural extension through the intervertebral foramen into the spinal canal. Case report, 69
Lordosis
Ligamentum flavum hematoma in the rigid thoracic spinal segments. Case report, 495
Low-molecular-weight heparin
Spontaneous spinal subdural hematoma associated with low-molecular-weight heparin. Case report, 612
Lumbar disc herniation
New treatment of lumbar disc herniation involving 5-hydroxytryptamine$_{2A}$ receptor inhibitor: a randomized controlled trial, 441
Lumbar spine
A novel surgical treatment of lumbar disc herniation in patients with long-standing degenerative disc disease, 515
Chondroblastoma of the lumbar spine. Report of two cases and review of the literature, 596
Conical working tube: a special device for endoscopic surgery of herniated lumbar discs, 265
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 1: introduction and methodology, 637
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 2: assessment of functional outcome, 639
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 3: assessment of economic outcome, 647
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 4: radiographic assessment of fusion, 653
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 5: correlation between radiographic and functional outcome, 658
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 6: magnetic resonance imaging and discography for patient selection for lumbar fusion, 662
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 7: intractable low-back pain without stenosis or spondylolisthesis, 670
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 8: lumbar fusion for disc herniation and radiculopathy, 673
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 9: fusion in patients with stenosis and spondylolisthesis, 679
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 10: fusion following decompression in patients with stenosis without spondylolisthesis, 686
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 11: interbody techniques for lumbar fusion, 692
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 14: brace therapy as an adjunct to or substitute for lumbar fusion, 716
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 15: electrophysiological monitoring and lumbar fusion, 725
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 16: bone graft extenders and substitutes, 733
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 17: bone growth stimulators and lumbar fusion, 737
Microsurgical infrapedicular paramedian approach for retrovertebral lumbar disc herniations. Technical note, 88
Postoperative recovery of complete sudden paraplegia due to lumbar schwannoma. Case report, 601
Short-term results of microendoscopic posterior decompression for lumbar spinal stenosis. Technical note, 624
Spinal nerve root ganglionitis as a cause of disc herniation. Case report, 472
Surgical management of metastatic disease of the lumbar spine: experience with 139 patients, 550
Topaceous gout as a rare cause of spinal stenosis in the lumbar region. Case report, 215
Unilateral progressive alterations in the lumbar spine: a biomechanical study, 298
Unilateral removal of pars interarticularis, 279

Magnetic resonance imaging
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 6: magnetic resonance imaging and discography for patient selection for lumbar fusion, 662
Intramedullary neurenteric cysts of the spine. Report of three cases, 372
Magnetic resonance neurography
Sciatica of nondisc origin and piriformis syndrome: diagnosis by magnetic resonance neurography and interventional magnetic resonance imaging with outcome study of resulting treatment, 99
Management
Pituitary carcinoma with a single metastasis causing cervical spinal cord compression. Case report, 349
Mechanism of injury
Type II odontoid fracture from frontal impact. Case report and biomechanical mechanism of injury, 481
Median sternotomy
Spontaneous intracranial hypotension associated with transdural thoracic osteophyte reversed by primary dural repair. Case report, 614
Meningeal carcinomatosis
Rare cause of subarachnoid hemorrhage: spinal meningeal carcinomatosis. Case report, 79

Metastasis
Percutaneous vertebroplasty and kyphoplasty performed at a cancer center: refuting proposed contraindications, 436
Surgical management of metastatic disease of the lumbar spine: experience with 139 patients, 550
Use of "MAPS" for determining the optimal surgical approach to metastatic disease of the thoracolumbar spine: anterior, posterior, or combined. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 40
Metastatic tumor
Operative management of metastatic and malignant primary subaxial cervical tumors, 256
Microdiscectomy
Outcome after lumbar sequestrectomy compared with microdiscectomy: a prospective randomized study, 271
Movement disorder
Propriospinal myoclonus due to cervical disc herniation. Case report, 608
Myelopathy
A transsternoclavicular approach for the anterior decompression and fusion of the upper thoracic spine. Technical note, 226
Endoscopic partial laminectomy for cervical myelopathy, 170
Surgical experience with symptomatic thoracic ossification of the ligamentum flavum, 34

Natural history
Spinal tumors in neurofibromatosis Type 2. Is emerging knowledge of genotype predictive of natural history? 574
Neoplasm
CyberKnife stereotactic radiosurgical treatment of spinal tumors for pain control and quality of life, 540
Spinal nerve root ganglionitis as a cause of disc herniation. Case report, 472
Nerve root
Spinal extradural schwannoma, 447
Nerve sheath
Spinal extradural schwannoma, 447
Neural regeneration
Oscillating field stimulation for complete spinal cord injury in humans: a Phase 1 trial, 3
Neurenteric cyst
Intramedullary neurenteric cysts of the spine. Report of three cases, 372
Neurofibromatosis Type 2
Spinal tumors in neurofibromatosis Type 2. Is emerging knowledge of genotype predictive of natural history? 574
Neuroimaging
Spinal nerve root ganglionitis as a cause of disc herniation. Case report, 472
Neuroimaging modality
Dural ossification associated with cervical ossification of the posterior longitudinal ligament: frequency of dural ossification and comparison of neuroimaging modalities in ability to identify the disease, 425
Neurological examination
Usefulness of neurological examination for diagnosis of the affected level in patients with cervical compressive myelopathy: prospective comparative study with radiological evaluation, 535
Neuropathic arthropathy
Charcot arthropathy in relation to autonomic dysreflexia in spinal cord injury. Case report and review of the literature, 476
Neuroprotection
Effects of epidural hypothermic saline infusion on locomotor outcome and tissue preservation after moderate thoracic spinal cord contusion in rats, 308

Neurosurgery
Anatomical landmarks for the lumbar plexus on the posterior abdominal wall, 335
The changing role for neurosurgeons and the treatment of spinal deformity, 233
The development of techniques for resection of spinal cord tumors by Harvey W. Cushing. Historical Vignette, 92
Nodule of Nageotte
Spinal nerve root ganglionitis as a cause of disc herniation. Case report, 472

Occipital condyle
Atlantooccipital transarticular screw fixation for the treatment of traumatic occipitoatlantal dislocation. Technical note, 381
Occipitoatlantal dislocation
Atlantooccipital transarticular screw fixation for the treatment of traumatic occipitoatlantal dislocation. Technical note, 381
Odontoid process
Biomechanical evaluation of a bioresorbable odontoid screw, 182
Open magnetic resonance imaging
Sciatica of nondisc origin and piriformis syndrome: diagnosis by magnetic resonance neurography and interventional magnetic resonance imaging with outcome study of resulting treatment, 99
Orthotic device
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 14: brace therapy as an adjunct to or substitute for lumbar fusion, 716
Oscillating field stimulation
Oscillating field stimulation for complete spinal cord injury in humans: a Phase 1 trial, 3
Ossification
Surgical experience with symptomatic thoracic ossification of the ligamentum flavum, 34
Ossification of the posterior longitudinal ligament
Dural ossification associated with cervical ossification of the posterior longitudinal ligament: frequency of dural ossification and comparison of neuroimaging modalities in ability to identify the disease, 425
Osteolytic metastatic spinal tumor
Efficacy of percutaneous vertebroplasty combined with radiotherapy in osteolytic metastatic spinal tumors, 243
Osteomyelitis
Modern imaging of spinal tuberculosis, 145
Osteonecrosis
Vertebral osteonecrosis associated with sarcoidosis. Case report, 222
Osteophyte
Spontaneous intracranial hypotension associated with transdural thoracic osteophyte reversed by primary dural repair. Case report, 614
Osteoporosis
Calcium phosphate cement leakage after percutaneous vertebroplasty for osteoporotic vertebral fractures: risk factor analysis for cement leakage, 27
Percutaneous vertebroplasty and kyphoplasty performed at a cancer center: refuting proposed contraindications, 436
Outcome
Embolization of spinal dural arteriovenous fistulas: importance of occlusion of the draining vein, 580
Intramedullary spinal cord tumors in patients older than 50 years of age: management and outcome analysis, 249
Long-term outcome in 132 consecutive patients after posterior internal fixation and fusion for Grade I and II isthmic spondylolisthesis, 289
Outcome after lumbar sequestrectomy compared with microdiscectomy: a prospective randomized study, 271
Unilateral removal of pars interarticularis, 279

Outcome assessment
Multimodal assessment after surgery for cervical spondylotic myelopathy, 526
Outcome study
Sciatica of nondisc origin and piriformis syndrome: diagnosis by magnetic resonance neurography and interventional magnetic resonance imaging with outcome study of resulting treatment, 99
Ovarian cyst
Diagnosis-related pitfall of a lateral sacral cyst. Case report, 72

Palmar hyperhidrosis
Chronological changes of postsympathectomy compensatory hyperhidrosis and recurrent sweating in patients with palmar hyperhidrosis, 151
Paraganglioma
Paragangliomas of the lumbar region. Report of two cases and review of the literature, 354
Paraplegia
Asymptomatic spherocytosis presenting with spinal cord compression. Case report, 491
Paravertebral musculature
Adult paravertebral pleomorphic rhabdomyosarcoma infiltrating diffusely the whole spinal axis. Case report, 344
Pars interarticularis
Unilateral progressive alterations in the lumbar spine: a biomechanical study, 298
Unilateral removal of pars interarticularis, 279
Pathogenesis
Pituitary carcinoma with a single metastasis causing cervical spinal cord compression. Case report, 349
Pathophysiology
Subarachnoid pressure-dependent change in syrinx size in a patient with syringomyelia associated with adhesive arachnoiditis. Case report, 209
Pediatric neurosurgery
Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 67 pediatric patients, 164
Pedicle Screw Fixation
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 12: pedicle screw fixation as an adjunct to posterolateral fusion for low-back pain, 700
Pelvis
Presacral ganglioneuromas. Report of five cases and review of the literature, 366
Percutaneous endoscopy
Use of percutaneous endoscopy to place syringopleural or cystoperitoneal cerebrospinal fluid shunts. Technical note, 498
Percutaneous vertebroplasty
Efficacy of percutaneous vertebroplasty combined with radiotherapy in osteolytic metastatic spinal tumors, 243
Peripheral nerves
Anatomical landmarks for the lumbar plexus on the posterior abdominal wall, 335
Pig
Postoperative fibrosis after surgical treatment of the porcine spinal cord: a comparison of dural substitutes. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 50
Piriformis syndrome
Sciatica of nondisc origin and piriformis syndrome: diagnosis by magnetic resonance neurography and interventional magnetic resonance imaging with outcome study of resulting treatment, 99
Pituitary carcinoma
Pituitary carcinoma with a single metastasis causing cervical spinal cord compression. Case report, 349

Plate and screw fixation
Posterior atlantoaxial transpedicular screw and plate fixation. Technical note, 386
Polyetheretherketone
Anterior cervical discectomy and fusion involving a polyetheretherketone spacer and bone morphogenetic protein, 521
Polymethylmethacrylate
Efficacy of percutaneous vertebroplasty combined with radiotherapy in osteolytic metastatic spinal tumors, 243
Postangiographic thrombosis
Postangiographic thrombosis of a spinal arteriovenous malformation. Case report, 486
Posterior instrumentation
Long-term outcome in 132 consecutive patients after posterior internal fixation and fusion for Grade I and II isthmic spondylolisthesis, 289
Posterolateral fusion
Long-term outcome in 132 consecutive patients after posterior internal fixation and fusion for Grade I and II isthmic spondylolisthesis, 289
Pott disease
Modern imaging of spinal tuberculosis, 145
Practice guidelines
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 1: introduction and methodology, 637
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 2: assessment of functional outcome, 639
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 3: assessment of economic outcome, 647
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 4: radiographic assessment of fusion, 653
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 5: correlation between radiographic and functional outcome, 658
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 6: magnetic resonance imaging and discography for patient selection for lumbar fusion, 662
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 7: intractable low-back pain without stenosis or spondylolisthesis, 670
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 8: lumbar fusion for disc herniation and radiculopathy, 673
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 9: fusion in patients with stenosis and spondylolisthesis, 679
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 10: fusion following decompression in patients with stenosis without spondylolisthesis, 686
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 11: interbody techniques for lumbar fusion, 692
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 12: pedicle screw fixation as an adjunct to posterolateral fusion for low-back pain, 700
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 13: injection therapies, low-back pain, and lumbar fusion, 707
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 14: brace therapy as an adjunct to or substitute for lumbar fusion, 716

Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 15: electrophysiological monitoring and lumbar fusion, 725
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 16: bone graft extenders and substitutes, 733
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 17: bone growth stimulators and lumbar fusion, 737
Primary spine tumor
En bloc resection of multilevel cervical chordoma with C-2 involvement. Case report and description of operative technique, 199
Primary tumor
Operative management of metastatic and malignant primary subaxial cervical tumors, 256
ProDisc-C
Early results after ProDisc-C cervical disc replacement, 403
Programmed cell death
Neuroprotection and functional recovery after application of the caspase-9 inhibitor z-LEHD-fmk in a rat model of traumatic spinal cord injury, 327
Prolapsed intervertebral disc
Conical working tube: a special device for endoscopic surgery of herniated lumbar discs, 265
Propriospinal myoclonus
Propriospinal myoclonus due to cervical disc herniation. Case report, 608
Pseudoaneurysm
Thoracic aortic pseudoaneurysm after spine trauma in ankylosing spondylitis. Case report, 218

Quality of life
Multimodal assessment after surgery for cervical spondylotic myelopathy, 526
Quantitative gait analysis
Quantitative changes in gait parameters after central corpectomy for cervical spondylotic myelopathy, 418

Rabbit
A novel dynamic model for experimental spinal cord compression, 466
radiation therapy
Asymptomatic spherocytosis presenting with spinal cord compression. Case report, 491
Surgical management of spinal metastases: analysis of prognostic factors during a 10-year experience, 564
Radiation vasculopathy
Spontaneous spinal subdural hematoma associated with low-molecular-weight heparin. Case report, 612
Radicular syndrome
Lumbar intradural metastasis of a primary carcinoid tumor of the lung. Case illustration, 231
Radiculopathy
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 8: lumbar fusion for disc herniation and radiculopathy
Microsurgical infrapedicular paramedian approach for retrovertebral lumbar disc herniations. Technical note, 88
Spinal nerve root ganglionitis as a cause of disc herniation. Case report, 472
Unilateral removal of pars interarticularis, 279
Radiography
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 4: radiographic assessment of fusion
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 5: correlation between radiographic and functional outcome
Radiosurgery
CyberKnife stereotactic radiosurgical treatment of spinal tumors for pain control and quality of life, 540
Radiotherapy
Efficacy of percutaneous vertebroplasty combined with radiotherapy in osteolytic metastatic spinal tumors, 243
Pituitary carcinoma with a single metastasis causing cervical spinal cord compression. Case report, 349
Rat
A novel rat model for the study of intraosseous metastatic spine cancer, 303
Effects of epidural hypothermic saline infusion on locomotor outcome and tissue preservation after moderate thoracic spinal cord contusion in rats, 308
Neuroprotection and functional recovery after application of the caspase-9 inhibitor z-LEHD-fmk in a rat model of traumatic spinal cord injury, 327
Role of granulocyte-macrophage colony-stimulating factor in preventing apoptosis and improving functional outcome in experimental spinal cord contusion injury, 55
Spinal cord injury induction of lesional expression of profibrotic and angiogenic connective tissue growth factor confined to reactive astrocytes, invading fibroblasts and endothelial cells, 319
Recurrent laryngeal nerve
Recurrent laryngeal nerve palsy during anterior cervical spine surgery: a prospective study, 123
Recurrent sweating
Chronological changes of postsympathectomy compensatory hyperhidrosis and recurrent sweating in patients with palmar hyperhidrosis, 151
Reherniation
Outcome after lumbar sequestrectomy compared with microdiscectomy: a prospective randomized study, 271
Resection
Unilateral removal of pars interarticularis, 279
Retroperitoneum
Presacral ganglioneuromas. Report of five cases and review of the literature, 366
Retrospective study
Surgical management of spinal metastases: analysis of prognostic factors during a 10-year experience, 564
Rhabdomyosarcoma
Adult paravertebral pleomorphic rhabdomyosarcoma infiltrating diffusely the whole spinal axis. Case report, 344

Sacrum
Presacral ganglioneuromas. Report of five cases and review of the literature, 366
Sarcoidosis
Vertebral osteonecrosis associated with sarcoidosis. Case report, 222
Sarpogrelate
New treatment of lumbar disc herniation involving 5-hydroxytryptamine$_{2A}$ receptor inhibitor: a randomized controlled trial, 441
Schwannoma
Postoperative recovery of complete sudden paraplegia due to lumbar schwannoma. Case report, 601
Spinal extradural schwannoma, 447
Sciatica
New treatment of lumbar disc herniation involving 5-hydroxytryptamine$_{2A}$ receptor inhibitor: a randomized controlled trial, 441

Sciatica of nondisc origin and piriformis syndrome: diagnosis by magnetic resonance neurography and interventional magnetic resonance imaging with outcome study of resulting treatment, 99
Scoliosis
The changing role for neurosurgeons and the treatment of spinal deformity, 233
Sequestrectomy
Outcome after lumbar sequestrectomy compared with microdiscectomy: a prospective randomized study, 271
Shunt
Use of percutaneous endoscopy to place syringopleural or cystoperitoneal cerebrospinal fluid shunts. Technical note, 498
Solis cage
Use of the Solis cage and local autologous bone graft for anterior cervical discectomy and fusion: early technical experience, 116
Somatosensory evoked potential
Oscillating field stimulation for complete spinal cord injury in humans: a Phase 1 trial, 3
Spherocytosis
Asymptomatic spherocytosis presenting with spinal cord compression. Case report, 491
Spinal anesthesia
Comparison of spinal and general anesthesia in lumbar laminectomy surgery: a case-controlled analysis of 400 patients, 17
Spinal biomechanics
Biomechanical studies of an artificial disc implant in the human cadaveric spine, 339
Spinal canal
Adult paravertebral pleomorphic rhabdomyosarcoma infiltrating diffusely the whole spinal axis. Case report, 344
Spinal chordoid meningioma
Cervical spine chordoid meningioma. Case report, 195
Spinal cord compression
A novel dynamic model for experimental spinal cord compression, 466
Asymptomatic spherocytosis presenting with spinal cord compression. Case report, 491
Spontaneous spinal subdural hematoma associated with low-molecular-weight heparin. Case report, 612
Spinal cord disease
Embolization of spinal dural arteriovenous fistulas: importance of occlusion of the draining vein, 580
Spinal cord
Intramedullary spinal cord tumors in patients older than 50 years of age: management and outcome analysis, 249
Spinal cord injury
Charcot arthropathy in relation to autonomic dysreflexia in spinal cord injury. Case report and review of the literature, 476
Effects of epidural hypothermic saline infusion on locomotor outcome and tissue preservation after moderate thoracic spinal cord contusion in rats, 308
Neuroprotection and functional recovery after application of the caspase-9 inhibitor z-LEHD-fmk in a rat model of traumatic spinal cord injury, 327
Oscillating field stimulation for complete spinal cord injury in humans: a Phase 1 trial, 3
Pathological features including apoptosis in subacute posttraumatic ascending myelopathy. Case report and review of the literature, 619
Role of granulocyte-macrophage colony-stimulating factor in preventing apoptosis and improving functional outcome in experimental spinal cord contusion injury, 55
Spinal cord injury induction of lesional expression of profibrotic and angiogenic connective tissue growth factor confined to reactive astrocytes, invading fibroblasts and endothelial cells, 319
Spinal cord tethering
Postoperative fibrosis after surgical treatment of the porcine spinal cord: a comparison of dural substitutes. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 50
Spinal cord tumor
The development of techniques for resection of spinal cord tumors by Harvey W. Cushing. Historical Vignette, 92
Spinal deformity
The changing role for neurosurgeons and the treatment of spinal deformity, 233
Spinal fixation
Biomechanical comparison of C1-2 posterior fixation techniques, 175
Spinal injection
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 13: injection therapies, low-back pain, and lumbar fusion
Spinal instability
Atlantooccipital transarticular screw fixation for the treatment of traumatic occipitoatlantal dislocation. Technical note, 381
Charcot arthropathy in relation to autonomic dysreflexia in spinal cord injury. Case report and review of the literature, 476
Spinal instrumentation
Use of "MAPS" for determining the optimal surgical approach to metastatic disease of the thoracolumbar spine: anterior, posterior, or combined. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 40
Vertebral osteonecrosis associated with sarcoidosis. Case report, 222
Spinal metastasis
A novel rat model for the study of intraosseous metastatic spine cancer, 303
Surgical management of spinal metastases: analysis of prognostic factors during a 10-year experience, 564
Spinal stability
Unilateral progressive alterations in the lumbar spine: a biomechanical study, 298
Spinal stenosis
Comparison of spinal and general anesthesia in lumbar laminectomy surgery: a case-controlled analysis of 400 patients, 17
Experience with cervical stenosis and temporary paralysis in athletes, 11
Multimodal assessment after surgery for cervical spondylotic myelopathy, 526
Topacheous gout as a rare cause of spinal stenosis in the lumbar region. Case report, 215
Spinal subdural hematoma
Spontaneous spinal subdural hematoma associated with low-molecular-weight heparin. Case report, 612
Spinal surgery
Technical advantages of an ultrasonic bone curette in spinal surgery, 431
Vertebral osteonecrosis associated with sarcoidosis. Case report, 222
Spinal trauma
Surgical technique and results of endoscopic anterior spinal canal decompression, 128
spinal tuberculosis
Modern imaging of spinal tuberculosis, 145
spinal tumor
A novel dynamic model for experimental spinal cord compression, 466
Paragangliomas of the lumbar region. Report of two cases and review of the literature, 354
Postoperative recovery of complete sudden paraplegia due to lumbar schwannoma. Case report, 601
Rare cause of subarachnoid hemorrhage: spinal meningeal carcinomatosis. Case report, 79
Spinal extradural schwannoma, 447
Spinal tumors in neurofibromatosis Type 2. Is emerging knowledge of genotype predictive of natural history? 574

Spine
CyberKnife stereotactic radiosurgical treatment of spinal tumors for pain control and quality of life, 540
Percutaneous vertebroplasty and kyphoplasty performed at a cancer center: refuting proposed contraindications, 436
Postangiographic thrombosis of a spinal arteriovenous malformation. Case report, 486
Spine surgery
Central nervous system superficial siderosis following spinal surgery, 206
Comparison of spinal and general anesthesia in lumbar laminectomy surgery: a case-controlled analysis of 400 patients, 17
Long-term outcome in 132 consecutive patients after posterior internal fixation and fusion for Grade I and II isthmic spondylolisthesis, 289
Spondylectomy
Use of "MAPS" for determining the optimal surgical approach to metastatic disease of the thoracolumbar spine: anterior, posterior, or combined. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 40
Spondylolisthesis
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 9: fusion in patients with stenosis and spondylolisthesis, 679
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 10: fusion following decompression in patients with stenosis without spondylolisthesis, 686
Spondylosis
Diaphragmatic paralysis caused by cervical spondylosis. Case report, 604
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 7: intractable low-back pain without stenosis or spondylolisthesis, 670
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 11: interbody techniques for lumbar fusion, 692
Use of the Solis cage and local autologous bone graft for anterior cervical discectomy and fusion: early technical experience, 116
Stenosis
Cervical arthroplasty complicated by delayed spontaneous fusion. Case report, 377
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 9: fusion in patients with stenosis and spondylolisthesis, 679
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 10: fusion following decompression in patients with stenosis without spondylolisthesis, 686
Short-term results of microendoscopic posterior decompression for lumbar spinal stenosis. Technical note, 624
Stereotaxis
CyberKnife stereotactic radiosurgical treatment of spinal tumors for pain control and quality of life, 540
Subacute posttraumatic ascending myelopathy
Pathological features including apoptosis in subacute posttraumatic ascending myelopathy. Case report and review of the literature, 619
Subarachnoid hemorrhage
Central nervous system superficial siderosis following spinal surgery, 206
Rare cause of subarachnoid hemorrhage: spinal meningeal carcinomatosis. Case report, 79
Superficial siderosis
Central nervous system superficial siderosis following spinal surgery, 206
Surgery
Anatomical landmarks for the lumbar plexus on the posterior abdominal wall, 335
Chondroblastoma of the lumbar spine. Report of two cases and review of the literature, 596
Embolization of spinal dural arteriovenous fistulas: importance of occlusion of the draining vein, 580
Multimodal assessment after surgery for cervical spondylotic myelopathy, 526
Surgical management
Surgical management of spinal metastases: analysis of prognostic factors during a 10-year experience, 564
Surgical treatment
Subarachnoid pressure-dependent change in syrinx size in a patient with syringomyelia associated with adhesive arachnoiditis. Case report, 209
Survival
Surgical management of spinal metastases: analysis of prognostic factors during a 10-year experience, 564
Syringomyelia
Subarachnoid pressure-dependent change in syrinx size in a patient with syringomyelia associated with adhesive arachnoiditis. Case report, 209
Use of percutaneous endoscopy to place syringopleural or cystoperitoneal cerebrospinal fluid shunts. Technical note, 498

Tarlov cyst
Diagnosis-related pitfall of a lateral sacral cyst. Case report, 72
Technique
Technical advantages of an ultrasonic bone curette in spinal surgery, 431
Terminal filum
Paragangliomas of the lumbar region. Report of two cases and review of the literature, 354
Thoracic spine
Foraminal deposition of calcium pyrophosphate dihydrate crystals in the thoracic spine: possible relationship with disc herniation and implications for surgical planning. Report of two cases, 75
Ligamentum flavum hematoma in the rigid thoracic spinal segments. Case report, 495
Surgical experience with symptomatic thoracic ossification of the ligamentum flavum, 34
Thoracic aortic pseudoaneurysm after spine trauma in ankylosing spondylitis. Case report, 218
Thoracolumbar spine
Intramedullary neurenteric cysts of the spine. Report of three cases, 372
Use of "MAPS" for determining the optimal surgical approach to metastatic disease of the thoracolumbar spine: anterior, posterior, or combined. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2004, 40
Thoracotomy
Spontaneous intracranial hypotension associated with transdural thoracic osteophyte reversed by primary dural repair. Case report, 614
Total spondylectomy
En bloc resection of multilevel cervical chordoma with C-2 involvement. Case report and description of operative technique, 199
Total-disc arthroplasty
A novel surgical treatment of lumbar disc herniation in patients with long-standing degenerative disc disease, 515
Total-disc replacement
Early results after ProDisc-C cervical disc replacement, 403
Transarticular screw
An anatomical study comparing standard fluoroscopy and virtual fluoroscopy for the placement of C1-2 transarticular screws, 584
Atlantooccipital transarticular screw fixation for the treatment of traumatic occipitoatlantal dislocation. Technical note, 381

Transarticular screw fixation
Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 67 pediatric patients, 164
Atlantoaxial transarticular screw fixation: a review of surgical indications, fusion rate, complications, and lessons learned in 191 adult patients, 155
Impact of interlaminar graft materials on the fusion status in atlantoaxial transarticular screw fixation, 23
Transient spinal cord injury
Experience with cervical stenosis and temporary paralysis in athletes, 11
Transpedicular screw fixation
Posterior atlantoaxial transpedicular screw and plate fixation. Technical note, 386
Transsternoclavicular approach
A transsternoclavicular approach for the anterior decompression and fusion of the upper thoracic spine. Technical note, 226
Transverse ligament avulsion
Novel treatment of basilar invagination resulting from an untreated C-1 fracture associated with transverse ligament avulsion. Case report and description of surgical technique, 83
Trauma
Thoracic aortic pseudoaneurysm after spine trauma in ankylosing spondylitis. Case report, 218
Type II odontoid fracture from frontal impact. Case report and biomechanical mechanism of injury, 481
Treatment outcome
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 1: introduction and methodology, 637
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 2: assessment of functional outcome, 639
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 3: assessment of economic outcome, 647
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 4: radiographic assessment of fusion, 653
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 5: correlation between radiographic and functional outcome, 658
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 7: intractable low-back pain without stenosis or spondylolisthesis, 670
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 13: injection therapies, low-back pain, and lumbar fusion, 707
Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 16: bone graft extenders and substitutes, 733
Type II fracture
Biomechanical evaluation of a bioresorbable odontoid screw, 182

Ultrasonic bone curette
Technical advantages of an ultrasonic bone curette in spinal surgery, 431
Upper cervical spine
En bloc resection of multilevel cervical chordoma with C-2 involvement. Case report and description of operative technique, 199
Upper thoracic spine
A transsternoclavicular approach for the anterior decompression and fusion of the upper thoracic spine. Technical note, 226
Upper thoracic sympathectomy
Chronological changes of postsympathectomy compensatory hyperhidrosis and recurrent sweating in patients with palmar hyperhidrosis, 151

Vertebra
Vertebral osteonecrosis associated with sarcoidosis. Case report, 222
Vertebral fracture
Calcium phosphate cement leakage after percutaneous vertebroplasty for osteoporotic vertebral fractures: risk factor analysis for cement leakage, 27
Vertebrectomy
Surgical management of metastatic disease of the lumbar spine: experience with 139 patients, 550
Vertebroplasty
Calcium phosphate cement leakage after percutaneous vertebroplasty for osteoporotic vertebral fractures: risk factor analysis for cement leakage, 27
Percutaneous vertebroplasty and kyphoplasty performed at a cancer center: refuting proposed contraindications, 436
Virtual fluoroscopy
An anatomical study comparing standard fluoroscopy and virtual fluoroscopy for the placement of C1-2 transarticular screws, 584

z-LEHD-fmk
Neuroprotection and functional recovery after application of the caspase-9 inhibitor z-LEHD-fmk in a rat model of traumatic spinal cord injury, 327

5-hydroxytryptamine receptor
New treatment of lumbar disc herniation involving 5-hydroxytryptamine$_{2A}$ receptor inhibitor: a randomized controlled trial, 441